

Maksim V Sednev

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9589814/maksim-v-sednev-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16
papers

350
citations

9
h-index

17
g-index

17
ext. papers

428
ext. citations

8.7
avg, IF

3.64
L-index

#	Paper	IF	Citations
16	Fluorescent dyes with large Stokes shifts for super-resolution optical microscopy of biological objects: a review. <i>Methods and Applications in Fluorescence</i> , 2015 , 3, 042004	3.1	121
15	Masked red-emitting carbopyronine dyes with photosensitive 2-diazo-1-indanone caging group. <i>Photochemical and Photobiological Sciences</i> , 2012 , 11, 522-32	4.2	43
14	Phosphorylated 3-heteroarylcoumarins and their use in fluorescence microscopy and nanoscopy. <i>Chemistry - A European Journal</i> , 2012 , 18, 16339-48	4.8	40
13	Carborhodol: a new hybrid fluorophore obtained by combination of fluorescein and carbopyronine dye cores. <i>Bioconjugate Chemistry</i> , 2013 , 24, 690-700	6.3	27
12	N-Methyladenosine-Sensitive RNA-Cleaving Deoxyribozymes. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 15117-15121	16.4	25
11	PONy Dyes: Direct Addition of P(III) Nucleophiles to Organic Fluorophores. <i>Organic Letters</i> , 2018 , 20, 1261-1264	6.2	23
10	Machine learning of reverse transcription signatures of variegated polymerases allows mapping and discrimination of methylated purines in limited transcriptomes. <i>Nucleic Acids Research</i> , 2020 , 48, 3734-3746	20.1	20
9	"Reduced" Coumarin Dyes with an O-Phosphorylated 2,2-Dimethyl-4-(hydroxymethyl)-1,2,3,4-tetrahydroquinoline Fragment: Synthesis, Spectra, and STED Microscopy. <i>Chemistry - A European Journal</i> , 2016 , 22, 11631-42	4.8	17
8	NOseq: amplicon sequencing evaluation method for RNA m6A sites after chemical deamination. <i>Nucleic Acids Research</i> , 2021 , 49, e23	20.1	12
7	N6-Methyladenosine-Sensitive RNA-Cleaving Deoxyribozymes. <i>Angewandte Chemie</i> , 2018 , 130, 15337-15341	3.4	8
6	N-Isopentenyladenosine in RNA Determines the Cleavage Site of Endonuclease Deoxyribozymes. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 18627-18631	16.4	6
5	RNA-Cleaving Deoxyribozymes Differentiate Methylated Cytidine Isomers in RNA. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 19058-19062	16.4	5
4	N6-Isopentenyladenosine in RNA Determines the Cleavage Site of Endonuclease Deoxyribozymes. <i>Angewandte Chemie</i> , 2020 , 132, 18786-18790	3.6	3
3	Everlasting rhodamine dyes and true deciding factors in their STED microscopy performance. <i>Photochemical and Photobiological Sciences</i> , 2020 , 19, 1677-1689	4.2	0
2	RNA-Cleaving Deoxyribozymes Differentiate Methylated Cytidine Isomers in RNA. <i>Angewandte Chemie</i> , 2021 , 133, 19206-19210	3.6	0
1	In Vitro Selection of Deoxyribozymes for the Detection of RNA Modifications. <i>Methods in Molecular Biology</i> , 2022 , 167-179	1.4	