

# Kazumasa Aoki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9590827/publications.pdf>

Version: 2024-02-01

20  
papers

910  
citations

840776

11  
h-index

888059

17  
g-index

20  
all docs

20  
docs citations

20  
times ranked

777  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neoproterozoic Eclogite-to Granulite-Facies Transition in the Ubendian Belt, Tanzania, and the Timescale of Continental Collision. <i>Journal of Petrology</i> , 2022, 63, .	2.8	5
2	Geochemical and geochronological constraints on the origin and emplacement of the Shimoondori diorites in Shikoku, Southwest Japan. <i>Island Arc</i> , 2021, 30, e12420.	1.1	0
3	Crustal evolution of the Paleoproterozoic Ubendian Belt (SW Tanzania) western margin: A Central African Shield amalgamation tale. <i>Gondwana Research</i> , 2021, 91, 286-306.	6.0	20
4	Nature and timing of anatexis event of the Hida Belt (Japan): Constraints from titanite geochemistry and U-Pb age of clinopyroxene-bearing leucogranite. <i>Lithos</i> , 2021, 398-399, 106256.	1.4	6
5	Trace element zoning patterns in porphyroblastic garnets in <i>eclogites</i> : Parameter optimization of the diffusion-limited REE uptake model. <i>Island Arc</i> , 2021, 30, e12394.	1.1	4
6	The $^{13}\text{C}$ – $^{18}\text{O}$ variations in marble in the Hida Belt, Japan. <i>Island Arc</i> , 2021, 30, e12389.	1.1	11
7	Metamorphic age of the Otaki Group in the Mitsumine area of the Kanto Mountains, central Japan. <i>Journal of the Geological Society of Japan</i> , 2021, 127, 437-442.	0.6	0
8	Oceanic-arc subduction, stagnation, and exhumation: zircon U–Pb geochronology and trace-element geochemistry of the Sanbagawa eclogites in central Shikoku, SW Japan. <i>Lithos</i> , 2020, 358-359, 105378.	1.4	14
9	The Ashizuri granite-alkaline gabbro complex in the forearc of a Paleogene accretionary complex, Shikoku, Japan: Constraints on evolution by zircon U-Pb age and trace element composition. <i>Geochemical Journal</i> , 2020, 54, 411-420.	1.0	7
10	U-Pb zircon dating of the Sanbagawa metamorphic rocks in the Besshi-Asemi-gawa region, central Shikoku, Japan, and tectono-stratigraphic consequences. <i>Journal of the Geological Society of Japan</i> , 2019, 125, 183-194.	0.6	20
11	Constraint on the eclogite age of the Sanbagawa metamorphic rocks in central Shikoku, Japan. <i>International Geology Review</i> , 2019, 61, 2211-2226.	2.1	11
12	New U–Pb zircon ages of the Sandbian (Upper Ordovician) K-bentonite in Baltoscandia (Estonia) <i>Tectonophysics</i> , 2019, 744, 228-241.	1.2	14
13	The eastern extension of Paleozoic South China in NE Japan evidenced by detrital zircon. <i>Gff</i> , 2014, 136, 116-119.	1.2	39
14	Detrital zircon ages of Cambrian and Devonian sandstones from Estonia, central Baltica: a possible link to Avalonia during the Late Neoproterozoic. <i>Gff</i> , 2014, 136, 214-217.	1.2	13
15	Provenance diversification within an arc-trench system induced by batholith development: the Cretaceous Japan case. <i>Terra Nova</i> , 2014, 26, 139-149.	2.1	42
16	Opening of Japan Sea and Major Tectonic Lines of Japan. <i>Journal of Geography (Chigaku Zasshi)</i> , 2010, 119, 1079-1124.	0.3	65
17	New insight into a subduction-related orogen: A reappraisal of the geotectonic framework and evolution of the Japanese Islands. <i>Gondwana Research</i> , 2010, 18, 82-105.	6.0	503
18	Metamorphic P–T–time history of the Sanbagawa belt in central Shikoku, Japan and implications for retrograde metamorphism during exhumation. <i>Lithos</i> , 2009, 113, 393-407.	1.4	68

#	ARTICLE	IF	CITATIONS
19	Tectonic boundary between the Sanbagawa belt and the Shimanto belt in central Shikoku, Japan. Journal of the Geological Society of Japan, 2007, 113, 171-183.	0.6	68
20	Pressure effect on cathodoluminescence emission intensity recorded in metamorphosed detrital zircons of the Sanbagawa schists. Island Arc, 0, , .	1.1	0