## **Xiaoping Tang**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9591642/publications.pdf

Version: 2024-02-01

48 papers 2,046 citations

430754 18 h-index 42 g-index

52 all docs 52 docs citations 52 times ranked

4473 citing authors

#	Article	IF	CITATIONS
1	Imaging and clinical features of patients with 2019 novel coronavirus SARS-CoV-2. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 1275-1280.	3.3	612
2	Detectable 2019-nCoV viral RNA in blood is a strong indicator for the further clinical severity. Emerging Microbes and Infections, 2020, 9, 469-473.	3.0	339
3	Transmission, viral kinetics and clinical characteristics of the emergent SARS-CoV-2 Delta VOC in Guangzhou, China. EClinicalMedicine, 2021, 40, 101129.	3.2	176
4	Protective humoral and cellular immune responses to SARS-CoV-2 persist up to 1 year after recovery. Nature Communications, 2021, 12, 4984.	5.8	100
5	Chimeric Antigen Receptor T Cells Guided by the Single-Chain Fv of a Broadly Neutralizing Antibody Specifically and Effectively Eradicate Virus Reactivated from Latency in CD4 <sup>+</sup> T Lymphocytes Isolated from HIV-1-Infected Individuals Receiving Suppressive Combined Antiretroviral Therapy, Journal of Virology, 2016, 90, 9712-9724.	1.5	83
6	Asymptomatic SARS-CoV-2 infected patients with persistent negative CT findings. European Journal of Radiology, 2020, 126, 108956.	1.2	63
7	Delineating antibody recognition against Zika virus during natural infection. JCI Insight, 2017, 2, .	2.3	61
8	Prognostic Factors for COVID-19 Pneumonia Progression to Severe Symptoms Based on Earlier Clinical Features: A Retrospective Analysis. Frontiers in Medicine, 2020, 7, 557453.	1.2	60
9	Clinical Characteristics of Patients Infected With the Novel 2019 Coronavirus (SARS-Cov-2) in Guangzhou, China. Open Forum Infectious Diseases, 2020, 7, ofaa187.	0.4	40
10	Broadly neutralizing antibody–derived CAR T cells reduce viral reservoir in individuals infected with HIV-1. Journal of Clinical Investigation, 2021, 131, .	3.9	38
11	Serum levels of soluble vascular cell adhesion molecules may correlate with the severity of dengue virus-1 infection in adults. Emerging Microbes and Infections, 2015, 4, 1-7.	3.0	37
12	Association between detectable SARSâ€COVâ€2 RNA in anal swabs and disease severity in patients with coronavirus disease 2019. Journal of Medical Virology, 2021, 93, 794-802.	2.5	34
13	Biomarkers of iron metabolism facilitate clinical diagnosis in <i>Mycobacterium tuberculosis</i> infection. Thorax, 2019, 74, 1161-1167.	2.7	32
14	A Single Injection of Human Neutralizing Antibody Protects against Zika Virus Infection and Microcephaly in Developing Mouse Embryos. Cell Reports, 2018, 23, 1424-1434.	2.9	29
15	Clonorchis sinensis granulin: identification, immunolocalization, and function in promoting the metastasis of cholangiocarcinoma and hepatocellular carcinoma. Parasites and Vectors, 2017, 10, 262.	1.0	28
16	Prognostic roles of KLâ€6 in disease severity and lung injury in COVIDâ€19 patients: A longitudinal retrospective analysis. Journal of Medical Virology, 2021, 93, 2505-2512.	2.5	28
17	USP49 potently stabilizes APOBEC3G protein by removing ubiquitin and inhibits HIV-1 replication. ELife, 2019, 8, .	2.8	27
18	Associations between residential greenness and blood lipids in Chinese Uyghur adults. Environment International, 2020, 142, 105903.	4.8	22

#	Article	IF	CITATIONS
19	CUL7 E3 Ubiquitin Ligase Mediates the Degradation of Activation-Induced Cytidine Deaminase and Regulates the Ig Class Switch Recombination in B Lymphocytes. Journal of Immunology, 2019, 203, 269-281.	0.4	19
20	Transmitted drug resistance and transmission clusters among HIV-1 treatment-na $\tilde{A}$ -ve patients in Guangdong, China: a cross-sectional study. Virology Journal, 2021, 18, 181.	1.4	16
21	Characteristics of <i>Schistosoma japonicum</i> infection induced <scp>IFN</scp> â€ <i>γ</i> and <scp>IL</scp> â€4 coâ€expressing plasticity Th cells. Immunology, 2016, 149, 25-34.	2.0	14
22	Detection of Anti-SARS-CoV-2-S2 IgG Is More Sensitive Than Anti-RBD IgG in Identifying Asymptomatic COVID-19 Patients. Frontiers in Immunology, 2021, 12, 724763.	2.2	14
23	Lovastatin Inhibits HIV-1-Induced MHC-I Downregulation by Targeting Nef–AP-1 Complex Formation: A New Strategy to Boost Immune Eradication of HIV-1 Infected Cells. Frontiers in Immunology, 2019, 10, 2151.	2.2	12
24	Significantly reduced abilities to cross-neutralize SARS-CoV-2 variants by sera from convalescent COVID-19 patients infected by Delta or early strains. Cellular and Molecular Immunology, 2021, 18, 2560-2562.	4.8	11
25	Sex differences in HIV treatment outcomes and adherence by exposure groups among adults in Guangdong, China: A retrospective observational cohort study. EClinicalMedicine, 2020, 22, 100351.	3.2	10
26	Complicated genotypes circulating among treatment naÃ-ve HIV-1 patients in Guangzhou, China. Infection, Genetics and Evolution, 2021, 87, 104673.	1.0	10
27	Factors associated with clinical outcomes in patients with Coronavirus Disease 2019 in Guangzhou, China. Journal of Clinical Virology, 2020, 133, 104661.	1.6	9
28	HIV-1 Drug Resistance and Genetic Transmission Networks Among MSM Failing Antiretroviral Therapy in South China 2014–2019. Infection and Drug Resistance, 2021, Volume 14, 2977-2989.	1.1	9
29	Changing Epidemiology of Hepatitis C Virus Genotype among Patients with Human Immunodeficiency Virus/Hepatitis C Virus Co-Infection in China. PLoS ONE, 2016, 11, e0161844.	1.1	9
30	Talaromyces marneffei Mp1p Antigen Detection may Play an Important Role in the Early Diagnosis of Talaromycosis in Patients with Acquired Immunodeficiency Syndrome. Mycopathologia, 2022, 187, 205-215.	1.3	9
31	Characterization of small genomic regions of the hepatitis B virus should be performed with more caution. Virology Journal, 2018, 15, 188.	1.4	8
32	PIWIL4 Maintains HIV-1 Latency by Enforcing Epigenetically Suppressive Modifications on the 5′ Long Terminal Repeat. Journal of Virology, 2020, 94, .	1.5	8
33	Evidence that the second human pegivirus (HPgV-2) is primarily a lymphotropic virus and can replicate independent of HCV replication. Emerging Microbes and Infections, 2020, 9, 485-495.	3.0	8
34	Development and external validation of a prognostic model for survival of people living with HIV/AIDS initiating antiretroviral therapy. The Lancet Regional Health - Western Pacific, 2021, 16, 100269.	1.3	8
35	Glycopeptide Antibiotic Teicoplanin Inhibits Cell Entry of SARS-CoV-2 by Suppressing the Proteolytic Activity of Cathepsin L. Frontiers in Microbiology, 2022, 13, 884034.	1.5	8
36	Autoantibody-Mediated Erythrophagocytosis Increases Tuberculosis Susceptibility in HIV Patients. MBio, 2020, $11$ , .	1.8	7

3

#	Article	IF	CITATIONS
37	Effects of preventive therapy for latent tuberculosis infection and factors associated with treatment abandonment: a cross-sectional study. Journal of Thoracic Disease, 2018, 10, 4377-4386.	0.6	7
38	Characteristics of drug resistance in HIV-1 CRF55_01B from ART-experienced patients in Guangdong, China. Journal of Antimicrobial Chemotherapy, 2020, 75, 1925-1931.	1.3	6
39	The Association of TLR2, TLR3, and TLR9 Gene Polymorphisms With Susceptibility to Talaromycosis Among Han Chinese AIDS Patients in Guangdong. Frontiers in Cellular and Infection Microbiology, 2021, 11, 625461.	1.8	6
40	Expression and characterization of aTalaromyces marneffeiactive phospholipase B expressed in aPichia pastorisexpression system. Emerging Microbes and Infections, 2016, 5, 1-6.	3.0	5
41	Dual Therapy with Lopinavir/Ritonavir plus Lamivudine could be a Viable Alternative for Antiretroviral-Therapy-Naive Adults with HIV-1 Infection Regardless of HIV Viral Load or Subgenotype in Resource-Limited Settings: A Randomised, Open-Label and Non-Inferiority Study from China. Indian lournal of Medical Microbiology. 2018. 36. 513-516.	0.3	4
42	Genetic characterization of a novel HIV-1 CRF01_AE/CRF07_BC recombinant form among men who have sex with men in Guangdong, China. Archives of Virology, 2018, 163, 3093-3097.	0.9	4
43	A novel one-step quantitative reverse transcription PCR assay for selective amplification of hepatitis B virus pregenomic RNA from a mixture of HBV DNA and RNA in serum. Archives of Virology, 2019, 164, 2683-2690.	0.9	4
44	Critical appraisal and external validation of a prognostic model for survival of people living with HIV/AIDS who underwent antiretroviral therapy. Diagnostic and Prognostic Research, 2020, 4, 19.	0.8	4
45	Genetic Characteristics of HIV-1 CRF12_BF First Identified in Guangdong Province, China. AIDS Research and Human Retroviruses, 2021, 37, 157-161.	0.5	3
46	Persistent chronic immune activation in HIV/HBVâ€coinfected patients after antiretroviral therapy. Journal of Viral Hepatitis, 2021, 28, 1355-1361.	1.0	3
47	Roles of TLR7 in Schistosoma japonicum Infection-Induced Hepatic Pathological Changes in C57BL/6 Mice. Frontiers in Cellular and Infection Microbiology, 2021, $11$ , 754299.	1.8	2
48	Genetic characteristics of HIV-1 CRF06_cpx and CRF56_cpx strains isolated in Guangzhou, China. Archives of Virology, 2021, 166, 2853-2857.	0.9	0