

Xiaoping Tang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9591642/xiaoping-tang-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers

1,273
citations

15
h-index

35
g-index

52
ext. papers

1,741
ext. citations

8.1
avg, IF

4.59
L-index

#	Paper	IF	Citations
48	Imaging and clinical features of patients with 2019 novel coronavirus SARS-CoV-2. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 1275-1280	8.8	486
47	Detectable 2019-nCoV viral RNA in blood is a strong indicator for the further clinical severity. <i>Emerging Microbes and Infections</i> , 2020 , 9, 469-473	18.9	272
46	Transmission, viral kinetics and clinical characteristics of the emergent SARS-CoV-2 Delta VOC in Guangzhou, China. <i>EClinicalMedicine</i> , 2021 , 40, 101129	11.3	62
45	Chimeric Antigen Receptor T Cells Guided by the Single-Chain Fv of a Broadly Neutralizing Antibody Specifically and Effectively Eradicate Virus Reactivated from Latency in CD4+ T Lymphocytes Isolated from HIV-1-Infected Individuals Receiving Suppressive Combined Antiretroviral Therapy. <i>Journal of Virology</i> , 2016 , 90, 9712-9724	6.6	56
44	Asymptomatic SARS-CoV-2 infected patients with persistent negative CT findings. <i>European Journal of Radiology</i> , 2020 , 126, 108956	4.7	50
43	Delineating antibody recognition against Zika virus during natural infection. <i>JCI Insight</i> , 2017 , 2,	9.9	41
42	Prognostic Factors for COVID-19 Pneumonia Progression to Severe Symptoms Based on Earlier Clinical Features: A Retrospective Analysis. <i>Frontiers in Medicine</i> , 2020 , 7, 557453	4.9	30
41	Clinical Characteristics of Patients Infected With the Novel 2019 Coronavirus (SARS-Cov-2) in Guangzhou, China. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofaa187	1	28
40	Serum levels of soluble vascular cell adhesion molecules may correlate with the severity of dengue virus-1 infection in adults. <i>Emerging Microbes and Infections</i> , 2015 , 4, e24	18.9	27
39	Association between detectable SARS-COV-2 RNA in anal swabs and disease severity in patients with coronavirus disease 2019. <i>Journal of Medical Virology</i> , 2021 , 93, 794-802	19.7	23
38	A Single Injection of Human Neutralizing Antibody Protects against Zika Virus Infection and Microcephaly in Developing Mouse Embryos. <i>Cell Reports</i> , 2018 , 23, 1424-1434	10.6	20
37	Protective humoral and cellular immune responses to SARS-CoV-2 persist up to 1 year after recovery. <i>Nature Communications</i> , 2021 , 12, 4984	17.4	20
36	Clonorchis sinensis granulin: identification, immunolocalization, and function in promoting the metastasis of cholangiocarcinoma and hepatocellular carcinoma. <i>Parasites and Vectors</i> , 2017 , 10, 262	4	18
35	USP49 potently stabilizes APOBEC3G protein by removing ubiquitin and inhibits HIV-1 replication. <i>ELife</i> , 2019 , 8,	8.9	16
34	Biomarkers of iron metabolism facilitate clinical diagnosis in infection. <i>Thorax</i> , 2019 , 74, 1161-1167	7.3	16
33	Prognostic roles of KL-6 in disease severity and lung injury in COVID-19 patients: A longitudinal retrospective analysis. <i>Journal of Medical Virology</i> , 2021 , 93, 2505-2512	19.7	12
32	Characteristics of Schistosoma japonicum infection induced IFN- γ and IL-4 co-expressing plasticity Th cells. <i>Immunology</i> , 2016 , 149, 25-34	7.8	9

31	CUL7 E3 Ubiquitin Ligase Mediates the Degradation of Activation-Induced Cytidine Deaminase and Regulates the Ig Class Switch Recombination in B Lymphocytes. <i>Journal of Immunology</i> , 2019 , 203, 269-281	5.3	8
30	Lovastatin Inhibits HIV-1-Induced MHC-I Downregulation by Targeting Nef-AP-1 Complex Formation: A New Strategy to Boost Immune Eradication of HIV-1 Infected Cells. <i>Frontiers in Immunology</i> , 2019 , 10, 2151	8.4	7
29	Associations between residential greenness and blood lipids in Chinese Uyghur adults. <i>Environment International</i> , 2020 , 142, 105903	12.9	6
28	Evidence that the second human pegivirus (HPgV-2) is primarily a lymphotropic virus and can replicate independent of HCV replication. <i>Emerging Microbes and Infections</i> , 2020 , 9, 485-495	18.9	5
27	Factors associated with clinical outcomes in patients with Coronavirus Disease 2019 in Guangzhou, China. <i>Journal of Clinical Virology</i> , 2020 , 133, 104661	14.5	5
26	Characterization of small genomic regions of the hepatitis B virus should be performed with more caution. <i>Virology Journal</i> , 2018 , 15, 188	6.1	5
25	Broadly neutralizing antibody-derived CAR T cells reduce viral reservoir in individuals infected with HIV-1. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	5
24	Effects of preventive therapy for latent tuberculosis infection and factors associated with treatment abandonment: a cross-sectional study. <i>Journal of Thoracic Disease</i> , 2018 , 10, 4377-4386	2.6	4
23	Detection of Anti-SARS-CoV-2-S2 IgG Is More Sensitive Than Anti-RBD IgG in Identifying Asymptomatic COVID-19 Patients. <i>Frontiers in Immunology</i> , 2021 , 12, 724763	8.4	4
22	A novel one-step quantitative reverse transcription PCR assay for selective amplification of hepatitis B virus pregenomic RNA from a mixture of HBV DNA and RNA in serum. <i>Archives of Virology</i> , 2019 , 164, 2683-2690	2.6	3
21	Autoantibody-Mediated Erythrophagocytosis Increases Tuberculosis Susceptibility in HIV Patients. <i>MBio</i> , 2020 , 11,	7.8	3
20	PIWIL4 Maintains HIV-1 Latency by Enforcing Epigenetically Suppressive Modifications on the 5U Long Terminal Repeat. <i>Journal of Virology</i> , 2020 , 94,	6.6	3
19	Genetic characterization of a novel HIV-1 CRF01_AE/CRF07_BC recombinant form among men who have sex with men in Guangdong, China. <i>Archives of Virology</i> , 2018 , 163, 3093-3097	2.6	3
18	Changing Epidemiology of Hepatitis C Virus Genotype among Patients with Human Immunodeficiency Virus/Hepatitis C Virus Co-Infection in China. <i>PLoS ONE</i> , 2016 , 11, e0161844	3.7	3
17	Critical appraisal and external validation of a prognostic model for survival of people living with HIV/AIDS who underwent antiretroviral therapy. <i>Diagnostic and Prognostic Research</i> , 2020 , 4, 19	5.5	3
16	Expression and characterization of a <i>Talaromyces marneffei</i> active phospholipase B expressed in a <i>Pichia pastoris</i> expression system. <i>Emerging Microbes and Infections</i> , 2016 , 5, e120	18.9	3
15	Complicated genotypes circulating among treatment naïve HIV-1 patients in Guangzhou, China. <i>Infection, Genetics and Evolution</i> , 2021 , 87, 104673	4.5	3
14	Sex differences in HIV treatment outcomes and adherence by exposure groups among adults in Guangdong, China: A retrospective observational cohort study. <i>EclinicalMedicine</i> , 2020 , 22, 100351	11.3	2

13	Significantly reduced abilities to cross-neutralize SARS-CoV-2 variants by sera from convalescent COVID-19 patients infected by Delta or early strains. <i>Cellular and Molecular Immunology</i> , 2021 , 18, 2560-2562	15.4	2
12	Characteristics of drug resistance in HIV-1 CRF55_01B from ART-experienced patients in Guangdong, China. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 1925-1931	5.1	2
11	Dual therapy with lopinavir/ritonavir plus lamivudine could be a viable alternative for antiretroviral-therapy-naïve adults with HIV-1 infection regardless of HIV viral load or subgenotype in resource-limited settings: A randomised, open-label and non-inferiority study from China. <i>Indian Journal of Medical Microbiology</i> , 2018 , 36, 513-516	1.3	2
10	Transmitted drug resistance and transmission clusters among HIV-1 treatment-naïve patients in Guangdong, China: a cross-sectional study. <i>Virology Journal</i> , 2021 , 18, 181	6.1	2
9	The Association of TLR2, TLR3, and TLR9 Gene Polymorphisms With Susceptibility to Talaromycosis Among Han Chinese AIDS Patients in Guangdong. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 625461	5.9	1
8	Genetic Characteristics of HIV-1 CRF12_BF First Identified in Guangdong Province, China. <i>AIDS Research and Human Retroviruses</i> , 2021 , 37, 157-161	1.6	1
7	HIV-1 Drug Resistance and Genetic Transmission Networks Among MSM Failing Antiretroviral Therapy in South China 2014-2019. <i>Infection and Drug Resistance</i> , 2021 , 14, 2977-2989	4.2	1
6	Glycopeptide Antibiotic Teicoplanin Inhibits Cell Entry of SARS-CoV-2 by Suppressing the Proteolytic Activity of Cathepsin L.. <i>Frontiers in Microbiology</i> , 2022 , 13, 884034	5.7	1
5	Roles of TLR7 in Infection-Induced Hepatic Pathological Changes in C57BL/6 Mice. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 754299	5.9	0
4	Persistent chronic immune activation in HIV/HBV-coinfected patients after antiretroviral therapy. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1355-1361	3.4	0
3	Development and external validation of a prognostic model for survival of people living with HIV/AIDS initiating antiretroviral therapy. <i>The Lancet Regional Health - Western Pacific</i> , 2021 , 16, 100269 ⁵		0
2	Talaromyces marneffeii Mp1p Antigen Detection may Play an Important Role in the Early Diagnosis of Talaromycosis in Patients with Acquired Immunodeficiency Syndrome.. <i>Mycopathologia</i> , 2022 , 1	2.9	0
1	Genetic characteristics of HIV-1 CRF06_cpx and CRF56_cpx strains isolated in Guangzhou, China. <i>Archives of Virology</i> , 2021 , 166, 2853-2857	2.6	