

Wook Bahng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9592884/wook-bahng-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

595
citations

13
h-index

21
g-index

96
ext. papers

664
ext. citations

1.4
avg, IF

3.27
L-index

#	Paper	IF	Citations
77	The inclination of threading dislocation in chemical vapor deposition-grown single-crystal diamond analyzed by synchrotron white beam X-ray topography. <i>Journal of the Korean Physical Society</i> , 2022 , 80, 175-184	0.6	0
76	Effects of stress on the evolution of Eshaped dislocation arrays in a 4H-SiC epitaxial layer. <i>Journal of Applied Physics</i> , 2021 , 129, 245101	2.5	
75	Design and Fabrication of 1.2 kV/10A 4H-SiC Junction Barrier Schottky Diodes with High Current Density. <i>Transactions on Electrical and Electronic Materials</i> , 2021 , 22, 115-120	1.7	1
74	Double p-base structure for 1.2-kV SiC trench MOSFETs with the suppression of electric-field crowding at gate oxide. <i>Microelectronic Engineering</i> , 2020 , 225, 111280	2.5	2
73	Micro-trench free 4H-SiC etching with improved SiC/SiO ₂ selectivity using inductively coupled SF ₆ /O ₂ /Ar plasma. <i>Physica Scripta</i> , 2020 , 95, 045606	2.6	1
72	TEOS-based low-pressure chemical vapor deposition for gate oxides in 4H-SiC MOSFETs using nitric oxide post-deposition annealing. <i>Current Applied Physics</i> , 2020 , 20, 1386-1390	2.6	3
71	Effect of sweeping direction on the capacitance-voltage behavior of sputtered SiO ₂ /4H-SiC metal-oxide semiconductors after nitric oxide post-deposition annealing. <i>Physica Scripta</i> , 2019 , 94, 125811	2.6	3
70	High-voltage LDIMOSFETs on HPSI 4H-SiC substrate with dual field plates. <i>Physica Scripta</i> , 2019 , 94, 105809	2.6	1
69	Effects of junction profiles in bottom protection p-well on electrical characteristics of 1.2 kV SiC trench-gate MOSFETs. <i>EPJ Applied Physics</i> , 2019 , 88, 30103	1.1	1
68	A low knee voltage and high breakdown voltage of 4H-SiC TSBS employing poly-Si/Ni Schottky scheme. <i>Solid-State Electronics</i> , 2018 , 140, 8-11	1.7	2
67	High-voltage lateral double-implanted MOSFETs implemented on high-purity semi-insulating 4H-SiC substrates with gate field plates. <i>Japanese Journal of Applied Physics</i> , 2018 , 57, 06HC08	1.4	4
66	Effects of trench profile and self-aligned ion implantation on electrical characteristics of 1.2 kV 4H-SiC trench MOSFETs using bottom protection p-well. <i>Japanese Journal of Applied Physics</i> , 2018 , 57, 06HC07	1.4	4
65	Formation of the Uniform Interface Ni/4H-SiC Ohmic Contact with Titanium as Barrier Layer. <i>Materials Science Forum</i> , 2018 , 924, 397-400	0.4	
64	Fabrication of 4H-SiC lateral double implanted MOSFET on an on-axis semi-insulating substrate without using epi-layer. <i>Japanese Journal of Applied Physics</i> , 2017 , 56, 120305	1.4	8
63	Oxygen- and photoresist-related interface states of 4H-SiC Schottky diode observed by deep-level transient spectroscopy. <i>Journal of Applied Physics</i> , 2017 , 122, 094504	2.5	2
62	Effect of surface passivation on breakdown voltages of 4H-SiC Schottky barrier diodes. <i>Journal of the Korean Physical Society</i> , 2017 , 71, 707-710	0.6	2
61	Fabrication of a 1.7-kV Schottky barrier diode with improved forward current-voltage characteristics. <i>Journal of the Korean Physical Society</i> , 2016 , 68, 810-814	0.6	1

60	Role of the oxidizing agent in the etching of 4H-SiC substrates with molten KOH. <i>Journal of the Korean Physical Society</i> , 2016 , 69, 1677-1682	0.6	1
59	Impact of Stacking Fault on the I-V Characteristics of 4H-SiC Schottky Barrier Diode. <i>Materials Science Forum</i> , 2015 , 821-823, 563-566	0.4	2
58	Schottky barrier modulation of metal/4H-SiC junction with thin interface spacer driven by surface polarization charge on 4H-SiC substrate. <i>Applied Physics Letters</i> , 2015 , 107, 252101	3.4	11
57	Fabrication of a 600-V/20-A 4H-SiC schottky barrier diode. <i>Journal of the Korean Physical Society</i> , 2014 , 64, 1886-1891	0.6	9
56	Investigation of SiO ₂ film growth on 4H-SiC by direct thermal oxidation and postoxidation annealing techniques in HNO ₃ & H ₂ O vapor at varied process durations. <i>Thin Solid Films</i> , 2014 , 570, 138-149	2.2	3
55	Improved 4H-SiC metal oxide semiconductor interface produced by using an oxidized SiN gate oxide that had undergone post-oxidation annealing. <i>Journal of the Korean Physical Society</i> , 2014 , 64, 1363-1369	0.6	3
54	Nanomechanical Analysis of Triangular Defect in 4H-SiC Epilayer. <i>Materials Science Forum</i> , 2014 , 778-780, 394-397	0.4	3
53	Top-down fabrication of 4H-SiC nano-channel field effect transistors. <i>Journal of Nanoscience and Nanotechnology</i> , 2014 , 14, 7821-3	1.3	4
52	Improved reverse current-voltage characteristics of a 4H-SiC PiN diode by bias-enhanced reduction of surface damage. <i>Journal of the Korean Physical Society</i> , 2013 , 62, 1312-1316	0.6	
51	Investigation of thermally grown oxide on 4H-SiC by a combination of H ₂ O and HNO ₃ vapor with varied HNO ₃ solution heating temperature. <i>Applied Surface Science</i> , 2013 , 285, 795-804	6.7	5
50	Correlation between reverse characteristics and structural defects in 4H-SiC PiN diode. <i>Journal of the Korean Physical Society</i> , 2013 , 63, 1819-1823	0.6	2
49	Etch pit investigation of free electron concentration controlled 4H-SiC. <i>Journal of Crystal Growth</i> , 2013 , 369, 38-42	1.6	4
48	Enhanced field-emission capacity by density control of a CNT cathode using post-plasma treatment. <i>Solid State Communications</i> , 2013 , 171, 50-54	1.6	5
47	Effects of wet-oxidized 4H-SiC annealed in HNO ₃ /H ₂ O vapour. <i>Microelectronics International</i> , 2013 , 31, 42-53	0.8	2
46	GaN as a Transparent Electrode to Silicon Carbide. <i>Materials Science Forum</i> , 2012 , 717-720, 849-852	0.4	
45	Metal Work-function and Doping-Concentration Dependent Barrier Height of Ni-Contacts to 4H-SiC with Metal-Embedded Nano-Particles. <i>Materials Science Forum</i> , 2012 , 717-720, 857-860	0.4	3
44	Effects of Substrate Temperature on the Electrical and the Optical Properties of N-Type ZnO/P-Type 4H-SiC. <i>Materials Science Forum</i> , 2012 , 717-720, 1327-1330	0.4	
43	Impact of Interface Charges on the Transient Characteristics of 4H-SiC DMOSFETs. <i>Journal of Electrical Engineering and Technology</i> , 2012 , 7, 236-239	1.4	1

42	Anti-reflective nano- and micro-structures on 4H-SiC for photodiodes. <i>Nanoscale Research Letters</i> , 2011 , 6, 236	5	7
41	Effects of post-oxidation annealing temperature on ZrO ₂ thin film deposited on 4H-SiC substrate. <i>Materials Science in Semiconductor Processing</i> , 2011 , 14, 13-17	4.3	22
40	Black SiC formation induced by Si overlayer deposition and subsequent plasma etching. <i>Thin Solid Films</i> , 2011 , 519, 3728-3731	2.2	3
39	Improved 4H-SiC MOS Interface Produced by Oxidized-SiN Gate Oxide. <i>Materials Science Forum</i> , 2010 , 645-648, 511-514	0.4	2
38	Design and Characterization of 50W Switch Mode Power Supply Using Normally-On SiC JFET. <i>Materials Science Forum</i> , 2010 , 645-648, 1151-1154	0.4	
37	Improved local oxidation of silicon carbide using atomic force microscopy. <i>Applied Physics Letters</i> , 2010 , 96, 082105	3.4	8
36	Effects of rapid thermal annealing on Al ₂ O ₃ /SiN reaction barrier layer/thermal-nitrided SiO ₂ stacking gate dielectrics on n-type 4H-SiC. <i>Applied Physics Letters</i> , 2010 , 96, 122108	3.4	6
35	Effect of Postoxidation Annealing on High Temperature Grown SiO ₂ /4H-SiC Interfaces. <i>Journal of the Electrochemical Society</i> , 2010 , 157, H196	3.9	11
34	Structural and optical properties of epitaxial ZnO thin films on 4H-SiC (0001) substrates prepared by pulsed laser deposition. <i>Journal of Alloys and Compounds</i> , 2010 , 489, 179-182	5.7	16
33	Metal-oxide semiconductor characteristics of thermally grown nitrided SiO ₂ thin film on 4H-SiC in various N ₂ O ambient. <i>Thin Solid Films</i> , 2010 , 518, 3255-3259	2.2	24
32	Post Annealing Etch Process for Improved Reverse Characteristics of 4H-SiC Diode. <i>Materials Science Forum</i> , 2009 , 615-617, 663-666	0.4	
31	Fabrication of 1.2 kV Ni/4H-SiC Junction Barrier-Controlled Schottky Diodes with a Single P+ Ion-Implantation Process. <i>Journal of the Korean Physical Society</i> , 2009 , 54, 1802-1806	0.6	6
30	Current conduction mechanisms in atomic-layer-deposited HfO ₂ /nitrided SiO ₂ stacked gate on 4H silicon carbide. <i>Journal of Applied Physics</i> , 2008 , 103, 084113	2.5	110
29	Effects of heat treatment in vacuum on the physical properties of thermal nitrided silicon dioxide gate on 4H-silicon carbide. <i>Thin Solid Films</i> , 2008 , 516, 7921-7924	2.2	1
28	Analysis of charge conduction mechanisms in nitrided SiO ₂ Film on 4H SiC. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2008 , 372, 529-532	2.3	20
27	Improved Electronic Performance of HfO ₂ /SiO ₂ Stacking Gate Dielectric on 4H SiC. <i>IEEE Transactions on Electron Devices</i> , 2007 , 54, 3409-3413	2.9	28
26	Electronic Properties of Atomic-Layer-Deposited Al ₂ O ₃ /Thermal-Nitrided SiO ₂ Stacking Dielectric on 4H SiC. <i>Electrochemical and Solid-State Letters</i> , 2007 , 10, H69		32
25	Analysis of current conduction mechanisms in atomic-layer-deposited Al ₂ O ₃ gate on 4H silicon carbide. <i>Applied Physics Letters</i> , 2007 , 90, 162113	3.4	33

24	Numerical Investigation of the DC and RF Performances for a 4H-SiC Double Delta-Doped Channel MESFET Having Various Delta-Doping Concentrations. <i>Materials Science Forum</i> , 2007 , 556-557, 823-826	0.4	
23	Low Resistance Cathode Metallization and Die-Bonding in Silicon Carbide P-N Junction Diodes. <i>Materials Science Forum</i> , 2007 , 556-557, 717-720	0.4	3
22	Effects of Thermally Oxidized-SiN Gate Oxide on 4H-SiC Substrate. <i>Electrochemical and Solid-State Letters</i> , 2007 , 10, H327		4
21	Breakdown Voltage Characteristics of FLR-Assisted SiC-SBD Formed by Aluminum Metal Junction Edge Termination. <i>Materials Science Forum</i> , 2007 , 556-557, 861-864	0.4	
20	Electrical Properties of Atomic-Layer-Deposited La ₂ O ₃ /Thermal-Nitrided SiO ₂ Stacking Dielectric on 4H-SiC(0001). <i>Materials Science Forum</i> , 2007 , 556-557, 643-646	0.4	8
19	Modification of Surface Layer during High Temperature Annealing and its Effects on the SiC Diode Characteristics. <i>Materials Science Forum</i> , 2007 , 556-557, 595-598	0.4	1
18	Electrical Properties of Metal-Oxide-Semiconductor (MOS) Structures on 4H-SiC(0001) Formed by Oxidizing Pre-Deposited Si ₃ N ₄ . <i>Materials Science Forum</i> , 2007 , 556-557, 647-650	0.4	1
17	Effects of thermal nitrided gate-oxide thickness on 4H silicon-carbide-based metal-oxide-semiconductor characteristics. <i>Applied Physics Letters</i> , 2007 , 90, 012120	3.4	28
16	Characteristics of Post-Nitridation Rapid-Thermal Annealed Gate Oxide Grown on 4H-SiC. <i>Materials Science Forum</i> , 2005 , 483-485, 689-692	0.4	4
15	Current conduction mechanisms in post-nitridation rapid-thermal-annealed gate oxides on 4H silicon carbide. <i>Applied Physics Letters</i> , 2005 , 87, 212102	3.4	15
14	Edge Termination Technique for SiC Power Devices. <i>Materials Science Forum</i> , 2004 , 457-460, 1241-1244	0.4	
13	Fabrication and Characterization of 4H-SiC pn Diode with Field Limiting Ring. <i>Materials Science Forum</i> , 2004 , 457-460, 1013-1016	0.4	4
12	4H-SiC p-n Diode using Internal Ring (IR) Termination Technique. <i>Materials Science Forum</i> , 2004 , 457-460, 1041-1044	0.4	
11	High-Quality SiC Bulk Single Crystal Growth Based on Simulation and Experiment. <i>Materials Science Forum</i> , 2004 , 457-460, 29-34	0.4	14
10	Co-Formation of Gate Electrode and Ohmic Contacts in SiC Power MOSFETs. <i>Materials Science Forum</i> , 2003 , 433-436, 661-664	0.4	
9	Damage Relaxation Pre-Activation Anneal in Al-Implanted SiC. <i>Materials Science Forum</i> , 2003 , 433-436, 617-620	0.4	6
8	Flux-Controlled Sublimation Growth by an Inner Guide-Tube. <i>Materials Science Forum</i> , 2002 , 389-393, 83-86	0.4	18
7	Suppression of Macrostep Formation in 4H-SiC Using a Cap Oxide Layer. <i>Materials Science Forum</i> , 2002 , 389-393, 863-866	0.4	7

6	Liquid-phase epitaxy on 6H-SiC Acheson seed crystals in closed vessel. <i>Journal of Crystal Growth</i> , 2000 , 220, 75-81	1.6	9
5	Homoepitaxial growth of 6H-SiC thin films by metal-organic chemical vapor deposition using bis-trimethylsilylmethane precursor. <i>Journal of Crystal Growth</i> , 2000 , 210, 629-636	1.6	12
4	X-ray Topographic Study of SiC Crystal at High Temperature. <i>Materials Science Forum</i> , 2000 , 338-342, 461-464	0.4	1
3	Shape of SiC Bulk Single Crystal Grown by Sublimation. <i>Materials Science Forum</i> , 2000 , 338-342, 99-102	0.4	11
2	Epitaxial growth of 6H-SiC thin films using bis-trimethylsilylmethane on Si(100) with a polycrystalline buffer layer. <i>Thin Solid Films</i> , 1996 , 290-291, 181-185	2.2	8
1	Heteroepitaxial growth of 6H-SiC thin films on Si(100) substrate using bis-trimethylsilylmethane. <i>Applied Physics Letters</i> , 1996 , 69, 4053-4055	3.4	16