

Mohamad Pauzi Zakaria

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9596016/publications.pdf>

Version: 2024-02-01

99
papers

4,848
citations

147566

31
h-index

98622

67
g-index

104
all docs

104
docs citations

104
times ranked

5163
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessment of Sewage Molecular Markers in Port Dickson Coast and Kim Kim River with Sediment Linear Alkylbenzenes. <i>Polycyclic Aromatic Compounds</i> , 2023, 43, 343-355.	1.4	9
2	Determination of hydrocarbon sources in major rivers and estuaries of peninsular Malaysia using aliphatic hydrocarbons and hopanes as biomarkers. <i>Environmental Forensics</i> , 2022, 23, 255-268.	1.3	9
3	Monitoring of linear alkyl benzenes (LABs) in riverine and estuarine sediments in Malaysia. <i>Environmental Geochemistry and Health</i> , 2022, 44, 3687-3702.	1.8	8
4	Source apportionment and health risk assessment of polycyclic aromatic hydrocarbons (PAHs) in the coastal ecosystem of the Brunei Bay, Brunei. <i>Marine Pollution Bulletin</i> , 2022, 181, 113913.	2.3	5
5	Examination of barnacles's potential to be used as bioindicators of persistent organic pollutants in coastal ecosystem: A Malaysia case study. <i>Chemosphere</i> , 2021, 263, 128272.	4.2	4
6	International pellet watch: Global monitoring of polybrominated diphenyl ethers (PBDEs) in plastic resin pellets. <i>Environmental Monitoring and Contaminants Research</i> , 2021, 1, 75-90.	0.4	4
7	Population Estimates and Site Occupancy of Purple Swamphen and White-Breasted Waterhen in the Natural and Artificial Urban Wetlands of Peninsular Malaysia. <i>Punjab University Journal of Zoology</i> , 2021, 36, .	0.4	0
8	Year-round Measurements of Dissolved Black Carbon in Coastal Southeast Asia Aerosols: Rethinking Its Atmospheric Deposition in the Ocean. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021, 126, e2021JD034590.	1.2	9
9	Distribution of black carbon and PAHs in sediments of Peninsular Malaysia. <i>Marine Pollution Bulletin</i> , 2021, 172, 112871.	2.3	15
10	Use of molecular markers and compound-specific isotopic signatures to trace sources of black carbon in surface sediments of Peninsular Malaysia: Impacts of anthropogenic activities. <i>Marine Chemistry</i> , 2021, 237, 104032.	0.9	4
11	Fingerprinting Techniques Investigation to Detect Petroleum Hydrocarbon Origin in Coastal Sediments of Persian Gulf. <i>Polycyclic Aromatic Compounds</i> , 2020, 40, 355-371.	1.4	2
12	Contamination status and ecological risk of heavy metals in surface sediment of Kelantan River and its nearshore area, Malaysia. <i>Water Science and Technology: Water Supply</i> , 2020, 20, 103-117.	1.0	6
13	Equifinality in the modelling of ammonia volatilisation from a flooded rice system. <i>Environmental Modelling and Software</i> , 2020, 133, 104752.	1.9	3
14	Monitoring of sewage pollution in the surface sediments of coastal ecosystems using linear alkylbenzenes (LABs) as molecular markers. <i>Journal of Soils and Sediments</i> , 2020, 20, 3230-3242.	1.5	12
15	Linear alkylbenzenes in surface sediments of an estuarine and marine environment in peninsular Malaysia. <i>Marine Pollution Bulletin</i> , 2020, 153, 111013.	2.3	12
16	Isotope constraints of the strong influence of biomass burning to climate-forcing Black Carbon aerosols over Southeast Asia. <i>Science of the Total Environment</i> , 2020, 744, 140359.	3.9	14
17	Determination of linear alkylbenzenes (LABs) in mangrove ecosystems using the oyster <i>Crassostrea belcheri</i> as a biosensor. <i>Marine Pollution Bulletin</i> , 2020, 154, 111115.	2.3	12
18	Use of sterols and linear alkylbenzenes as molecular markers of sewage pollution in Southeast Asia. <i>Environmental Science and Pollution Research</i> , 2019, 26, 31555-31580.	2.7	18

#	ARTICLE	IF	CITATIONS
19	Impact of biochar and compost amendment on soil quality, growth and yield of a replanted apple orchard in a 4-year field study. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 1862-1869.	1.7	50
20	Mangrove Oyster (<i>Crassostrea belcheri</i>) as a Biomonitor Species for Bioavailability of Polycyclic Aromatic Hydrocarbons (PAHs) from Sediment of the West Coast of Peninsular Malaysia. <i>Polycyclic Aromatic Compounds</i> , 2019, 39, 470-485.	1.4	23
21	Evaluation of Polycyclic Aromatic Hydrocarbons Contamination in the Sediments of the Johor Strait, Peninsular Malaysia. <i>Polycyclic Aromatic Compounds</i> , 2019, 39, 44-59.	1.4	19
22	Environmental Forensic Techniques in Identifying the Sources of 16 USEPA Priority Pollutants Polycyclic Aromatic Hydrocarbons (PAHs) at the Langat River, Selangor, Malaysia. <i>International Journal of Engineering and Technology(UAE)</i> , 2018, 7, 123.	0.2	1
23	Seasonal variability of anthropogenic indices of PAHs in sediment from the Kuala Selangor River, west coast Peninsular Malaysia. <i>Environmental Geochemistry and Health</i> , 2018, 40, 2551-2572.	1.8	16
24	Bioavailability of polycyclic aromatic hydrocarbons (PAHs) to short-neck clam (<i>Paphia undulata</i>) from sediment matrices in mudflat ecosystem of the west coast of Peninsular Malaysia. <i>Environmental Geochemistry and Health</i> , 2017, 39, 591-610.	1.8	28
25	Ecotoxicological and Health Risk Assessment of Polycyclic Aromatic Hydrocarbons (PAHs) in Short-Neck Clam (<i>Paphia undulata</i>) and Contaminated Sediments in Malacca Strait, Malaysia. <i>Archives of Environmental Contamination and Toxicology</i> , 2017, 73, 474-487.	2.1	21
26	Microplastics in Sediment Cores from Asia and Africa as Indicators of Temporal Trends in Plastic Pollution. <i>Archives of Environmental Contamination and Toxicology</i> , 2017, 73, 230-239.	2.1	308
27	Aliphatic hydrocarbons and triterpane biomarkers in mangrove oyster (<i>Crassostrea belcheri</i>) from the west coast of Peninsular Malaysia. <i>Marine Pollution Bulletin</i> , 2017, 124, 33-42.	2.3	22
28	Seasonal Trends of Atmospheric PAHs in Five Asian Megacities and Source Detection Using Suitable Biomarkers. <i>Aerosol and Air Quality Research</i> , 2017, 17, 2247-2262.	0.9	27
29	Isolation, identification and diesel-oil biodegradation capacities of indigenous hydrocarbon-degrading strains of <i>Cellulosimicrobium cellulans</i> and <i>Acinetobacter baumannii</i> from tarball at Terengganu beach, Malaysia. <i>Marine Pollution Bulletin</i> , 2016, 107, 261-268.	2.3	51
30	Distribution and sources of linear alkyl benzenes (LABs) in surface sediments from Johor Bahru Coast and the Kim Kim River, Malaysia. <i>Environmental Forensics</i> , 2016, 17, 36-47.	1.3	26
31	Evaluation of distribution and sources of sewage molecular marker (LABs) in selected rivers and estuaries of Peninsular Malaysia. <i>Environmental Science and Pollution Research</i> , 2016, 23, 5693-5704.	2.7	30
32	Toxic and nontoxic elemental enrichment in biochar at different production temperatures. <i>Journal of Cleaner Production</i> , 2016, 131, 810-821.	4.6	17
33	Anthropogenic waste indicators (AWIs), particularly PAHs and LABs, in Malaysian sediments: Application of aquatic environment for identifying anthropogenic pollution. <i>Marine Pollution Bulletin</i> , 2016, 102, 160-175.	2.3	66
34	Concentrations and Source Identification of Polycyclic Aromatic Hydrocarbons (PAHs) in Mangrove Sediments from North of Persian Gulf. <i>Polycyclic Aromatic Compounds</i> , 2016, 36, 601-612.	1.4	9
35	Forensic investigation of aliphatic hydrocarbons in the sediments from selected mangrove ecosystems in the west coast of Peninsular Malaysia. <i>Marine Pollution Bulletin</i> , 2015, 100, 311-320.	2.3	39
36	Comparison of polycyclic aromatic hydrocarbons level between suspended solid and sediment samples of Pengkalan Chepa River, Kelantan state, Malaysia. <i>AIP Conference Proceedings</i> , 2015, , .	0.3	1

#	ARTICLE	IF	CITATIONS
37	The Effects of Climate Change on Avian Diversity in High-Altitude Wetland Habitats. , 2015, , 545-567.		0
38	Polycyclic Aromatic Hydrocarbon (PAH) Contamination of Surface Sediments from Port Dickson, Malaysia: Distribution, Sources and Ecological Risk Assessment. Environmental Forensics, 2015, 16, 322-332.	1.3	17
39	Baseline distribution and sources of linear alkyl benzenes (LABs) in surface sediments from Brunei Bay, Brunei. Marine Pollution Bulletin, 2015, 101, 397-403.	2.3	40
40	Distributions and source apportionment of sediment-associated polycyclic aromatic hydrocarbons (PAHs) and hopanes in rivers and estuaries of Peninsular Malaysia. Environmental Science and Pollution Research, 2015, 22, 9424-9437.	2.7	33
41	Elucidation of in-vitro anti-inflammatory bioactive compounds isolated from <i>Jatropha curcas</i> L. plant root. BMC Complementary and Alternative Medicine, 2015, 15, 11.	3.7	50
42	Source Type Evaluation of Polycyclic Aromatic Hydrocarbons (PAHs) in Surface Sediments from the Muar River and Pulau Merambong, Peninsular Malaysia. Environmental Forensics, 2015, 16, 135-142.	1.3	29
43	Sterols as biomarkers in the surface microlayer of the estuarine areas. Marine Pollution Bulletin, 2015, 93, 278-283.	2.3	17
44	Total petroleum hydrocarbons in sediments from the coastline and mangroves of the northern Persian Gulf. Marine Pollution Bulletin, 2015, 95, 407-411.	2.3	21
45	Ploidy-, gender-, and dose-dependent alteration of selected biomarkers in <i>Clarias gariepinus</i> treated with benzo[a]pyrene. Journal of Environmental Sciences, 2015, 38, 95-102.	3.2	13
46	The impact of biochars on sorption and biodegradation of polycyclic aromatic hydrocarbons in soils—a review. Environmental Science and Pollution Research, 2015, 22, 3314-3341.	2.7	102
47	Evidence for the microbial degradation of imidacloprid in soils of Cameron Highlands. Journal of the Saudi Society of Agricultural Sciences, 2015, 14, 182-188.	1.0	33
48	Using particle tracking as a tool sustainable bank infiltration techniques: a case study in an alluvial area. Arabian Journal of Geosciences, 2015, 8, 1571-1590.	0.6	5
49	Modeling of crude oil biodegradation using two phase partitioning bioreactor. Biotechnology Progress, 2014, 30, 797-805.	1.3	1
50	Health Risk of PCBs and DDTs in Seafood from Southern Iran. Human and Ecological Risk Assessment (HERA), 2014, 20, 1164-1176.	1.7	7
51	Comparison of understory bird species in relation to edge-interior gradient in an isolated tropical rainforest of Malaysia. Environment, Development and Sustainability, 2014, 16, 375-392.	2.7	8
52	Groundwater and surface-water utilisation using a bank infiltration technique in Malaysia. Hydrogeology Journal, 2014, 22, 543-564.	0.9	24
53	Baseline distributions and sources of Polycyclic Aromatic Hydrocarbons (PAHs) in the surface sediments from the Prai and Malacca Rivers, Peninsular Malaysia. Marine Pollution Bulletin, 2014, 88, 366-372.	2.3	78
54	Distribution, Sources Identification, and Ecological Risk of PAHs and PCBs in Coastal Surface Sediments from the Northern Persian Gulf. Human and Ecological Risk Assessment (HERA), 2014, 20, 1507-1520.	1.7	27

#	ARTICLE	IF	CITATIONS
55	Statistical Approach in Determining the Spatial Changes of Surface Water Quality at the Upper Course of Kano River, Nigeria. <i>Water Quality, Exposure, and Health</i> , 2014, 6, 127-142.	1.5	12
56	Conjunctive use of surface water and groundwater via the bank infiltration method. <i>Arabian Journal of Geosciences</i> , 2014, 7, 3731-3753.	0.6	11
57	Particle tracking analysis of river-aquifer interaction via bank infiltration techniques. <i>Environmental Earth Sciences</i> , 2014, 72, 3129-3142.	1.3	8
58	Historical occurrences of polybrominated diphenyl ethers and polychlorinated biphenyls in Manila Bay, Philippines, and in the upper Gulf of Thailand. <i>Science of the Total Environment</i> , 2014, 470-471, 427-437.	3.9	29
59	Occurrence of veterinary antibiotics and progesterone in broiler manure and agricultural soil in Malaysia. <i>Science of the Total Environment</i> , 2014, 488-489, 261-267.	3.9	127
60	Distribution of Petroleum Hydrocarbons in Surface Sediments from Selected Locations in Kuala Selangor River, Malaysia. , 2014, , 351-356.		11
61	Distribution of Polycyclic Aromatic Hydrocarbons (PAHs) in Sediment from Muar River and Pulau Merambong, Peninsular Malaysia. , 2014, , 451-455.		10
62	Source Discrimination of PAHs in Industrial Soil of the Persian Gulf Coast. , 2014, , 203-207.		0
63	Elemental hydrochemistry assessment on its variation and quality status in Langat River, Western Peninsular Malaysia. <i>Environmental Earth Sciences</i> , 2013, 70, 993-1004.	1.3	17
64	Composition and source identification of polycyclic aromatic hydrocarbons in mangrove sediments of Peninsular Malaysia: indication of anthropogenic input. <i>Environmental Earth Sciences</i> , 2013, 70, 2425-2436.	1.3	40
65	Evaluation of the potential bioaccumulation ability of the blood cockle (<i>Anadara granosa</i> L.) for assessment of environmental matrices of mudflats. <i>Science of the Total Environment</i> , 2013, 454-455, 584-597.	3.9	31
66	Degradation of veterinary antibiotics and hormone during broiler manure composting. <i>Bioresource Technology</i> , 2013, 131, 476-484.	4.8	180
67	Polymer Partitioning Approach for Petroleum Hydrocarbon Reduction in a Clay Soil. <i>Water, Air, and Soil Pollution</i> , 2013, 224, 1.	1.1	5
68	Chemometric techniques in distribution, characterisation and source apportionment of polycyclic aromatic hydrocarbons (PAHS) in aquaculture sediments in Malaysia. <i>Marine Pollution Bulletin</i> , 2013, 69, 55-66.	2.3	83
69	Application of geoaccumulation index and enrichment factors on the assessment of heavy metal pollution in the sediments. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2013, 48, 182-190.	0.9	87
70	Occurrence of synthetic hormones in sewage effluents and Langat River and its tributaries, Malaysia. <i>International Journal of Environmental Analytical Chemistry</i> , 2013, 93, 1457-1469.	1.8	20
71	Three Centuries of Polycyclic Aromatic Hydrocarbons and Teriterpane Records In Tebrau Strait, Malaysia; Recent Pollution Concern in a Pristine Marine Environment. <i>Polycyclic Aromatic Compounds</i> , 2012, 32, 364-389.	1.4	5
72	Extraction Efficiency and HPLC Determination of Imidacloprid in Soil. <i>Soil and Sediment Contamination</i> , 2012, 21, 985-995.	1.1	15

#	ARTICLE	IF	CITATIONS
73	Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS) in Surface Water From the Langkat River, Peninsular Malaysia. <i>Environmental Forensics</i> , 2012, 13, 82-92.	1.3	24
74	Asiaâ€‘Pacific mussel watch for emerging pollutants: Distribution of synthetic musks and benzotriazole UV stabilizers in Asian and US coastal waters. <i>Marine Pollution Bulletin</i> , 2012, 64, 2211-2218.	2.3	146
75	Faecal sterols as sewage markers in the Langkat River, Malaysia: Integration of biomarker and multivariate statistical approaches. <i>Journal of Environmental Sciences</i> , 2012, 24, 1600-1608.	3.2	31
76	Application of chemometrics in understanding the spatial distribution of human pharmaceuticals in surface water. <i>Environmental Monitoring and Assessment</i> , 2012, 184, 6735-6748.	1.3	46
77	Simultaneous determination of veterinary antibiotics and hormone in broiler manure, soil and manure compost by liquid chromatographyâ€‘tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1262, 160-168.	1.8	131
78	Spatial Variability of Metals in Surface Water and Sediment in the Langkat River and Geochemical Factors That Influence Their Water-Sediment Interactions. <i>Scientific World Journal</i> , The, 2012, 2012, 1-14.	0.8	74
79	Laboratory simulation of LNAPL spills and remediation in unsaturated porous media using the image analysis technique: A review. , 2011, , .		6
80	Polycyclic Aromatic Hydrocarbons and Hopane in Malacca Coastal Water: 130 Years of Evidence for Their Land-Based Sources. <i>Environmental Forensics</i> , 2011, 12, 63-78.	1.3	9
81	Risk assessment for the daily intake of polycyclic aromatic hydrocarbons from the ingestion of cockle (<i>Anadara granosa</i>) and exposure to contaminated water and sediments along the west coast of Peninsular Malaysia. <i>Journal of Environmental Sciences</i> , 2011, 23, 336-345.	3.2	38
82	Variations and Origins of Aliphatic Hydrocarbons in Sediment Cores from Chini Lake in Peninsular Malaysia. <i>Environmental Forensics</i> , 2011, 12, 79-91.	1.3	21
83	Multi-residue analytical method for human pharmaceuticals and synthetic hormones in river water and sewage effluents by solid-phase extraction and liquid chromatographyâ€‘tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2010, 1217, 6791-6806.	1.8	190
84	Aluminum tris(dihydrogen phosphate) $[Al(H_2PO_4)_3]$ as an efficient and heterogeneous catalyst for the environmentally friendly preparation of N,N'-alkylidene bis carbamates. , 2010, , .		1
85	Spatial distribution and sources of polycyclic aromatic hydrocarbons (PAHs) in green mussels (<i>Perna viridis</i>) from coastal areas of Peninsular Malaysia: implications for source identification of perylene. <i>International Journal of Environmental Analytical Chemistry</i> , 2010, 90, 14-30.	1.8	21
86	Silica Supported Barium Chloride (SiO_2 - $BaCl_2$): Efficient and Heterogeneous catalyst for the environmentally friendly preparation of N,N'-alkylidene bis amides under solvent-free condition. , 2010, , .		0
87	Forensic Characterization of Polycyclic Aromatic Hydrocarbons and Hopanes in Aerosols from Peninsular Malaysia. <i>Environmental Forensics</i> , 2009, 10, 240-252.	1.3	20
88	International Pellet Watch: Global monitoring of persistent organic pollutants (POPs) in coastal waters. 1. Initial phase data on PCBs, DDTs, and HCHs. <i>Marine Pollution Bulletin</i> , 2009, 58, 1437-1446.	2.3	541
89	Chemical characterization of atmospheric transported polycyclic aromatic hydrocarbons in peninsular Malaysia: A quarter century view. , 2009, , .		0
90	Vertical distribution and source identification of polycyclic aromatic hydrocarbons in anoxic sediment cores of Chini Lake, Malaysia: Perylene as indicator of land plant-derived hydrocarbons. <i>Applied Geochemistry</i> , 2009, 24, 1777-1787.	1.4	89

#	ARTICLE	IF	CITATIONS
91	Characterization of alkanes, hopanes, and polycyclic aromatic hydrocarbons (PAHs) in tar-balls collected from the East Coast of Peninsular Malaysia. <i>Marine Pollution Bulletin</i> , 2008, 56, 950-962.	2.3	55
92	Asian Mussel Watch Program: Contamination Status of Polybrominated Diphenyl Ethers and Organochlorines in Coastal Waters of Asian Countries. <i>Environmental Science & Technology</i> , 2007, 41, 4580-4586.	4.6	126
93	Distribution of Polycyclic Aromatic Hydrocarbons (PAHs) and phenolic endocrine disrupting chemicals in South and Southeast Asian mussels. <i>Environmental Monitoring and Assessment</i> , 2007, 135, 423-440.	1.3	104
94	Distribution of Polycyclic Aromatic Hydrocarbons (PAHs) in Rivers and Estuaries in Malaysia: A Widespread Input of Petrogenic PAHs. <i>Environmental Science & Technology</i> , 2002, 36, 1907-1918.	4.6	609
95	Alkylbenzenes in mussels from South and South East Asian coasts as a molecular tool to assess sewage impact. <i>Marine Pollution Bulletin</i> , 2002, 45, 325-331.	2.3	50
96	Source identification of Malaysian atmospheric polycyclic aromatic hydrocarbons nearby forest fires using molecular and isotopic compositions. <i>Atmospheric Environment</i> , 2002, 36, 611-618.	1.9	119
97	Polycyclic Aromatic Hydrocarbon (PAHs) and Hopanes in Stranded Tar-balls on the Coasts of Peninsular Malaysia: Applications of Biomarkers for Identifying Sources of Oil Pollution. <i>Marine Pollution Bulletin</i> , 2001, 42, 1357-1366.	2.3	139
98	Oil Pollution in the Straits of Malacca, Malaysia: Application of Molecular Markers for Source Identification. <i>Environmental Science & Technology</i> , 2000, 34, 1189-1196.	4.6	134
99	Simultaneous extraction and determination of pharmaceuticals and personal care products (PPCPs) in river water and sewage by solid-phase extraction and liquid chromatography-tandem mass spectrometry. <i>International Journal of Environmental Analytical Chemistry</i> , 0, , 1-17.	1.8	9