

Alice KvÃ¥le

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9596558/publications.pdf>

Version: 2024-02-01

32
papers

367
citations

840776

11
h-index

839539

18
g-index

32
all docs

32
docs citations

32
times ranked

350
citing authors

#	ARTICLE	IF	CITATIONS
1	How do physiotherapists understand and interpret the "Pain Attitudes and Beliefs Scale"? A cognitive interview study. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 513-527.	1.3	3
2	A clinical study of musculoskeletal dysfunction in targets of workplace bullying. <i>European Journal of Physiotherapy</i> , 2022, 24, 270-279.	1.3	1
3	Norwegian Psychomotor Physiotherapy versus Cognitive Patient Education and active physiotherapy" A randomized controlled trial. <i>Physiotherapy Research International</i> , 2021, 26, e1891.	1.5	6
4	Do pain, function, range of motion, fear and distress differ according to symptom duration and work status in patients with low back pain? A cross-sectional study. <i>European Journal of Physiotherapy</i> , 2020, , 1-8.	1.3	1
5	Effect of information and exercise programmes after lumbar disc surgery: A randomized controlled trial. <i>Physiotherapy Research International</i> , 2020, 25, e1864.	1.5	7
6	Authors'™ Reply to the Letter to the Editor from Filho et al.. <i>European Journal of Pain</i> , 2019, 23, 1576-1577.	2.8	0
7	Musculoskeletal disorders " a challenge to society and to physiotherapists. <i>European Journal of Physiotherapy</i> , 2019, 21, 185-186.	1.3	1
8	Discriminative Validity of the Pain Attitudes and Beliefs Scale for Physical Therapists. <i>Physical Therapy</i> , 2019, 99, 339-353.	2.4	9
9	Cognitive functional therapy in patients with non-specific chronic low back pain" a randomized controlled trial 3-year follow-up. <i>European Journal of Pain</i> , 2019, 23, 1416-1424.	2.8	64
10	Pain, risk profile, self-reported and tested function in workers with musculoskeletal pain: a cross-sectional study. <i>European Journal of Physiotherapy</i> , 2018, 20, 37-44.	1.3	1
11	The Pain Attitudes and Beliefs Scale for Physiotherapists: Dimensionality and Internal Consistency of the Norwegian Version. <i>Physiotherapy Research International</i> , 2017, 22, e1670.	1.5	14
12	Predicting outcome in frozen shoulder (shoulder capsulitis) in presence of comorbidity as measured with subjective health complaints and neuroticism. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 380.	1.9	9
13	Adhesive capsulitis of the shoulder, treatment with corticosteroid, corticosteroid with distension or treatment-as-usual; a randomised controlled trial in primary care. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 232.	1.9	39
14	Rasch analysis resulted in an improved Norwegian version of the Pain Attitudes and Beliefs Scale(PABS). <i>Scandinavian Journal of Pain</i> , 2016, 13, 98-108.	1.3	8
15	Study protocol for Norwegian Psychomotor Physiotherapy versus Cognitive Patient Education in combination with active individualized physiotherapy in patients with long-lasting musculoskeletal pain " a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 325.	1.9	1
16	The Global Body Examination (GBE): A useful instrument for examination of patients with long-lasting musculoskeletal and/or psychological disorders. <i>European Journal of Physiotherapy</i> , 2016, 18, 137-143.	1.3	2
17	Convergent validity of the Timed Up and Go Test and Ten-metre Timed Walk Test in pregnant women with pelvic girdle pain. <i>Manual Therapy</i> , 2016, 21, 94-99.	1.6	14
18	Experiences with a brief functional evaluation for employees with musculoskeletal disorders as perceived by the employees and their supervisors. <i>European Journal of Physiotherapy</i> , 2015, 17, 166-175.	1.3	2

#	ARTICLE	IF	CITATIONS
19	Self-Reported and Tested Function in Health Care Workers with Musculoskeletal Disorders on Full, Partial or Not on Sick Leave. <i>Journal of Occupational Rehabilitation</i> , 2015, 25, 506-517.	2.2	6
20	Passive range of motion in patients with adhesive shoulder capsulitis, an intertester reliability study over eight weeks. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 37.	1.9	19
21	Reliability of the Timed Up and Go test and Tenâ€Metre Timed Walk Test in Pregnant Women with Pelvic Girdle Pain. <i>Physiotherapy Research International</i> , 2015, 20, 158-165.	1.5	17
22	Examination and Treatment of Patients With Unilateral Vestibular Damage, With Focus on the Musculoskeletal System: A Case Series. <i>Physical Therapy</i> , 2014, 94, 1024-1033.	2.4	15
23	Development of the Palpation Domain for Muscle and Skin in the Global Body Examination. <i>Journal of Musculoskeletal Pain</i> , 2013, 21, 9-18.	0.3	2
24	Development of the Movement domain in the Global Body Examination. <i>Physiotherapy Theory and Practice</i> , 2012, 28, 41-49.	1.3	9
25	The effect of psychomotor physical therapy on subjective health complaints and psychological symptoms. <i>Physiotherapy Research International</i> , 2010, 15, 212-221.	1.5	12
26	Development of the Posture domain in the Global Body Examination (GBE). <i>Advances in Physiotherapy</i> , 2010, 12, 157-165.	0.2	4
27	Body Awareness Rating Questionnaire â€ Development of a self-administered questionnaire for patients with long-lasting musculoskeletal and psychosomatic disorders. <i>Advances in Physiotherapy</i> , 2010, 12, 87-94.	0.2	7
28	Physical findings in patients with dizziness undergoing a group exercise programme. <i>Physiotherapy Research International</i> , 2008, 13, 162-175.	1.5	27
29	Sensitivity to change and responsiveness of the global physiotherapy examination (GPE-52) in patients with long-lasting musculoskeletal pain. <i>Physical Therapy</i> , 2005, 85, 712-26.	2.4	4
30	Examination of movement in patients with long-lasting musculoskeletal pain: reliability and validity. <i>Physiotherapy Research International</i> , 2003, 8, 36-52.	1.5	36
31	Discriminative Validity of the Global Physiotherapy Examination-52 in Patients with Long-Lasting Musculoskeletal Pain versus Healthy Persons. <i>Journal of Musculoskeletal Pain</i> , 2003, 11, 23-35.	0.3	14
32	Palpation of Muscle and Skin. Is this a Reliable and Valid Procedure in Assessment of Patients with Long-lasting Musculoskeletal Pain?. <i>Advances in Physiotherapy</i> , 2003, 5, 122-136.	0.2	13