Doug P Aubrey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9596770/publications.pdf

Version: 2024-02-01

361413 361022 1,392 60 20 35 citations h-index g-index papers 62 62 62 1551 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Grass(stage)root movement to ensure future resilience of longleaf pine ecosystems. New Forests, 2022, 53, 971-982.	1.7	7
2	Interspecific variation in the timing and magnitude of hydraulic redistribution in a forest with distinct water sources. Plant and Soil, 2022, 472, 451-464.	3.7	2
3	Seasonal non-structural carbohydrate dynamics differ between twig bark and xylem tissues. Trees - Structure and Function, 2022, 36, 1231-1245.	1.9	4
4	Water use in a young <i>Pinus taeda</i> bioenergy plantation: Effect of intensive management on stand evapotranspiration. Ecosphere, 2022, 13, .	2,2	4
5	Carbon starvation is absent regardless of season of burn in Liquidambar styraciflua L Forest Ecology and Management, 2021, 479, 118588.	3.2	11
6	Soil CO2 concentration, efflux, and partitioning in a recently afforested grassland. New Forests, 2021, 52, 737-757.	1.7	1
7	Recalibrating Best Practices, Challenges, and Limitations of Estimating Tree Transpiration Via Sap Flow. Current Forestry Reports, 2021, 7, 31.	7.4	9
8	Temporal nitrogen dynamics in intensively managed loblolly pine early stand development. Forest Ecology and Management, 2021, 483, 118890.	3.2	7
9	Xylem transport of rootâ€derived CO ₂ caused a substantial underestimation of belowground respiration during a growing season. Global Change Biology, 2021, 27, 2991-3000.	9.5	8
10	Tree crown injury from wildland fires: causes, measurement and ecological and physiological consequences. New Phytologist, 2021, 231, 1676-1685.	7. 3	35
11	Changes in Soil Microbial Community Structure Following Different Tree Species Functional Traits Afforestation. Forests, 2021, 12, 1018.	2.1	2
12	Calibration approach and range of observed sap flow influences transpiration estimates from thermal dissipation sensors. Agricultural and Forest Meteorology, 2021, 307, 108534.	4.8	5
13	Xeric Tree Populations Exhibit Delayed Summer Depletion of Root Starch Relative to Mesic Counterparts. Forests, 2020, 11, 1026.	2.1	7
14	Root Exudation Rates Decrease with Increasing Latitude in Some Tree Species. Forests, 2020, 11, 1045.	2.1	7
15	Integration of ecosystem science into radioecology: A consensus perspective. Science of the Total Environment, 2020, 740, 140031.	8.0	13
16	Herbicide, fertilization, and planting density effects on intensively managed loblolly pine early stand development. Forest Ecology and Management, 2020, 472, 118206.	3,2	15
17	Groundwater Depth Overrides Tree-Species Effects on the Structure of Soil Microbial Communities Involved in Nitrogen Cycling in Plantation Forests. Forests, 2020, 11, 275.	2.1	6
18	Eucalyptus Are Unlikely to Escape Plantations and Invade Surrounding Forests Managed with Prescribed Fire in Southeastern US. Forests, 2020, 11, 694.	2.1	4

#	Article	IF	Citations
19	Relevance of Precipitation Partitioning to the Tree Water and Nutrient Balance. , 2020, , 147-162.		8
20	From Farms to Forests: Landscape Carbon Balance after 50 Years of Afforestation, Harvesting, and Prescribed Fire. Forests, 2019, 10, 760.	2.1	10
21	Environmental effects of shortâ€rotation woody crops for bioenergy: What is and isn't known. GCB Bioenergy, 2019, 11, 554-572.	5.6	32
22	Stand development and other intrinsic factors largely control fine-root dynamics with only subtle modifications from resource availability. Tree Physiology, 2018, 38, 1805-1819.	3.1	23
23	Stored root carbohydrates can maintain root respiration for extended periods. New Phytologist, 2018, 218, 142-152.	7.3	41
24	Increasing Biomass Production on Limited Land Area Through an Optimal Planting Arrangement. Bioenergy Research, 2018, 11, 13-21.	3.9	1
25	Belowground Carbohydrate Reserves of Mature Southern Pines Reflect Seedling Strategy to Evolutionary History of Disturbance. Forests, 2018, 9, 653.	2.1	6
26	Woody bioenergy crop selection can have large effects on water yield: A southeastern United States case study. Biomass and Bioenergy, 2018, 117, 180-189.	5.7	20
27	Predictive capability of a leaf optical meter for determining leaf pigment status during senescence. Photosynthetica, 2017, 55, 543-552.	1.7	6
28	Observed compression of in situ tree stems during freezing. Agricultural and Forest Meteorology, 2017, 243, 19-24.	4.8	8
29	Half-sibling loblolly pine clones exhibited intraspecific variation, a G \tilde{A} — E interaction, and differences in stable isotope composition in response to soil moisture availability. Environmental and Experimental Botany, 2017, 138, 88-98.	4.2	3
30	Cristulariella moricola associated with foliar blight of Camden white gum (Eucalyptus benthamii), a bioenergy crop. Biomass and Bioenergy, 2017, 105, 464-469.	5.7	1
31	A quantitative method for analyzing glycome profiles of plant cell walls. Carbohydrate Research, 2017, 448, 128-135.	2.3	4
32	Respiration and CO2 Fluxes in Trees. Advances in Photosynthesis and Respiration, 2017, , 181-207.	1.0	12
33	Cell Wall Ultrastructure of Stem Wood, Roots, and Needles of a Conifer Varies in Response to Moisture Availability. Frontiers in Plant Science, 2016, 7, 882.	3.6	11
34	Global patterns and predictors of stem <scp>CO</scp> ₂ efflux in forest ecosystems. Global Change Biology, 2016, 22, 1433-1444.	9.5	61
35	Intermediate time scale response of atmospheric CO 2 following prescribed fire in a longleaf pine forest. Journal of Geophysical Research G: Biogeosciences, 2016, 121, 2745-2760.	3.0	3
36	Seasonal and diel variation in xylem CO ₂ concentration and sap pH in sub-Mediterranean oak stems. Journal of Experimental Botany, 2016, 67, 2817-2827.	4.8	18

#	Article	IF	Citations
37	Temporal and spatial patterns of internal and external stem CO2fluxes in a sub-Mediterranean oak. Tree Physiology, 2016, 36, tpw029.	3.1	25
38	Growth responses of narrow or broad site adapted tree species to a range of resource availability treatments after a full harvest rotation. Forest Ecology and Management, 2016, 362, 107-119.	3.2	45
39	Root xylem CO2 flux: an important but unaccounted-for component of root respiration. Trees - Structure and Function, 2016, 30, 343-352.	1.9	18
40	Xylem and soil CO2 fluxes in a Quercus pyrenaica Willd. coppice: root respiration increases with clonal size. Annals of Forest Science, 2015, 72, 1065-1078.	2.0	21
41	Poplar saplings exposed to recurring temperature shifts of different amplitude exhibit differences in leaf gas exchange and growth despite equal mean temperature. AoB PLANTS, 2014, 6, .	2.3	21
42	Stem girdling affects the quantity of CO 2 transported in xylem as well as CO 2 efflux from soil. New Phytologist, 2014, 201, 897-907.	7.3	37
43	Optimal nitrogen application rates for three intensively-managed hardwood tree species in the southeastern USA. Forest Ecology and Management, 2013, 303, 131-142.	3.2	20
44	Transport of rootâ€respired CO ₂ via the transpiration stream affects aboveground carbon assimilation and CO ₂ efflux in trees. New Phytologist, 2013, 197, 555-565.	7.3	128
45	Assimilation of xylem-transported CO2 is dependent on transpiration rate but is small relative to atmospheric fixation. Journal of Experimental Botany, 2013, 64, 2129-2138.	4.8	34
46	Internal recycling of respired CO ₂ may be important for plant functioning under changing climate regimes. Plant Signaling and Behavior, 2013, 8, e27530.	2.4	22
47	Influence of repeated canopy scorching on soil CO2 efflux. Forest Ecology and Management, 2012, 282, 142-148.	3.2	25
48	A simple calibration improved the accuracy of the thermal dissipation technique for sap flow measurements in juvenile trees of six species. Trees - Structure and Function, 2012, 26, 631-640.	1.9	61
49	Functional groups show distinct differences in nitrogen cycling during early stand development: implications for forest management. Plant and Soil, 2012, 351, 219-236.	3.7	24
50	Spatial and temporal patterns of xylem sap pH derived from stems and twigs of Populus deltoides L Environmental and Experimental Botany, 2011, 71, 376-376.	4.2	20
51	Not sure about a PhD? Work on a "pre-PhD― Frontiers in Ecology and the Environment, 2010, 8, 105-106.	4.0	O
52	Targeting journals and covering letters. Frontiers in Ecology and the Environment, 2010, 8, 161-162.	4.0	1
53	Overlap in Roosting Habits of Indiana Bats (Myotis sodalis) and Northern Bats (Myotis) Tj ETQq1 1 0.784314 rgBT	lOverlock 0.4	10 Tf 50 1
54	Rootâ€derived CO ₂ efflux via xylem stream rivals soil CO ₂ efflux. New Phytologist, 2009, 184, 35-40.	7.3	147

Doug P Aubrey

#	Article	IF	CITATION
55	Variation in physiological response of red imported fire ants (Solenopsis invicta) to small-scale thermal heterogeneity. Journal of Thermal Biology, 2009, 34, 81-84.	2.5	4
56	Soil and microbial respiration in a loblolly pine plantation in response to seven years of irrigation and fertilization. Forest Ecology and Management, 2009, 258, 2431-2438.	3.2	57
57	Statistical Confusion Among Graduate Students: Sickness or Symptom?. Journal of Wildlife Management, 2008, 72, 1869-1871.	1.8	4
58	Above- and below-ground biomass accumulation, production, and distribution of sweetgum and loblolly pine grown with irrigation and fertilization. Canadian Journal of Forest Research, 2008, 38, 1335-1348.	1.7	83
59	Managing forests with prescribed fire: Implications for a cavity-dwelling bat species. Forest Ecology and Management, 2006, 222, 108-115.	3.2	59
60	Seabird guano influences on desert islands: soil chemistry and herbaceous species richness and productivity. Journal of Arid Environments, 2005, 60, 681-695.	2.4	90