

Jin Yao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9596923/jin-yao-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

2,043
citations

24
h-index

45
g-index

47
ext. papers

2,418
ext. citations

6.3
avg, IF

4.67
L-index

#	Paper	IF	Citations
45	Targeting long noncoding RNA-AQP4-AS1 for the treatment of retinal neurovascular dysfunction in diabetes mellitus.. <i>EBioMedicine</i> , 2022 , 77, 103857	8.8	1
44	METTL3-mediated -methyladenosine modification governs pericyte dysfunction during diabetes-induced retinal vascular complication.. <i>Theranostics</i> , 2022 , 12, 277-289	12.1	2
43	Long Non-Coding RNA PNKY Modulates the Development of Choroidal Neovascularization.. <i>Frontiers in Cell and Developmental Biology</i> , 2022 , 10, 836031	5.7	
42	The sphingosine kinase inhibitor SKI-V suppresses cervical cancer cell growth.. <i>International Journal of Biological Sciences</i> , 2022 , 18, 2994-3005	11.2	1
41	LncRNA PINK1-AS promotes G β 1-driven gastric cancer tumorigenesis by sponging microRNA-200a. <i>Oncogene</i> , 2021 , 40, 3826-3844	9.2	10
40	A small molecular multi-targeting tyrosine kinase inhibitor, anlotinib, inhibits pathological ocular neovascularization. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 138, 111493	7.5	5
39	Identification of aberrantly expressed circular RNAs in hyperlipidemia-induced retinal vascular dysfunction in mice. <i>Genomics</i> , 2021 , 113, 593-600	4.3	0
38	A Joint Model for Macular Edema Analysis in Optical Coherence Tomography Images Based on Image Enhancement and Segmentation. <i>BioMed Research International</i> , 2021 , 2021, 6679556	3	1
37	The Nrf2 activator MIND4-17 protects retinal ganglion cells from high glucose-induced oxidative injury. <i>Journal of Cellular Physiology</i> , 2020 , 235, 7204-7213	7	8
36	SKLB1002, a potent inhibitor of VEGF receptor 2 signaling, inhibits endothelial angiogenic function in vitro and ocular angiogenesis in vivo. <i>Molecular Medicine Reports</i> , 2020 , 21, 2571-2579	2.9	1
35	Role of METTL3-Dependent N-Methyladenosine mRNA Modification in the Promotion of Angiogenesis. <i>Molecular Therapy</i> , 2020 , 28, 2191-2202	11.7	29
34	Targeting pericyte-endothelial cell crosstalk by circular RNA-cPWWP2A inhibition aggravates diabetes-induced microvascular dysfunction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 7455-7464	11.5	100
33	Identification of differentially expressed genes and functional annotations associated with metastases of the uveal melanoma. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 19202-19214	4.7	13
32	Targeting Keap1 by miR-626 protects retinal pigment epithelium cells from oxidative injury by activating Nrf2 signaling. <i>Free Radical Biology and Medicine</i> , 2019 , 143, 387-396	7.8	22
31	Microarray Analysis of circRNA Expression Pattern in Corneal Neovascularization. <i>Cornea</i> , 2019 , 38, 1443-1449	3.1	4
30	Comprehensive circular RNA profiling of proliferative vitreoretinopathy and its clinical significance. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 111, 548-554	7.5	8
29	Activation of Nrf2 by Ginsenoside Rh3 protects retinal pigment epithelium cells and retinal ganglion cells from UV. <i>Free Radical Biology and Medicine</i> , 2018 , 117, 238-246	7.8	35

28	Long non-coding RNA MEG3 silencing protects against light-induced retinal degeneration. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 496, 1236-1242	3.4	19
27	Activation of KGFR-Akt-mTOR-Nrf2 signaling protects human retinal pigment epithelium cells from Ultra-violet. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 495, 2171-2177	3.4	29
26	Gefitinib inhibits retina angiogenesis by affecting VEGF signaling pathway. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 102, 115-119	7.5	10
25	Ginsenoside Rh2 inhibits vascular endothelial growth factor-induced corneal neovascularization. <i>FASEB Journal</i> , 2018 , 32, 3782-3791	0.9	15
24	Gβ1 and Gβ2 mediate VEGF-induced VEGFR2 endocytosis, signaling and angiogenesis. <i>Theranostics</i> , 2018 , 8, 4695-4709	12.1	32
23	Effect of nanoencapsulation using poly (lactide-co-glycolide) (PLGA) on anti-angiogenic activity of bevacizumab for ocular angiogenesis therapy. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 107, 1056-1063	7.5	27
22	Neurologin-3 protects retinal cells from HO-induced cell death via activation of Nrf2 signaling. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 502, 166-172	3.4	6
21	Silencing Of Circular RNA-ZNF609 Ameliorates Vascular Endothelial Dysfunction. <i>Theranostics</i> , 2017 , 7, 2863-2877	12.1	156
20	miRNA-141 attenuates UV-induced oxidative stress via activating Keap1-Nrf2 signaling in human retinal pigment epithelium cells and retinal ganglion cells. <i>Oncotarget</i> , 2017 , 8, 13186-13194	3.3	60
19	Long Noncoding RNA-GAS5: A Novel Regulator of Hypertension-Induced Vascular Remodeling. <i>Hypertension</i> , 2016 , 68, 736-48	8.5	118
18	3H-1,2-dithiole-3-thione protects retinal pigment epithelium cells against Ultra-violet radiation via activation of Akt-mTORC1-dependent Nrf2-HO-1 signaling. <i>Scientific Reports</i> , 2016 , 6, 25525	4.9	61
17	Long non-coding RNA-MIAT promotes neurovascular remodeling in the eye and brain. <i>Oncotarget</i> , 2016 , 7, 49688-49698	3.3	74
16	Piezo2 protein: A novel regulator of tumor angiogenesis and hyperpermeability. <i>Oncotarget</i> , 2016 , 7, 44630-44643	3.3	30
15	Long non-coding RNA MALAT1 regulates retinal neurodegeneration through CREB signaling. <i>EMBO Molecular Medicine</i> , 2016 , 8, 346-62	12	66
14	Role of long non-coding RNA MIAT in proliferation, apoptosis and migration of lens epithelial cells: a clinical and in vitro study. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 537-48	5.6	98
13	Identification and characterization of proliferative retinopathy-related long noncoding RNAs. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 465, 324-30	3.4	28
12	Lenalidomide, an anti-tumor drug, regulates retinal endothelial cell function: Implication for treating ocular neovascular disorder. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 465, 678-84	3.4	6
11	lncRNA-MIAT regulates microvascular dysfunction by functioning as a competing endogenous RNA. <i>Circulation Research</i> , 2015 , 116, 1143-56	15.7	458

10	Salvianolic acid A protects RPE cells against oxidative stress through activation of Nrf2/HO-1 signaling. <i>Free Radical Biology and Medicine</i> , 2014 , 69, 219-28	7.8	189
9	Alpha-melanocyte stimulating hormone protects retinal pigment epithelium cells from oxidative stress through activation of melanocortin 1 receptor-Akt-mTOR signaling. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 443, 447-52	3.4	36
8	Regulation of autophagy by high glucose in human retinal pigment epithelium. <i>Cellular Physiology and Biochemistry</i> , 2014 , 33, 107-16	3.9	38
7	Epigallocatechin-gallate (EGCG) regulates autophagy in human retinal pigment epithelial cells: a potential role for reducing UVB light-induced retinal damage. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 438, 739-45	3.4	34
6	Ultraviolet (UV) and hydrogen peroxide activate ceramide-ER stress-AMPK signaling axis to promote retinal pigment epithelium (RPE) cell apoptosis. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 10355-68	6.3	58
5	Ginsenoside Rg-1 protects retinal pigment epithelium (RPE) cells from cobalt chloride (CoCl ₂) and hypoxia assaults. <i>PLoS ONE</i> , 2013 , 8, e84171	3.7	43
4	Tumor necrosis factor-alpha (TNF- α) mediated in vitro human retinal pigment epithelial (RPE) cell migration mainly requires Akt/mTOR complex 1 (mTORC1), but not mTOR complex 2 (mTORC2) signaling. <i>European Journal of Cell Biology</i> , 2012 , 91, 728-37	6.1	17
3	TNF- α promotes human retinal pigment epithelial (RPE) cell migration by inducing matrix metalloproteinase 9 (MMP-9) expression through activation of Akt/mTORC1 signaling. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 425, 33-8	3.4	16
2	Rapamycin sensitive mTOR activation mediates nerve growth factor (NGF) induced cell migration and pro-survival effects against hydrogen peroxide in retinal pigment epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 414, 499-505	3.4	39
1	UVB radiation induces human lens epithelial cell migration via NADPH oxidase-mediated generation of reactive oxygen species and up-regulation of matrix metalloproteinases. <i>International Journal of Molecular Medicine</i> , 2009 , 24, 153-9	4.4	39