

# Dimitrios Peroulis

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9599044/dimitrios-peroulis-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

327  
papers

4,325  
citations

33  
h-index

51  
g-index

407  
ext. papers

5,470  
ext. citations

3.2  
avg, IF

6.16  
L-index

#	Paper	IF	Citations
327	Design of Highly Efficient Broadband Class-E Power Amplifier Using Synthesized Low-Pass Matching Networks. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2011</b> , 59, 3162-3173	4.1	145
326	. <i>Journal of Microelectromechanical Systems</i> , <b>2010</b> , 19, 774-784	2.5	130
325	High- $Q$ Fully Reconfigurable Tunable Bandpass Filters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2009</b> , 57, 3525-3533	4.1	130
324	Nanohybrids of a MXene and transition metal dichalcogenide for selective detection of volatile organic compounds. <i>Nature Communications</i> , <b>2020</b> , 11, 1302	17.4	129
323	A hierarchical manifold microchannel heat sink array for high-heat-flux two-phase cooling of electronics. <i>International Journal of Heat and Mass Transfer</i> , <b>2018</b> , 117, 319-330	4.9	124
322	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2012</b> , 60, 4107-4116	4.1	120
321	Surface Functionalization of TiCT MXene with Highly Reliable Superhydrophobic Protection for Volatile Organic Compounds Sensing. <i>ACS Nano</i> , <b>2020</b> , 14, 11490-11501	16.7	101
320	Low-frequency meandering piezoelectric vibration energy harvester. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2012</b> , 59, 846-58	3.2	76
319	Single/multi-band Wilkinson-type power dividers with embedded transversal filtering sections and application to channelized filters. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2015</b> , 62, 1518-1527	3.9	75
318	A 6-Gb/s Wireless Inter-Chip Data Link Using 43-GHz Transceivers and Bond-Wire Antennas. <i>IEEE Journal of Solid-State Circuits</i> , <b>2009</b> , 44, 2711-2721	5.5	62
317	A Tunable Bandpass-to-Bandstop Reconfigurable Filter With Independent Bandwidths and Tunable Response Shape. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2010</b> , 58, 3770-3779	4.1	56
316	Theory and Design of Octave Tunable Filters With Lumped Tuning Elements. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2013</b> , 61, 4353-4364	4.1	55
315	A Microresonator Design Based on Nonlinear 1 : 2 Internal Resonance in Flexural Structural Modes. <i>Journal of Microelectromechanical Systems</i> , <b>2009</b> , 18, 744-762	2.5	55
314	Highly Loaded Evanescent Cavities for Widely Tunable High-Q Filters. <i>IEEE MTT-S International Microwave Symposium Digest IEEE MTT-S International Microwave Symposium</i> , <b>2007</b> ,		54
313	Switchless Tunable Bandstop-to-All-Pass Reconfigurable Filter. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2012</b> , 60, 1258-1265	4.1	53
312	Pre-breakdown evaluation of gas discharge mechanisms in microgaps. <i>Applied Physics Letters</i> , <b>2013</b> , 102, 174102	3.4	49
311	Co-Design of Highly Efficient Power Amplifier and High- $Q$ Output Bandpass Filter. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2013</b> , 61, 3940-3950	4.1	48

310	Design of Adaptive Highly Efficient GaN Power Amplifier for Octave-Bandwidth Application and Dynamic Load Modulation. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2012</b> , 60, 1829-1839	4-1	48
309	Frequency response of atmospheric pressure gas breakdown in micro/nanogaps. <i>Applied Physics Letters</i> , <b>2013</b> , 103, 063102	3-4	47
308	Liquid RF MEMS Wideband Reflective and Absorptive Switches. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2007</b> , 55, 2919-2929	4-1	47
307	New Bandstop Filter Circuit Topology and Its Application to Design of a Bandstop-to-Bandpass Switchable Filter. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2013</b> , 61, 1114-1123	4-1	45
306	Characterization of hierarchical manifold microchannel heat sink arrays under simultaneous background and hotspot heating conditions. <i>International Journal of Heat and Mass Transfer</i> , <b>2018</b> , 126, 1289-1301	4-9	44
305	DNA counterion current and saturation examined by a MEMS-based solid state nanopore sensor. <i>Biomedical Microdevices</i> , <b>2006</b> , 8, 263-9	3-7	43
304	Dynamics of a nonlinear microresonator based on resonantly interacting flexural-torsional modes. <i>Nonlinear Dynamics</i> , <b>2008</b> , 54, 31-52	5	40
303	Tunable Inter-Resonator Coupling Structure With Positive and Negative Values and Its Application to the Field-Programmable Filter Array (FPFA). <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2011</b> , 59, 3389-3400	4-1	39
302	. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2018</b> , 65, 271-275	3-5	38
301	Tuned to Resonance: Transfer-Function-Adaptive Filters in Evanescent-Mode Cavity-Resonator Technology. <i>IEEE Microwave Magazine</i> , <b>2014</b> , 15, 55-69	1-2	38
300	Power Handling of Electrostatic MEMS Evanescent-Mode (EVA) Tunable Bandpass Filters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2012</b> , 60, 270-283	4-1	37
299	A 3.1-GHz Class-F Power Amplifier With 82% Power-Added-Efficiency. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2013</b> , 23, 436-438	2-6	36
298	Reconfigurable Single/Multi-Band Filtering Power Divider Based on Quasi-Bandpass Sections. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2016</b> , 26, 684-686	2-6	36
297	Extended Passband Bandstop Filter Cascade With Continuous 0.85-6-GHz Coverage. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2012</b> , 60, 21-30	4-1	35
296	Fully-Reconfigurable Bandpass/Bandstop Filters and Their Coupling-Matrix Representation. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2016</b> , 26, 22-24	2-6	34
295	Bandpass/Bandstop Filter Cascade Performance Over Wide Frequency Tuning Ranges. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2010</b> , 58, 3945-3953	4-1	34
294	Co-Design of Multi-Band High-Efficiency Power Amplifier and Three-Pole High-Q Tunable Filter. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2013</b> , 23, 647-649	2-6	33
293	Novel Dual-Band Microwave Filter Using Dual-Capacitively-Loaded Cavity Resonators. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2010</b> , 20, 610-612	2-6	32

292	Tunable SIW Cavity-Based Dual-Mode Diplexers With Various Single-Ended and Balanced Ports. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2018</b> , 66, 1238-1248	4.1	31
291	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2016</b> , 64, 4405-4418	4.1	30
290	. <i>IEEE Microwave Magazine</i> , <b>2013</b> , 14, 24-38	1.2	29
289	Quasi-Elliptic Multi-Band Filters With Center-Frequency and Bandwidth Tunability. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2016</b> , 26, 192-194	2.6	28
288	Tunable MEMS Spiral Inductors With Optimized RF Performance and Integrated Large-Displacement Electrothermal Actuators. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2009</b> , 57, 2276-2283	4.1	28
287	A Yagi-Uda Array of High-Efficiency Wire-Bond Antennas for On-Chip Radio Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2009</b> , 57, 3315-3321	4.1	28
286	Hybrid Acoustic-Wave-Lumped-Element Resonators (AWLRs) for High-Q Bandpass Filters With Quasi-Elliptic Frequency Response. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2015</b> , 63, 2233-2244	4.1	26
285	Characterizing multi-way interference in wireless mesh networks <b>2006</b> ,		26
284	All-Silicon Technology for High-Q Evanescent Mode Cavity Tunable Resonators and Filters. <i>Journal of Microelectromechanical Systems</i> , <b>2014</b> , 23, 727-739	2.5	25
283	. <i>IEEE Transactions on Plasma Science</i> , <b>2016</b> , 44, 3271-3280	1.3	25
282	Isolating Bandpass Filters Using Time-Modulated Resonators. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2019</b> , 67, 2331-2345	4.1	24
281	. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2018</b> , 65, 898-902	3.5	24
280	Tunable VHF Miniaturized Helical Filters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2014</b> , 62, 282-289	4.1	24
279	High temperature dynamic viscosity sensor for engine oil applications. <i>Sensors and Actuators A: Physical</i> , <b>2012</b> , 173, 102-107	3.9	24
278	Theory and Design of Frequency-Tunable Absorptive Bandstop Filters. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2018</b> , 65, 1862-1874	3.9	21
277	A 6 to 24 GHz continuously tunable, microfabricated, high-Q cavity resonator with electrostatic MEMS actuation <b>2012</b> ,		21
276	. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2013</b> , 60, 1082-1093	3.9	21
275	Dispersion Limitations of Ultra-Wideband Wireless Links and Their Compensation Via Photonically Enabled Arbitrary Waveform Generation. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2008</b> , 56, 710-719	4.1	21

274	Non-Toxic Liquid-Metal 2-100 GHz MEMS Switch <b>2007</b> ,		21
273	Hybrid Low-Power Wide-Area Mesh Network for IoT Applications. <i>IEEE Internet of Things Journal</i> , <b>2021</b> , 8, 901-915	10.7	21
272	An Electronically Tunable High-Power Impedance Tuner With Integrated Closed-Loop Control. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 754-756	2.6	20
271	Tunable Cavity-Based Diplexer With Spectrum-Aware Automatic Tuning. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2017</b> , 65, 934-944	4.1	19
270	Intersecting Parallel-Plate Waveguide Loaded Cavities for Dual-Mode and Dual-Band Filters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2013</b> , 61, 1829-1838	4.1	19
269	Fully-tunable filtering power dividers exploiting dynamic transmission-zero allocation. <i>IET Microwaves, Antennas and Propagation</i> , <b>2017</b> , 11, 378-385	1.6	18
268	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2016</b> , 64, 4394-4404	4.1	18
267	Wireless Temperature Sensor for Condition Monitoring of Bearings Operating Through Thick Metal Plates. <i>IEEE Sensors Journal</i> , <b>2013</b> , 13, 2292-2298	4	18
266	High-Performance Tunable Narrowband SIW Cavity-Based Quadrature Hybrid Coupler. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2019</b> , 29, 41-43	2.6	18
265	Design and Optimization of Tunable Silicon-Integrated Evanescent-Mode Bandpass Filters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2018</b> , 66, 1790-1803	4.1	17
264	Tunable high-isolation W-band bandstop filters <b>2015</b> ,		17
263	Design and characterization of a low frequency 2-dimensional magnetic levitation kinetic energy harvester. <i>Sensors and Actuators A: Physical</i> , <b>2015</b> , 236, 1-10	3.9	17
262	Octave tunable lumped-element notch filter with resonator-Q-independent zero reflection coefficient <b>2014</b> ,		17
261	. <i>Journal of Microelectromechanical Systems</i> , <b>2012</b> , 21, 840-849	2.5	17
260	Antibiased Electrostatic RF MEMS Varactors and Tunable Filters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2010</b> , 58, 3971-3981	4.1	17
259	Early-Warning Wireless Telemeter for Harsh-Environment Bearings <b>2007</b> ,		17
258	. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , <b>2019</b> , 9, 1291-1300	1.7	16
257	Microwave Gas Breakdown in Tunable Evanescent-Mode Cavity Resonators. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2014</b> , 24, 351-353	2.6	16

256	An Experimental and Theoretical Investigation of Creep in Ultrafine Crystalline Nickel RF-MEMS Devices. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2011</b> , 59, 2655-2664	4.1	16
255	. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2008</b> , 56, 39-47	4.9	16
254	Electrostatic Liquid-Metal Capacitive Shunt MEMS Switch <b>2006</b> ,		16
253	Plasma-Enabled Tuning of a Resonant RF Circuit. <i>IEEE Transactions on Plasma Science</i> , <b>2016</b> , 44, 1396-1404	4.3	16
252	Integrated Systems in the More-Than-Moore Era: Designing Low-Cost Energy-Efficient Systems Using Heterogeneous Components. <i>IEEE Design and Test</i> , <b>2016</b> , 33, 56-65	1.4	15
251	Coupling-Matrix-Based Design of High- $Q$ Bandpass Filters Using Acoustic-Wave Lumped-Element Resonator (AWLR) Modules. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2015</b> , 63, 4319-4328	4.1	15
250	Multilayered Reflectionless Wideband Bandpass Filters With Shunt/In-Series Resistively Terminated Microstrip Lines. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2020</b> , 68, 877-893	4.1	15
249	<b>2016</b> ,		15
248	Real-Time Feedback Control System for Tuning Evanescent-Mode Cavity Filters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2016</b> , 64, 2804-2813	4.1	15
247	Series-cascaded absorptive notch-filters for 4G-LTE radios <b>2015</b> ,		14
246	Acoustic-Wave-Lumped-Element-Resonator Filters With Equi-Ripple Absorptive Stopbands. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2016</b> , 26, 177-179	2.6	14
245	Estimating residual stress, curvature and boundary compliance of doubly clamped MEMS from their vibration response. <i>Journal of Micromechanics and Microengineering</i> , <b>2013</b> , 23, 045009	2	14
244	<b>2010</b> ,		14
243	High-efficiency wire bond antennas for on-chip radios <b>2009</b> ,		14
242	Tunable bandstop filter with a 17-to-1 upper passband <b>2012</b> ,		14
241	Acoustic Wave Resonator-Based Absorptive Bandstop Filters With Ultra-Narrow Bandwidth. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2015</b> , 25, 570-572	2.6	13
240	Tunable Constant-Bandwidth Substrate-Integrated Bandstop Filters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2018</b> , 66, 157-169	4.1	13
239	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2019</b> , 67, 3391-3402	4.1	13

238	Silicon Micromachined Packages for RF MEMS Switches <b>2001,</b>		13
237	High-power impedance tuner utilising substrate-integrated evanescent-mode cavity technology and external linear actuators. <i>IET Microwaves, Antennas and Propagation</i> , <b>2019</b> , 13, 2067-2072	1.6	13
236	Ultra-Compact Tunable Filtering Rat-Race Coupler Based on Half-Mode SIW Evanescent-Mode Cavity Resonators. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2018</b> , 66, 5563-5572	4.1	13
235	High- $Q$ Bandstop Filters Exploiting Acoustic-Wave-Lumped-Element Resonators (AWLRs). <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2016</b> , 63, 79-83	3.5	12
234	High- $Q$ Tunable Evanescent-Mode Cavity SIW Resonators and Filters With Contactless Tuners. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2019</b> , 67, 3661-3672	4.1	12
233	Contribution of ions in radio frequency properties of atmospheric pressure microgaps. <i>Applied Physics Letters</i> , <b>2014</b> , 105, 253105	3.4	12
232	Thermal and Electrical Conductivities of Nanocrystalline Nickel Microbridges. <i>Journal of Microelectromechanical Systems</i> , <b>2012</b> , 21, 850-858	2.5	12
231	Energy efficient collaborative beamforming in wireless sensor networks <b>2009,</b>		12
230	A Quasi-Absorptive Microwave Resonant Plasma Switch for High-Power Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2018</b> , 66, 3798-3806	4.1	12
229	Reconfigurable Multiband Bandpass Filters in Evanescent-Mode-Cavity-Resonator Technology. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 248-250	2.6	11
228	Tune-All RF Planar Duplexers With Intrinsically Switched Channels. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 350-352	2.6	11
227	Low-Order Filter Response Enhancement in Reconfigurable Resonator Arrays. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2013</b> , 61, 4387-4395	4.1	11
226	Millimeter-wave phase shifter based on waveguide-mounted RF-MEMS. <i>Microwave and Optical Technology Letters</i> , <b>2013</b> , 55, 465-468	1.2	11
225	High- $Q$ intrinsically-switched quasi-absorptive tunable bandstop filter with electrically-short resonators <b>2014,</b>		11
224	Power handling of high- $Q$ evanescent-mode tunable filter with integrated piezoelectric actuators <b>2012,</b>		11
223	V-band bandpass filter with continuously variable centre frequency. <i>IET Microwaves, Antennas and Propagation</i> , <b>2013</b> , 7, 701-707	1.6	11
222	Uncertainty in microscale gas damping: Implications on dynamics of capacitive MEMS switches. <i>Reliability Engineering and System Safety</i> , <b>2011</b> , 96, 1171-1183	6.3	11
221	In-situ control of tunable evanescent-mode cavity filters using differential mode monitoring <b>2009,</b>		11



220	Low-pressure gas sensor exploiting the Knudsen thermal force: DSMC modeling and experimental validation <b>2016</b> ,		10
219	Energy-efficient data dissemination using beamforming in wireless sensor networks. <i>ACM Transactions on Sensor Networks</i> , <b>2013</b> , 9, 1-30	2.9	10
218	A viscoelastic-aware experimentally-derived model for analog RF MEMS varactors <b>2010</b> ,		10
217	A single-crystal silicon DC-40 GHz RF MEMS switch <b>2009</b> ,		10
216	A capacitively-loaded MEMS Slot element for wireless temperature sensing of up to 300°C <b>2009</b> ,		10
215	On-chip bond-wire antennas on CMOS-grade silicon substrates <b>2008</b> ,		10
214	Mixed Lumped and Distributed Circuits in Wideband Bandpass Filter Application for Spurious-Response Suppression. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2018</b> , 28, 978-980	2.6	10
213	A Compact L-Band Bandpass Filter with RF MEMS-Enabled Reconfigurable Notches for Interference Rejection in GPS Applications. <i>IEEE Microwave Magazine</i> , <b>2015</b> , 16, 81-88	1.2	9
212	Dynamic Bandpass Filter Shape and Interference Cancellation Control Utilizing Bandpass/Bandstop Filter Cascade. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2015</b> , 63, 2526-2539	4.1	9
211	Highly Linear and Highly Efficient Dual-Carrier Power Amplifier Based on Low-Loss RF Carrier Combiner. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2014</b> , 62, 590-599	4.1	9
210	Reconfigurable bandpass filter with center frequency and bandwidth control. <i>Microwave and Optical Technology Letters</i> , <b>2013</b> , 55, 2745-2750	1.2	9
209	Wide spurious free range positive-to-negative inter-resonator coupling structure for reconfigurable filters <b>2013</b> ,		9
208	High-Q MEMS-tunable W-band bandstop resonators <b>2014</b> ,		9
207	High-power microwave gas discharge in high-Q evanescent-mode cavity resonators and its instantaneous/long-term effects <b>2013</b> ,		9
206	. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2011</b> , 21, 406-408	2.6	9
205	A Phenomenological Discrete Brittle Damage-Mechanics Model for Fatigue of MEMS Devices With Application to LIGA Ni. <i>Journal of Microelectromechanical Systems</i> , <b>2009</b> , 18, 119-128	2.5	9
204	Time-Varying Matching Networks for Signal-Centric Systems. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2007</b> , 55, 2599-2613	4.1	9
203	An Evanescent-mode Cavity Resonator Based Thermal Sensor <b>2007</b> ,		9



202	A class of fully-reconfigurable planar multi-band bandstop filters <b>2016,</b>		9
201	A Flexible Virtual Battery: A Wearable Wireless Energy Harvester. <i>IEEE Microwave Magazine</i> , <b>2019</b> , 20, 62-69	1.2	9
200	A PCB Technology-Based 2242-GHz Quasi-Absorptive Bandstop Filter. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2018</b> , 28, 975-977	2.6	9
199	A Novel Independently-Tunable Dual-Mode SIW Resonator with a Reconfigurable Bandpass Filter Application <b>2018,</b>		9
198	Wide-passband filters with in-band tunable notches for agile multi-interference suppression in broad-band antenna systems <b>2018,</b>		8
197	. <i>Journal of Microelectromechanical Systems</i> , <b>2012</b> , 21, 161-170	2.5	8
196	A widely-tunable substrate-integrated balun filter <b>2017,</b>		8
195	Wireless Temperature Sensor Operating in Complete Metallic Environment Using Permanent Magnets. <i>IEEE Transactions on Magnetics</i> , <b>2012</b> , 48, 4413-4416	2	8
194	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2012</b> , 60, 3787-3797	4.1	8
193	. <i>Journal of Microelectromechanical Systems</i> , <b>2013</b> , 22, 395-405	2.5	8
192	A CAD Model for Creep Behavior of RF-MEMS Varactors and Circuits. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2011</b> , 59, 1761-1768	4.1	8
191	Tunable, substrate integrated, high Q filter cascade for high isolation <b>2010,</b>		8
190	<b>2011,</b>		8
189	An inherently-robust 300°C MEMS temperature sensor for wireless health monitoring of ball and rolling element bearings <b>2009,</b>		8
188	Alleviating the Adverse Effects of Residual Stress in RF MEMS Switches <b>2001,</b>		8
187	A 2040 GHz tunable MEMS bandpass filter with enhanced stability by gold-vanadium micro-corrugated diaphragms <b>2016,</b>		8
186	Hybrid surface-acoustic-wave/microstrip signal-interference bandpass filters. <i>IET Microwaves, Antennas and Propagation</i> , <b>2016</b> , 10, 426-434	1.6	8
185	Fast Frequency-Agile Real-Time Optimization of High-Power Tuning Network for Cognitive Radar Applications <b>2019,</b>		7

184	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2019</b> , 67, 2355-2369	4.1	7
183	Selective Detection of Ethylene by MoS-Carbon Nanotube Networks Coated with Cu(I)-Pincer Complexes. <i>ACS Sensors</i> , <b>2020</b> , 5, 1699-1706	9.2	7
182	. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , <b>2020</b> , 56, 2762-2778	3.7	7
181	Octave-tunable constant absolute bandwidth bandstop filter utilizing a novel passively-compensated coupling method <b>2016</b> ,		7
180	Recent advances in reconfigurable microwave filter design <b>2016</b> ,		7
179	Multiple Timescales and Modeling of Dynamic Bounce Phenomena in RF MEMS Switches. <i>Journal of Microelectromechanical Systems</i> , <b>2014</b> , 23, 137-146	2.5	7
178	Dark-to-arc transition in field emission dominated atmospheric microdischarges. <i>Physics of Plasmas</i> , <b>2015</b> , 22, 083508	2.1	7
177	Transformers with incorporated filtering capabilities exploiting signal-interference principles <b>2015</b> ,		7
176	Direct measurement of field emission current in E-static MEMS structures <b>2011</b> ,		7
175	Tunable high Q narrow-band triplexer <b>2009</b> ,		7
174	High Q narrow-band tunable filters with controllable bandwidth <b>2009</b> ,		7
173	RF Design, Power Handling, and Hot Switching of Waveguide Water-Based Absorptive Switches. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2009</b> , 57, 2038-2046	4.1	7
172	Radiating sensor selection for distributed beamforming in wireless sensor networks <b>2008</b> ,		7
171	Signal-interference bandpass filters with dynamic in-band interference suppression <b>2016</b> ,		7
170	Wireless Sensor Network Utilizing Flexible Nitrate Sensors for Smart Farming <b>2019</b> ,		7
169	Design of an airline coax radial power combiner with enhanced isolation <b>2017</b> ,		6
168	High-Selectivity Tunable Filters With Dual-Mode SIW Resonators in an L-Shaped Coupling Scheme. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2019</b> , 67, 5016-5028	4.1	6
167	Design and implementation of an intrinsically-switched 22 $\bar{3}$ GHz tunable bandstop filter <b>2016</b> ,		6

166	A 2026.5-GHz PCB Bandpass Filter Tuned With Contactless Tuners. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2019</b> , 29, 513-515	2.6	6
165	Vibration mitigation for evanescent-mode cavity filters <b>2014</b> ,		6
164	Cyclic evolution of bouncing for contacts in commercial RF MEMS switches <b>2012</b> ,		6
163	Near-Contact Gas Damping and Dynamic Response of High-g MEMS Accelerometer Beams. <i>Journal of Microelectromechanical Systems</i> , <b>2013</b> , 22, 1089-1099	2.5	6
162	Arrays of silicon cantilevers for detecting high-G rapidly varying acceleration profiles <b>2010</b> ,		6
161	. <i>Journal of Microelectromechanical Systems</i> , <b>2010</b> , 19, 1490-1502	2.5	6
160	A high-efficiency low-cost wire-bond loop antenna for CMOS wafers. <i>Digest / IEEE Antennas and Propagation Society International Symposium</i> , <b>2009</b> ,		6
159	Non-toxic liquid metal microstrip resonators <b>2009</b> ,		6
158	Low-Cost 3-D Integration of RF and Micro-Cooling Systems <b>2008</b> ,		6
157	A Wearable Real-Time CMOS Dosimeter With Integrated Zero-Bias Floating Gate Sensor and an 861-nW 18-Bit Energy-Resolution Scalable Time-Based Radiation to Digital Converter. <i>IEEE Journal of Solid-State Circuits</i> , <b>2020</b> , 55, 650-665	5.5	6
156	Monitoring and Control of MEMS Tunable Filters Using Inductive Proximity Sensing. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2018</b> , 66, 5605-5613	4.1	6
155	An Adaptive Educational Web Application for Engineering Students. <i>IEEE Access</i> , <b>2017</b> , 5, 359-365	3.5	5
154	A VHF tunable lumped-element filter with mixed electric-magnetic couplings <b>2015</b> ,		5
153	Frequency-Selective Limiters Using Triple-Mode Filters. <i>IEEE Access</i> , <b>2020</b> , 8, 114854-114863	3.5	5
152	An L-Band Low Phase Noise Evanescent-Mode Cavity-Based Frequency Synthesizer. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2018</b> , 65, 2161-2168	3.9	5
151	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2018</b> , 66, 2199-2209	4.1	5
150	Hybrid Bandpass-Absorptive-Bandstop Magnetically Coupled Acoustic-Wave-Lumped-Element-Resonator Filters. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2018</b> , 28, 582-584	2.6	5
149	SAW-based bandpass filters with flat in-band group delay and enhanced fractional bandwidth <b>2017</b> ,		5

148	Highly Reliable MEMS Temperature Sensors for 275 $\text{^\circ C}$ Applications Part 2: Creep and Cycling Performance. <i>Journal of Microelectromechanical Systems</i> , <b>2013</b> , 22, 236-243	2.5	5
147	Reconfigurable-order bandpass filter for frequency agile systems <b>2010</b> ,		5
146	An experimental investigation on viscoelastic behavior in tunable planar RF-MEMS resonators <b>2010</b> ,		5
145	Fully electronic method for quantifying the post-release gap-height uncertainty of capacitive RF MEMS switches <b>2009</b> ,		5
144	<b>2012</b> ,		5
143	Non-linear effects in MEMS tunable bandstop filters <b>2012</b> ,		5
142	Balanced octave-tunable absorptive bandstop filter <b>2018</b> ,		5
141	Tunable absorptive bandstop filter with an ultra-broad upper passband <b>2017</b> ,		4
140	An equation-based nonlinear model for non-flat MEMS fixed-fixed beams with non-vertical anchoring supports. <i>Journal of Micromechanics and Microengineering</i> , <b>2015</b> , 25, 055018	2	4
139	A class of planar multi-band Wilkinson-type power divider with intrinsic filtering functionality <b>2015</b> ,		4
138	RF-design of narrowband absorptive bandstop filters for UHF applications <b>2015</b> ,		4
137	Analog signal-interference narrow-band bandpass filters with hybrid transmission-line/SAW-resonator transversal filtering sections <b>2015</b> ,		4
136	Design and Optimization of Bidirectional Tunable MEMS All-Silicon Evanescent-Mode Cavity Filter. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2020</b> , 68, 2398-2408	4.1	4
135	Planar Multifrequency Wideband Bandpass Filters With Constant and Frequency Mappings. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2018</b> , 66, 935-942	4.1	4
134	Wireless temperature sensor for mechanical face seals using permanent magnets. <i>Sensors and Actuators A: Physical</i> , <b>2013</b> , 203, 369-372	3.9	4
133	RF design of acoustic-wave-lumped-element-resonator-(AWLR)-based bandpass filters with constant in-band group delay <b>2017</b> ,		4
132	MOS-capacitor-based ionizing radiation sensors for occupational dosimetry applications <b>2015</b> ,		4
131	Silicon-micromachined spacers for UHF cavity resonators <b>2015</b> ,		4

130	Design of high-Q absorptive bandstop filters with static and reconfigurable attenuation <b>2015,</b>		4
129	Nano-plasma tunable evanescent-mode cavity resonators <b>2014,</b>		4
128	Design of broadband high-efficiency power amplifier using in-band Class-F <sub>1</sub> /F mode-transferring technique <b>2012,</b>		4
127	Wireless temperature and vibration sensor for real-time bearing condition monitoring <b>2013,</b>		4
126	Power handling capability of High-Q evanescent-mode RF MEMS resonators with flexible diaphragm <b>2009,</b>		4
125	Analysis and Measurement of a Time-Varying Matching Scheme for Pulse-Based Receivers With High-Q Sources. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2010</b> , 58, 2231-2243	4.1	4
124	Time-varying matching network for antennas in pulse-based systems <b>2007,</b>		4
123	. <i>IEEE Internet of Things Journal</i> , <b>2021</b> , 8, 6800-6814	10.7	4
122	Tunable acoustic-wave-lumped-element resonator (awlr)-based bandpass filters <b>2016,</b>		4
121	Adaptive-transfer-function bandpass filters using reconfigurable evanescent-mode-cavity resonator cascades <b>2016,</b>		4
120	Reconfigurable single/multi-band planar impedance transformers with incorporated bandpass filtering functionality <b>2016,</b>		4
119	A tunable 0.86-1.03 GHz FDD wireless communication system with an evanescent-mode diplexer and a self-interference-cancelling receiver <b>2017,</b>		3
118	Variable-output charge-pump for piezoelectric and electrostatic tunable RF filters <b>2015,</b>		3
117	Advances in high-Q tunable filter technologies. <i>International Journal of Advances in Engineering Sciences and Applied Mathematics</i> , <b>2015</b> , 7, 170-176	0.6	3
116	. <i>Journal of Microelectromechanical Systems</i> , <b>2015</b> , 24, 1803-1816	2.5	3
115	Sharp-rejection highpass and dual-band bandpass planar filters with multi-transmission-zero-generation transversal cell <b>2015,</b>		3
114	Spectrum-aware jammer suppression using evanescent-mode cavity filters <b>2015,</b>		3
113	Gas discharge tube-based variable RF attenuator <b>2016,</b>		3

112	A 2.2-2.2 GHz low-loss tunable bandpass filter based on low cost manufacturing of ABS polymer <b>2018,</b>		3
111	. <i>Journal of Microelectromechanical Systems</i> , <b>2014</b> , 23, 972-979	2.5	3
110	A polarization-reconfigurable filtering antenna system: a visual approach to investigating the bandwidth of transmission lines with non-z0 impedance [education column]. <i>IEEE Antennas and Propagation Magazine</i> , <b>2013</b> , 55, 197-235	1.7	3
109	A novel high-Qu octave-tunable resonator with lumped tuning elements <b>2013,</b>		3
108	Dual-passband filters and extended-stopband wide-band bandpass filters based on generalized stub-loaded planar circuits <b>2017,</b>		3
107	3D MOS-capacitor-based ionizing radiation sensors <b>2017,</b>		3
106	. <i>Journal of Microelectromechanical Systems</i> , <b>2015</b> , 24, 1487-1494	2.5	3
105	Wearable, wireless sensor platform for occupational radiation dosimetry applications <b>2015,</b>		3
104	Wireless chip-to-chip communication in three-dimensional integrated circuits using microbump antennas <b>2013,</b>		3
103	Real-time monitoring of contact behavior of RF MEMS switches with a very low power CMOS capacitive sensor interface <b>2010,</b>		3
102	Anti-biased RF MEMS varactor topology for 20dB linearity enhancement <b>2010,</b>		3
101	<b>2010,</b>		3
100	Bearing cage telemeter for the detection of shaft imbalance in rotating systems <b>2010,</b>		3
99	Nano-switch for study of gold contact behavior <b>2009,</b>		3
98	Three-Bit and Six-Bit Tunable Matching Networks with Tapered Lines <b>2009,</b>		3
97	Tunable bandpass and bandstop filter cascade for dynamic pole allocation <b>2012,</b>		3
96	RF-MEMS enabled power divider with arbitrary power division ratio <b>2012,</b>		3
95	A 3.4 -6.2 GHz Continuously tunable electrostatic MEMS resonator with quality factor of 460B30 <b>2009,</b>		3

94	Impact of sacrificial layer type on thin-film metal residual stress <b>2009</b> ,		3
93	Time-Domain Impedance Adaptors for Pulse-Based Systems with High Q RC loads. <i>IEEE MTT-S International Microwave Symposium Digest IEEE MTT-S International Microwave Symposium</i> , <b>2007</b> ,		3
92	RF MEMS switches for leakage control in wireless handheld devices <b>2007</b> ,		3
91	A Fiber-Free DC-7 GHz 35 W Integrated Semiconductor Plasma Switch <b>2021</b> ,		3
90	Low temperature plasma for tunable resonant attenuation <b>2016</b> ,		3
89	V-band frequency reconfigurable cavity-based bandpass filters <b>2016</b> ,		3
88	A Compact Tunable Filtering Rat-Race Coupler <b>2018</b> ,		3
87	Simultaneous analog tuning of the series- and anti-resonances of acoustic wave resonators <b>2018</b> ,		3
86	Dual-Band Dual-Mode Filter-Enhanced Linearity Measurement. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2021</b> , 31, 1083-1085	2.6	3
85	Single/multi-band multi-functional passive components with reconfiguration capabilities <b>2017</b> ,		2
84	Reflectionless Wideband Bandpass Filter Designed With Multilayered Microstrip Vertical Transition <b>2019</b> ,		2
83	An Evanescent-Mode Cavity-Backed High-Power Tunable Slot Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2019</b> , 67, 3712-3719	4.9	2
82	Thermally Stable Nonuniform Microcorrugated Capacitive MEMS Tuner. <i>Journal of Microelectromechanical Systems</i> , <b>2015</b> , 24, 522-524	2.5	2
81	A Hybrid Low-Cost Bandpass Filter With SAW Resonators and External Lumped Inductors Using a Dual-Coupling Scheme. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2020</b> , 68, 2289-2299	4.1	2
80	Temperature-compensated lumped element tunable bandpass filter <b>2016</b> ,		2
79	A High-Performance Pathway: a 0.95/2.45-GHZ Switched-Frequency Bandpass Filter Using Commercially Available RF MEMS Tuning Elements. <i>IEEE Microwave Magazine</i> , <b>2016</b> , 17, 34-41	1.2	2
78	Multi-Point Wireless Temperature Sensing System for Monitoring Pharmaceutical Lyophilization. <i>Frontiers in Chemistry</i> , <b>2018</b> , 6, 288	5	2
77	Fast impedance matching using interval halving of resonator position numbers for a high-power evanescent-mode cavity tuner <b>2018</b> ,		2



76	Mid-Range Wireless Power Transfer Based on Goubau Lines <b>2018</b> ,		2
75	In situ monitoring of dynamic bounce phenomena in RF MEMS switches. <i>Journal of Micromechanics and Microengineering</i> , <b>2013</b> , 23, 115007	2	2
74	A 1940 GHz bi-directional MEMS tunable all silicon evanescent-mode cavity filter <b>2017</b> ,		2
73	Multi-resonant acoustic-wave-lumped-element resonators (AWLRs) for multi-band bandpass filters with enhanced fractional bandwidth <b>2017</b> ,		2
72	Creep-resistant nanocrystalline gold-vanadium alloyed microcorrugated diaphragms (MCDS) <b>2015</b> ,		2
71	<b>2015</b> ,		2
70	Miniaturized signal-interference planar filters <b>2015</b> ,		2
69	A 2385 GHz MEMS tunable all-silicon cavity filter with stability characterization up to 140 million cycles <b>2014</b> ,		2
68	Application of ball bearing cage RF temperature sensor in high speed turbocharger <b>2014</b> ,		2
67	Continuously variable W-band phase shifters based on MEMS-actuated conductive fingers. <i>International Journal of Microwave and Wireless Technologies</i> , <b>2013</b> , 5, 477-489	0.8	2
66	Implementing wireless communication links in 3-D ICs utilizing wide-band on-chip meandering microbump antenna <b>2013</b> ,		2
65	Uncertainty Quantification of Pull-In Phenomenon in Capacitive RF-MEMS <b>2011</b> ,		2
64	Loss optimization of coplanar strips for CMOS RFICs <b>2009</b> ,		2
63	Electrostatically tunable analog single crystal silicon fringing-field MEMS varactors <b>2009</b> ,		2
62	Nonlinear Resonator With Interacting Flexural-Torsional Modes for Mass Sensing <b>2007</b> , 967		2
61	Instinctual Interference-Adaptive Low-Power Receiver With Combined Feedforward and Feedback Control. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2021</b> , 31, 771-774	2.6	2
60	Field emission mitigation in X-band silicon-etched cavity resonators <b>2016</b> ,		2
59	Characterization of fading of a MOS-based sensor for occupational radiation dosimetry <b>2016</b> ,		2

58	Power limiting characteristics of a plasma-loaded evanescent-mode cavity resonator <b>2016,</b>		2
57	A tunable VHF gas discharge tube resonator <b>2016,</b>		2
56	Electrical properties of creep-resistant nanocrystalline gold-vanadium thin films at millimeter-wave frequencies <b>2016,</b>		2
55	Bandpass Filter With Tunable/Switchable In-Band Interference Rejection. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2021</b> , 1-1	2.6	2
54	<b>2018,</b>		2
53	Real-Time Frequency-Agile $\mathit{Circuit}$ Reconfiguration for S-Band Radar Using a High-Power Tunable Resonant Cavity Matching Network <b>2018,</b>		2
52	A substrate-integrated-waveguide dual-band bandpass filter based on signal-interference principles <b>2017,</b>		1
51	Electrically-Coupled Goubau-Line-Based Wireless Power Transfer System. <i>IEEE Access</i> , <b>2019</b> , 7, 115886-115900	3.5	1
50	A New Reconfigurable Bandpass Filter With Adaptive Resonators for Switchable Passband and In-Band Notch <b>2019,</b>		1
49	Balanced-Balanced Tunable Filtering LNA using Evanescent-Mode Resonators <b>2019,</b>		1
48	A 2.2 B.4 GHz Constant Bandwidth High-Selectivity Tunable Filter Based on Dual-Mode SIW Resonators <b>2019,</b>		1
47	<b>2019,</b>		1
46	High-Q bandpass filters using hybrid acoustic-wave-lumped-element resonators (AWLRs) for UHF applications <b>2015,</b>		1
45	High-Isolation Resistorless Tunable Filtering Power Divider <b>2020,</b>		1
44	A high-Q octave-tunable all-silicon cavity filter using magnetostatic actuation <b>2016,</b>		1
43	Digital representation of multi-functional microwave passive circuits <b>2016,</b>		1
42	Real-time DC-dynamic biasing method for switching time improvement in severely underdamped fringing-field electrostatic MEMS actuators. <i>Journal of Visualized Experiments</i> , <b>2014</b> , e51251	1.6	1
41	Lifetime effects of drive voltage for a commercially-available ohmic-contact RF MEMS switch <b>2013,</b>		1

40	A visual approach to investigating the bandwidth of transmission lines with non-Z0 impedance. <i>IEEE Antennas and Propagation Magazine</i> , <b>2013</b> , 55, 220-235	1.7	1
39	An S-band 3-W load-reconfigurable power amplifier with 50% efficiency for VSWR up to 4:1 <b>2017</b> ,		1
38	Temperature-compensated open-loop tuning of a dual-notch absorptive bandstop filter <b>2017</b> ,		1
37	<b>2015</b> ,		1
36	Bandwidth enlargement in acoustic-wave RF bandpass filters with planar transversal circuits <b>2015</b> ,		1
35	. <i>Journal of Microelectromechanical Systems</i> , <b>2013</b> , 22, 225-235	2.5	1
34	A 12.8 GHz electrostatically tunable liquid metal RF MEMS resonator with quality factor of 1400 <b>2011</b> ,		1
33	System-level characterization of bias noise effects on electrostatic RF MEMS tunable filters <b>2011</b> ,		1
32	<b>2011</b> ,		1
31	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2011</b> , 59, 323-337	4.1	1
30	Phase difference and frequency offset estimation for collaborative beamforming in sensor networks <b>2010</b> ,		1
29	CMOS-based monitoring of contact events up to 4 MHz in ohmic RF MEMS switches <b>2010</b> ,		1
28	Experimental quantification of temperature uncertainty for an array of thermally-sensitive MEMS cantilever beams <b>2009</b> ,		1
27	High-Q tunable bandstop filters with adaptable bandwidth and pole allocation <b>2011</b> ,		1
26	MEMS-Based Power Gating for Highly Scalable Periodic and Event-Driven Processing <b>2011</b> ,		1
25	Frequency-agile field-programmable filter array (FPFA) with multiple functionalities <b>2011</b> ,		1
24	Wideband diode-based reconfigurable matching network operating at 36 dBm input power <b>2012</b> ,		1
23	A Micromachined High-Q Microstrip Line with a Broadband Microstrip-to-CPW Transition <b>2009</b> ,		1

22	A Ka-band waveguide water-based absorptive switch with an integrated micropump <b>2008</b> ,		1
21	Photonicallly-Synthesized Waveforms to Combat Broadband Antenna Phase Distortions <b>2007</b> ,		1
20	Spring-loaded DC-contact RF MEMS switches. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2004</b> , 14, 345-355	1.5	1
19	A Photogenerated Silicon Plasma Waveguide Switch and Variable Attenuator for Millimeter-Wave Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2021</b> , 1-1	4.1	1
18	Testing Techniques for Shock Accelerometers below 10,000 g. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , <b>2014</b> , 333-340	0.3	1
17	Plasma Switch-Based Technology for High-Speed and High-Power Impedance Tuning <b>2021</b> ,		1
16	Substrate-integrated-waveguide signal-interference bandpass filters <b>2016</b> ,		1
15	An ANT-based low-power battery-free wireless cryogenic temperature probes for industrial process monitoring <b>2016</b> ,		1
14	MEMS-tunable silicon-integrated cavity filters <b>2016</b> ,		1
13	Authors' Reply to Comments on Design of Highly Efficient Broadband Class-E Power Amplifier Using Synthesized Low-Pass Matching Networks <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2016</b> , 64, 1679-1679	4.1	1
12	Multi-band signal-interference planar bandpass filters based on stub-loaded transversal filtering sections <b>2016</b> ,		1
11	A constant-transfer-function widely-tunable VHF modular field-programmable filter array (FPFA) with IIP3 of 38.2 dBm <b>2016</b> ,		1
10	Microwave Wireless Powering of Sensored Agricultural Tile Drainages. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 69, 2913-2920	4.9	1
9	Tunable Filter Technologies for 5G Communications <b>2018</b> ,		1
8	High-Q High Power Tunable Filters Manufactured With Injection Molding Technology. <i>IEEE Access</i> , <b>2022</b> , 10, 19643-19653	3.5	1
7	Plasma-Based Power Limitation for Highly Linear MEMS Switch Protection and Isolation Enhancement. <i>IEEE Access</i> , <b>2020</b> , 8, 173103-173111	3.5	0
6	A Compact Octave Tunable Switched-Power-Combining PA. <i>IEEE Access</i> , <b>2021</b> , 9, 15212-15220	3.5	0
5	Development of 60.2 GHz evanescent-mode two-pole low-loss tunable bandpass filter. <i>Microwave and Optical Technology Letters</i> , <b>2015</b> , 57, 2418-2422	1.2	

- 4 (Invited) An X-Band Class-E Power Amplifier with MEMS Output Impedance Tuner. *ECS Transactions*, **2014**, 60, 1121-1126 1
- 3 Corrections to "A Yagi-Uda Array of High-Efficiency Wire-Bond Antennas for On-Chip Radio Applications" [Dec 09 3315-3321]. *IEEE Transactions on Microwave Theory and Techniques*, **2011**, 59, 1895-1895 4.1
- 2 Real-time temperature compensation for tunable cavity-based BPFs and BSFs. *IET Circuits, Devices and Systems*, **2018**, 12, 785-791 1.1
- 1 2-8 GHz Interference Detector With 1.1 ns Response. *IEEE Microwave and Wireless Components Letters*, **2022**, 1-4 2.6