

# Bang-Jin Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9601344/publications.pdf>

Version: 2024-02-01

24  
papers

835  
citations

516710  
16  
h-index

610901  
24  
g-index

24  
all docs

24  
docs citations

24  
times ranked

572  
citing authors

#	ARTICLE	IF	CITATIONS
1	Preparation of Novel Chiral Stationary Phases Based on the Chiral Porous Organic Cage by Thiol-ene Click Chemistry for Enantioseparation in HPLC. <i>Analytical Chemistry</i> , 2022, 94, 4961-4969.	6.5	42
2	Homochiral Metal-Organic Framework $[Co(L)(bpe)2(H_2O)]\cdot H_2O$ Used for Separation of Racemates in High-Performance Liquid Chromatography. <i>Journal of Chromatographic Science</i> , 2021, 59, 355-360.	1.4	8
3	Chiral metal-organic framework $[Co_2(d\text{-cam})_2(TMDPy)]@SiO_2$ core-shell microspheres for HPLC separation. <i>Microchemical Journal</i> , 2021, 161, 105815.	4.5	19
4	Chiral covalent organic framework core-shell composite CTpBD@SiO <sub>2</sub> used as stationary phase for HPLC enantioseparation. <i>Mikrochimica Acta</i> , 2021, 188, 292.	5.0	27
5	A chiral metal-organic framework core-shell microspheres composite for high-performance liquid chromatography enantioseparation. <i>Journal of Separation Science</i> , 2021, 44, 3976-3985.	2.5	17
6	Chiral polyaniline modified Metal-Organic framework Core-Shell composite MIL-101@c-PANI for HPLC enantioseparation. <i>Microchemical Journal</i> , 2021, 169, 106576.	4.5	9
7	Chiral core-shell microspheres $\beta$ -CD-COF@SiO <sub>2</sub> used for HPLC enantioseparation. <i>Talanta</i> , 2021, 235, 122754.	5.5	42
8	The molecular imprinting of magnetic nanoparticles with boric acid affinity for the selective recognition and isolation of glycoproteins. <i>RSC Advances</i> , 2021, 11, 25524-25529.	3.6	8
9	Chiral Metal-Organic Framework $d\text{-His-ZIF-8}@SiO_2$ Core-Shell Microspheres Used for HPLC Enantioseparations. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 16903-16911.	8.0	88
10	Enantiomeric Separation on a Homochiral Porous Organic Cage-Based Chiral Stationary Phase by Gas Chromatography. <i>Chromatographia</i> , 2020, 83, 703-713.	1.3	11
11	A hydroxyl-functionalized homochiral porous organic cage for gas chromatographic separations. <i>Mikrochimica Acta</i> , 2020, 187, 269.	5.0	18
12	An Enantioselective Potentiometric Sensor for 2-Amino-1-Butanol Based on Chiral Porous Organic Cage CC3-R. <i>Molecules</i> , 2019, 24, 420.	3.8	9
13	Homochiral metal-organic framework for HPLC separation of enantiomers. <i>Microchemical Journal</i> , 2018, 139, 487-491.	4.5	39
14	A homochiral porous organic cage with large cavity and pore windows for the efficient gas chromatography separation of enantiomers and positional isomers. <i>Journal of Separation Science</i> , 2018, 41, 1385-1394.	2.5	32
15	Determination of Enantiomeric Excess by Solid-Phase Extraction Using a Chiral Metal-Organic Framework as Sorbent. <i>Molecules</i> , 2018, 23, 2802.	3.8	8
16	A chiral, porous, organic cage-based, enantioselective potentiometric sensor for 2-aminobutanol. <i>Chirality</i> , 2017, 29, 172-177.	2.6	9
17	Homochiral metal-organic frameworks based on amino acid ligands for HPLC separation of enantiomers. <i>Electrophoresis</i> , 2017, 38, 2513-2520.	2.4	57
18	Application of Homochiral Alkylated Organic Cages as Chiral Stationary Phases for Molecular Separations by Capillary Gas Chromatography. <i>Molecules</i> , 2016, 21, 1466.	3.8	16

#	ARTICLE	IF	CITATIONS
19	A chiral porous organic cage for molecular recognition using gas chromatography. <i>Analytica Chimica Acta</i> , 2016, 903, 156-163.	5.4	60
20	Homochiral Porous Organic Cage with High Selectivity for the Separation of Racemates in Gas Chromatography. <i>Analytical Chemistry</i> , 2015, 87, 7817-7824.	6.5	121
21	Highly selective separation of enantiomers using a chiral porous organic cage. <i>Journal of Chromatography A</i> , 2015, 1426, 174-182.	3.7	60
22	Chromatographic study on the high performance separation ability of a homochiral $[Cu_2(d\text{-Cam})_2(4,4'\text{-bpy})]_n$ based-column by using racemates and positional isomers as test probes. <i>Journal of Chromatography A</i> , 2014, 1325, 163-170.	3.7	63
23	3D Chiral Nanoporous Metal-Organic Framework for Chromatographic Separation in GC. <i>Chromatographia</i> , 2014, 77, 1359-1365.	1.3	35
24	Separation Performance of MOFs $Zn(\text{ISN})_2\text{H}_2\text{O}$ as Stationary Phase for High-Resolution GC. <i>Chromatographia</i> , 2013, 76, 831-836.	1.3	37