

Zhe Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9601700/publications.pdf>

Version: 2024-02-01

352
papers

17,110
citations

17429

63
h-index

24961

109
g-index

367
all docs

367
docs citations

367
times ranked

9744
citing authors

#	ARTICLE	IF	CITATIONS
1	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	1.4	1,187
2	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
3	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 292.	1.4	453
4	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
5	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
6	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	1.4	259
7	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	1.4	248
8			

#	ARTICLE	IF	CITATIONS
19	Precision measurement and interpretation of inclusive W^+W^- , W^+W^- . European Physical Journal C, 2017, 77, 367.	1.4	145
20	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137
21	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
22	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
23	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+\tau^-$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	126
24	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
25			

#	ARTICLE	IF	CITATIONS
37	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7; \text{TeV}$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	1.6	88
38	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
39	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
40	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 1.	1.4	82
41	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	1.6	81
42	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
43	Search for dark matter at $\sqrt{s} = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
44	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
45	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
46	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1.	1.4	77
47	Angular analysis of $B_0 \rightarrow \mu^+ \mu^- K_S^0$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
48	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
49	Measurement of quarkonium production in lead-lead and proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
50	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
51	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
52	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
53	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
54	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72

#	ARTICLE	IF	CITATIONS
55	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	71
56	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
57	Search for resonances in diphoton events at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
58	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
59	A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
60	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
61	Fermi Detection of a Luminous γ -Ray Pulsar in a Globular Cluster. Science, 2011, 334, 1107-1110.	6.0	65
62	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	64
63	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
64	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
65	Measurement of ZZ production in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous ZZZ and ZZ γ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61
66	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2013, 73, 1.	1.4	61
67	Charged-particle distributions at low transverse momentum in $\sqrt{s}=13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
68	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s}=8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
69	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
70	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
71	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	1.4	60
72	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60

#	ARTICLE	IF	CITATIONS
73	Measurement of $W \hat{\pm} Z$ production in proton-proton collisions at $\sqrt{s}=7\text{-mbox{TeV}}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	59
74	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7\text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	1.6	59
75	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76\text{ s NN} = 2.76$ and 5.0. European Physical Journal C, 2018, 78, 142.	1.4	59
76	Search for charged Higgs bosons decaying via $H \hat{\pm} \hat{i}, \hat{i}/2\hat{i}$, in the $\hat{i}, +\text{jets}$ and $\hat{i}, +\text{lepton}$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s}=13\text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59
77	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7\text{ s} = 7\text{ TeV}$ in 2010. European Physical Journal C, 2014, 74, 3034.	1.4	58
78	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	57
79	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	56
80	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
81	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
82	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
83	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
84	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
85	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7\text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
86	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	53
87	Search for Higgs boson pair production in the $\gamma\gamma WW^* \hat{i}^3 WW^*$ channel using pp collision data recorded at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
88	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
89	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
90	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13\text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52

#	ARTICLE	IF	CITATIONS
91	Measurement of the top quark mass with the template method in the $\text{Star}\{\text{t}\} \text{omathrm}\{\text{lepton}\} + \text{mathrm}\{\text{jets}\}$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	1.4	51
92	Search for minimal supersymmetric standard model Higgs Bosons $H\hat{A}/\hat{A}$ and for a Z^{\prime} boson in the au au , $\text{I}, \bar{\text{I}}$, final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
93	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
94	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379.	1.4	51
95	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
96	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
97	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50
98	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
99	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	48
100	<i>FERMI</i> LARGE AREA TELESCOPE OBSERVATIONS OF THE SUPERNOVA REMNANT G8.7 ≈ 0.1 . Astrophysical Journal, 2012, 744, 80.	1.6	48
101	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
102	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
103	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.	1.4	47
104	Measurement of the top quark mass in the $\text{Star}\{\text{t}\} \text{ightarrow} \text{t t} \hat{A}^- \hat{A}^+$. European Physical Journal C, 2019, 79, 1.	1.4	47
105	Study of the rare decays of $B^0 \rightarrow B^0 \mu \mu$ and $B^0 \rightarrow B^0 \mu \mu$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
106	Measurement of the Higgs boson coupling properties in the $H \rightarrow \text{ZZ} \rightarrow 4\mu$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
107	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
108	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46

#	ARTICLE	IF	CITATIONS
109	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7, \sqrt{s} = 7$ TeV with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
110	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	1.4	45
111	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	1.4	45
112	Measurement of the σ_{t} production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	1.4	45
113	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
114	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
115	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$, $H \rightarrow \tau^+ \tau^-$ decay mode in $\sqrt{s} = 7$ TeV pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	43
116	Search for charged Higgs bosons in the $H \rightarrow \tau^+ \tau^-$ decay channel in pp collisions at $s = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
117	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
118	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	42
119	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
120	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	1.4	41
121	Measurement of the $\sigma_{\text{t} \hat{Z}}$ and $\sigma_{\text{t} \hat{W}}$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
122	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
123	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41
124	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	40
125	A search for $\overline{\text{t}}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	40
126	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb $^{-1}$ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40

#	ARTICLE	IF	CITATIONS
127	Measurements of b-jet tagging efficiency with the ATLAS detector using $\sqrt{s}=13$ TeV $\overline{t}t$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
128	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- \gamma Z$ final states using 139 fb ⁻¹ of proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
129	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	39
130	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
131	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s=8$ TeV $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
132	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38
133	Search for Higgs boson pair production in the $\gamma\gamma b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
134	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
135	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	37
136	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
137	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s}=8$ TeV in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
138	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
139	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
140	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb ⁻¹ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
141	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	36
142	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	36
143	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	1.4	36
144	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s=13$ TeV $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36

#	ARTICLE	IF	CITATIONS
145	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
146	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
147	Measurement of the production cross section of prompt J/ψ mesons in association with a W^{\pm} boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
148	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
149	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
150	Multi-channel search for squarks and gluinos in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34
151	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33
152	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	1.4	33
153	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
154	Measurements of $\Upsilon(2S)$ and $\chi(3872) \rightarrow J/\psi + \Upsilon$ production in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
155	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
156	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
157	Determination of the strong coupling constant α_s from transverse energy-energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	1.4	32
158	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H \rightarrow b\bar{b}$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
159	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s}=900$ GeV and $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	31
160	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7$ TeV proton-proton collisions. European Physical Journal C, 2012, 72, 1.	1.4	31
161	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31
162	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31

#	ARTICLE	IF	CITATIONS
163	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
164	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
165	Search for W^+W^-/ZZ resonance production in $\ell^+\ell^-qq$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
166	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
167	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
168	Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
169	Searches for the $Z\ell^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
170	Study of $WW\gamma$ and $WZ\gamma$ production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 646.	1.4	30
171	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
172	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
173	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30
174	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	29
175	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
176	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
177	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
178	Searches for heavy ZZ and ZW resonances in the $\ell^+\ell^-qq$ and $\ell^+\ell^-qq$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
179	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
180	Inferred Cosmic-Ray Spectrum from Fermi Large Area Telescope $\frac{dN}{dA dt dE d\Omega dA} \sim \frac{1}{E^2} \left(\frac{A}{4\pi D^2} \right) \left(\frac{dN}{dA dt dE d\Omega} \right)$ $\frac{dN}{dA dt dE d\Omega} \sim \frac{1}{E^2} \left(\frac{A}{4\pi D^2} \right) \left(\frac{dN}{dA dt dE d\Omega} \right)$ -Ray Observations of Earth's Limb. Physical Review Letters, 2014, 112, 151103.	2.9	28

#	ARTICLE	IF	CITATIONS
181	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	1.4	28
182	Measurement of $WW/WZ \rightarrow \ell u q q^{\prime}$ $WW/WZ \rightarrow \ell \ell$, $1/2 qq \rightarrow e^2$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28
183	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
184	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
185	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
186	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
187	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
188	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
189	Measurements of top-quark pair differential cross-sections in the $e\bar{e} \rightarrow t\bar{t}$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
190	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
191	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
192	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a τ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
193	Measurements of electroweak Wjj production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
194	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell\bar{\ell} b\bar{b}$ and $\ell\bar{\ell} WW$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
195	A search for t resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 2083.	1.4	25
196	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	25
197	Searches for heavy diboson resonances in pp collisions at $s = 13 \sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
198	Search for triboson $W^{\pm}W^{\pm}W^{\mp}$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25

#	ARTICLE	IF	CITATIONS
199	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018, 78, 987.	1.4	25
200	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	25
201	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	1.4	24
202	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions. <i>European Physical Journal C</i> , 2016, 76, 517.	1.4	24
203	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	24
204	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	24
205	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	24
206	<i>SUZAKU</i> OBSERVATIONS OF LUMINOUS QUASARS: REVEALING THE NATURE OF HIGH-ENERGY BLAZAR EMISSION IN LOW-LEVEL ACTIVITY STATES. <i>Astrophysical Journal</i> , 2010, 716, 835-849.	1.6	23
207	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	1.4	23
208	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	23
209	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	23
210	AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022, 6, 1.	1.3	23
211	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	22
212	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	22
213	Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	22
214	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	22
215	Measurement of \tilde{I}_μ polarization in $W\tilde{t}_1\tilde{t}_1^*$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 2062.	1.4	21
216	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	1.4	21

#	ARTICLE	IF	CITATIONS
217	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
218	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
219	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
220	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
221	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
222	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	19
223	Measurement of k_T splitting scales in $W\hat{t}$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	1.4	19
224	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.4	19
225	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	1.4	19
226	Search for top-quark decays $t \rightarrow Hq$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
227	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
228	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	18
229	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \tau\tau$, in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18
230	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
231	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
232	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
233	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	1.4	17
234	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17

#	ARTICLE	IF	CITATIONS
235	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	17
236	Probing the W $t\bar{b}$ vertex structure in t -channel single-top-quark production and decay in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
237	Search for supersymmetry in events with b -tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
238	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
239	Direct top-quark decay width measurement in the $\mathbf{\vec{t}}$ $t \bar{t} \hat{A}^-$ lepton+jets channel at $\sqrt{s}=8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
240	Search for flavour-changing neutral current top-quark decays $t \hat{t}' qZ$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
241	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
242	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
243	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
244	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17
245	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	16
246	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
247	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
248	Top-quark mass measurement in the all-hadronic $t \bar{t} \hat{A}^-$ decay channel at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
249	Measurement of colour flow using jet-pull observables in $t \bar{t} \hat{A}^-$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
250	Search for exclusive Higgs and Z boson decays to $\tilde{t}\tilde{t}^*$ and $\tilde{t}\tilde{t}^*$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
251	Measurement of differential cross sections and $W/W\hat{A}^-$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
252	Search for diphoton events with large missing transverse energy with 36 pb $^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	15

#	ARTICLE	IF	CITATIONS
253	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
254	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	15
255	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
256	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	1.4	15
257	Search for W production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	1.2	15
258	Measurement of event-shape observables in $Z \rightarrow e^+e^- \gamma$ events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
259	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^- \mu^+\mu^-$ with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
260	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
261	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
262	Search for scalar resonances decaying into $\mu^+\mu^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
263	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
264	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
265	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb ⁻¹ of ATLAS data. European Physical Journal C, 2011, 71, 1.	1.4	14
266	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s}=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
267	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s}=13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
268	Studies of $Z\tilde{\chi}^0_3$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
269	Measurement of VH , $H \rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
270	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s}=13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14

#	ARTICLE	IF	CITATIONS
271	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
272	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13, \text{ext } \{\text{TeV}\}$. European Physical Journal C, 2021, 81, 1.	1.4	14
273	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{\text{mathrm}\{s\}} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
274	Search for $\overline{t}t$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
275	Measurement of the c-jet mistagging efficiency in $\text{star}\{t\}$ events using pp collision data at $\sqrt{s}=13 \text{ \AA } \text{ext } \{\text{TeV}\}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14
276	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7; \text{mathrm}\{\text{TeV}\}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
277	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 - \text{mathrm}\{\text{TeV}\}$. European Physical Journal C, 2012, 72, 1.	1.4	13
278	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	13
279	Search for lepton flavour violation in the $e\tau$ continuum with the ATLAS detector in $\sqrt{s} = 7 - \text{mbox}\{\text{TeV}\}$ pp collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	1.4	13
280	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7 \text{ \AA } \text{TeV}$ pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13
281	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
282	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \sqrt{s}=13$, 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
283	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = s$. European Physical Journal C, 2018, 78, 102.	1.4	13
284	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
285	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13
286	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
287	Measurement of the $\overline{b}b$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ \AA } s = 7 \text{ \AA } \text{TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
288	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\vec{\sqrt{s}}=13$ $s = 13 \text{ \AA } \text{ext } \{\text{TeV}\}$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12

#	ARTICLE	IF	CITATIONS
289	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
290	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
291	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
292	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
293	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
294	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
295	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
296	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. European Physical Journal C, 2022, 82, 1.	1.4	12
297	Measurement of W^3 and Z^3 production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
298	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
299	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
300	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
301	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
302	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
303	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
304	Measurement of the $Z\gamma \rightarrow u\bar{u}\gamma$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
305	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
306	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W^{\pm} and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10

#	ARTICLE	IF	CITATIONS
307	Measurement of J/ψ production in association with a $W\hat{\pm}$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
308	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
309	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
310	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
311	Measurement of the $\gamma\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
312	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
313	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8$ TeV using the ZZ $\rightarrow \mu\mu$, $\mu\tau$, $\tau\tau$ and ZZ $\rightarrow \mu\tau$, $\tau\tau$, $\tau\mu$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
314	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
315	Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
316	Measurement of the relative width difference of the $B^0 \rightarrow B^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
317	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
318	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
319	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
320	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
321	Measurements of $W+W\hat{\pm} + 1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
322	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
323	Reconstruction and identification of boosted $d\bar{t}$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
324	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	1.4	8

#	ARTICLE	IF	CITATIONS
325	Measurement of $\sigma_{\text{au}}^{\text{pol}}$, polarisation in $Z/\gamma \rightarrow \text{au au}$ Z/γ^3 . European Physical Journal C, 2018, 78, 163.	1.4	7
326	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	1.4	7
327	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	1.4	7
328	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	7
329	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
330	Measurement of ZZ production in the $\gamma, \gamma, \gamma, \gamma/2$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
331	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	6
332	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	1.4	6
333	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s} = 8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	5
334	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
335	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
336	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
337	Measurement of jet activity in top quark events using the $e\gamma$ final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
338	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
339	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
340	Search for top squarks in events with a Higgs or Z boson using 139 fb ⁻¹ of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
341	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W \rightarrow \mu \nu$ events in Run 2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
342	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4

#	ARTICLE	IF	CITATIONS
343	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
344	Measurement of the kt splitting scales in $Z \rightarrow \tau^+ \tau^-$ events in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
345	Measurements of inclusive and differential cross-sections of combined γ and tW production in the e^+e^- channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
346	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow \tau^+ \tau^- J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
347	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
348	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
349	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s} = 13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
350	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of ($\sqrt{s} = 13$) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
351	Measurement of the W-boson mass in pp collisions at ($\sqrt{s} = 7$, $\sqrt{s} = 13$) TeV with the ATLAS detector. , 2018, 78, 1.		1
352	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ($\sqrt{s} = 13$, $\sqrt{s} = 13$) TeV. , 2018, 78, 1.		1