

Johnna S Temenoff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9603610/publications.pdf>

Version: 2024-02-01

61
papers

5,621
citations

172207

29
h-index

143772

57
g-index

62
all docs

62
docs citations

62
times ranked

6626
citing authors

#	ARTICLE	IF	CITATIONS
1	Growth Factor Immobilization Strategies for Musculoskeletal Disorders. <i>Current Osteoporosis Reports</i> , 2022, 20, 13-25.	1.5	6
2	Culture Substrates for Improved Manufacture of Mesenchymal Stromal Cell Therapies. <i>Advanced Healthcare Materials</i> , 2021, 10, e2100016.	3.9	9
3	Injection of Micronized Human Amnion/Chorion Membrane Results in Increased Early Supraspinatus Muscle Regeneration in a Chronic Model of Rotator Cuff Tear. <i>Annals of Biomedical Engineering</i> , 2021, 49, 3698-3710.	1.3	4
4	Sub-nanoliter metabolomics via mass spectrometry to characterize volume-limited samples. <i>Nature Communications</i> , 2020, 11, 5625.	5.8	39
5	Hydrogel Culture Surface Stiffness Modulates Mesenchymal Stromal Cell Secretome and Alters Senescence. <i>Tissue Engineering - Part A</i> , 2020, 26, 1259-1271.	1.6	42
6	Multimomics characterization of mesenchymal stromal cells cultured in monolayer and as aggregates. <i>Biotechnology and Bioengineering</i> , 2020, 117, 1761-1778.	1.7	18
7	Special issue on Drug Delivery for Musculoskeletal Applications. <i>Acta Biomaterialia</i> , 2019, 93, 1.	4.1	0
8	Sequential, but not Concurrent, Incubation of Cathepsin K and L with Type I Collagen Results in Extended Proteolysis. <i>Scientific Reports</i> , 2019, 9, 5399.	1.6	10
9	Full-thickness rotator cuff tear in rat results in distinct temporal expression of multiple proteases in tendon, muscle, and cartilage. <i>Journal of Orthopaedic Research</i> , 2019, 37, 490-502.	1.2	9
10	Combination of Heparin Binding Peptide and Heparin Cell Surface Coatings for Mesenchymal Stem Cell Spheroid Assembly. <i>Bioconjugate Chemistry</i> , 2018, 29, 878-884.	1.8	5
11	Microparticle-mediated sequestration of cell-secreted proteins to modulate chondrocytic differentiation. <i>Acta Biomaterialia</i> , 2018, 68, 125-136.	4.1	22
12	Intra-articular TSG-6 delivery from heparin-based microparticles reduces cartilage damage in a rat model of osteoarthritis. <i>Biomaterials Science</i> , 2018, 6, 1159-1167.	2.6	28
13	Dual Affinity Heparin-Based Hydrogels Achieve Pro-Regenerative Immunomodulation and Microvascular Remodeling. <i>ACS Biomaterials Science and Engineering</i> , 2018, 4, 1241-1250.	2.6	36
14	Localized SDF-1 β Delivery Increases Pro-Healing Bone Marrow-Derived Cells in the Supraspinatus Muscle Following Severe Rotator Cuff Injury. <i>Regenerative Engineering and Translational Medicine</i> , 2018, 4, 92-103.	1.6	13
15	Consecutive, But Not Concurrent, Cathepsin Incubation with Type I Collagen Results in Extended Proteolysis. <i>FASEB Journal</i> , 2018, 32, 414.4.	0.2	0
16	Supraspinatus tendon overuse results in degenerative changes to tendon insertion region and adjacent humeral cartilage in a rat model. <i>Journal of Orthopaedic Research</i> , 2017, 35, 1910-1918.	1.2	15
17	Core-shell microparticles for protein sequestration and controlled release of a protein-laden core. <i>Acta Biomaterialia</i> , 2017, 56, 91-101.	4.1	17
18	Cell number and chondrogenesis in human mesenchymal stem cell aggregates is affected by the sulfation level of heparin used as a cell coating. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 1817-1829.	2.1	11

#	ARTICLE	IF	CITATIONS
19	Heparin-based hydrogels with tunable sulfation & degradation for anti-inflammatory small molecule delivery. <i>Biomaterials Science</i> , 2016, 4, 1371-1380.	2.6	24
20	Cell Surface Access Is Modulated by Tethered Bottlebrush Proteoglycans. <i>Biophysical Journal</i> , 2016, 110, 2739-2750.	0.2	19
21	Cyclic tension promotes fibroblastic differentiation of human MSCs cultured on collagen-fibre scaffolds. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2016, 10, 989-999.	1.3	39
22	Special Collection: Emerging Concepts in Three-Dimensional Microtissues. <i>Tissue Engineering - Part A</i> , 2016, 22, 3-4.	1.6	2
23	Effect of Selective Heparin Desulfation on Preservation of Bone Morphogenetic Protein-2 Bioactivity after Thermal Stress. <i>Bioconjugate Chemistry</i> , 2015, 26, 286-293.	1.8	31
24	Cathepsins in Rotator Cuff Tendinopathy: Identification in Human Chronic Tears and Temporal Induction in a Rat Model. <i>Annals of Biomedical Engineering</i> , 2015, 43, 2036-2046.	1.3	14
25	Hydrolysis and sulfation pattern effects on release of bioactive bone morphogenetic protein-2 from heparin-based microparticles. <i>Journal of Materials Chemistry B</i> , 2015, 3, 8001-8009.	2.9	27
26	Chondroitin Sulfate Microparticles Modulate Transforming Growth Factor- β 1-Induced Chondrogenesis of Human Mesenchymal Stem Cell Spheroids. <i>Cells Tissues Organs</i> , 2014, 199, 117-130.	1.3	27
27	Molecular engineering of glycosaminoglycan chemistry for biomolecule delivery. <i>Acta Biomaterialia</i> , 2014, 10, 1705-1719.	4.1	89
28	Interactions between mesenchymal stem cells, adipocytes, and osteoblasts in a 3D tri-culture model of hyperglycemic conditions in the bone marrow microenvironment. <i>Integrative Biology (United Kingdom)</i> , 2014, 6, 1045-1054.	0.0	0
29	Heparin microparticle effects on presentation and bioactivity of bone morphogenetic protein-2. <i>Biomaterials</i> , 2014, 35, 7228-7238.	5.7	88
30	Biological properties of dehydrated human amnion/chorion composite graft: implications for chronic wound healing. <i>International Wound Journal</i> , 2013, 10, 493-500.	1.3	245
31	The effect of desulfation of chondroitin sulfate on interactions with positively charged growth factors and upregulation of cartilaginous markers in encapsulated MSCs. <i>Biomaterials</i> , 2013, 34, 5007-5018.	5.7	67
32	Development of 3D hydrogel culture systems with on-demand cell separation. <i>Biotechnology Journal</i> , 2013, 8, 485-495.	1.8	16
33	Modulation of Mesenchymal Stem Cell Shape in Enzyme-Sensitive Hydrogels Is Decoupled from Upregulation of Fibroblast Markers Under Cyclic Tension. <i>Tissue Engineering - Part A</i> , 2012, 18, 2365-2375.	1.6	25
34	Three-Dimensional <i>In Vitro</i> Tri-Culture Platform to Investigate Effects of Crosstalk Between Mesenchymal Stem Cells, Osteoblasts, and Adipocytes. <i>Tissue Engineering - Part A</i> , 2012, 18, 1686-1697.	1.6	16
35	Differentiation of mesenchymal stem cells in heparin-containing hydrogels via coculture with osteoblasts. <i>Cell and Tissue Research</i> , 2012, 347, 589-601.	1.5	29
36	2011 panel on developing a biomaterials curriculum. <i>Journal of Biomedical Materials Research - Part A</i> , 2012, 100A, 802-816.	2.1	0

#	ARTICLE	IF	CITATIONS
37	Development of nano- and microscale chondroitin sulfate particles for controlled growth factor delivery. <i>Acta Biomaterialia</i> , 2011, 7, 986-995.	4.1	94
38	PEG-based hydrogels with tunable degradation characteristics to control delivery of marrow stromal cells for tendon overuse injuries. <i>Acta Biomaterialia</i> , 2011, 7, 959-966.	4.1	65
39	Aggregation of bovine anterior cruciate ligament fibroblasts or marrow stromal cells promotes aggrecan production. <i>Biotechnology and Bioengineering</i> , 2011, 108, 151-162.	1.7	4
40	Cyclic Tensile Culture Promotes Fibroblastic Differentiation of Marrow Stromal Cells Encapsulated in Poly(Ethylene Glycol)-Based Hydrogels. <i>Tissue Engineering - Part A</i> , 2010, 16, 3457-3466.	1.6	75
41	Long-Term Spatially Defined Coculture Within Three-Dimensional Photopatterned Hydrogels. <i>Tissue Engineering - Part C: Methods</i> , 2010, 16, 1621-1628.	1.1	29
42	Engineering Orthopedic Tissue Interfaces. <i>Tissue Engineering - Part B: Reviews</i> , 2009, 15, 127-141.	2.5	265
43	On the toughness of photopolymerizable (meth)acrylate networks for biomedical applications. <i>Journal of Applied Polymer Science</i> , 2009, 114, 2711-2722.	1.3	30
44	Degradative properties and cytocompatibility of a mixed-mode hydrogel containing oligo[poly(ethylene glycol)fumarate] and poly(ethylene glycol)dithiol. <i>Acta Biomaterialia</i> , 2009, 5, 570-579.	4.1	26
45	Effect of Swelling Ratio of Injectable Hydrogel Composites on Chondrogenic Differentiation of Encapsulated Rabbit Marrow Mesenchymal Stem Cells In Vitro. <i>Biomacromolecules</i> , 2009, 10, 541-546.	2.6	319
46	Techniques for biological characterization of tissue-engineered tendon and ligament. <i>Biomaterials</i> , 2007, 28, 187-202.	5.7	101
47	Injectable biodegradable hydrogel composites for rabbit marrow mesenchymal stem cell and growth factor delivery for cartilage tissue engineering. <i>Biomaterials</i> , 2007, 28, 3217-3227.	5.7	320
48	Osteogenic differentiation of rat bone marrow stromal cells cultured on Argâ€“Glyâ€“Asp modified hydrogels without dexamethasone and β -glycerol phosphate. <i>Biomaterials</i> , 2005, 26, 3645-3654.	5.7	112
49	Delivery of TGF- β 1 and chondrocytes via injectable, biodegradable hydrogels for cartilage tissue engineering applications. <i>Biomaterials</i> , 2005, 26, 7095-7103.	5.7	270
50	Repair of osteochondral defects with hyaluronan- and polyester-based scaffolds. <i>Osteoarthritis and Cartilage</i> , 2005, 13, 297-309.	0.6	172
51	Development and characterization of enhanced green fluorescent protein and luciferase expressing cell line for non-destructive evaluation of tissue engineering constructs. <i>Biomaterials</i> , 2004, 25, 5809-5819.	5.7	33
52	In vitro osteogenic differentiation of marrow stromal cells encapsulated in biodegradable hydrogels. <i>Journal of Biomedical Materials Research Part B</i> , 2004, 70A, 235-244.	3.0	122
53	Thermally Cross-Linked Oligo(poly(ethylene glycol) fumarate) Hydrogels Support Osteogenic Differentiation of Encapsulated Marrow Stromal Cells In Vitro. <i>Biomacromolecules</i> , 2004, 5, 5-10.	2.6	144
54	In Vitro Cytotoxicity of Redox Radical Initiators for Cross-Linking of Oligo(poly(ethylene glycol)) Tj ETQq0 0 0 rgBT /Overlock 10,Tf 50 62	2.6	107

#	ARTICLE	IF	CITATIONS
55	In Vitro Cytotoxicity of Unsaturated Oligo[poly(ethylene glycol) fumarate] Macromers and Their Cross-Linked Hydrogels. <i>Biomacromolecules</i> , 2003, 4, 552-560.	2.6	99
56	Effect of drying history on swelling properties and cell attachment to oligo(poly(ethylene glycol)) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 Polymer Edition, 2003, 14, 989-1004.	1.9	25
57	Effect of poly(ethylene glycol) molecular weight on tensile and swelling properties of oligo(poly(ethylene glycol) fumarate) hydrogels for cartilage tissue engineering. <i>Journal of Biomedical Materials Research Part B</i> , 2002, 59, 429-437.	3.0	233
58	Effect of poly(ethylene glycol) molecular weight on tensile and swelling properties of oligo(poly(ethylene glycol) fumarate) hydrogels for cartilage tissue engineering. , 2002, 59, 429.		16
59	Biomaterials and bone mechanotransduction. <i>Biomaterials</i> , 2001, 22, 2581-2593.	5.7	426
60	Injectable biodegradable materials for orthopedic tissue engineering. <i>Biomaterials</i> , 2000, 21, 2405-2412.	5.7	509
61	Review: tissue engineering for regeneration of articular cartilage. <i>Biomaterials</i> , 2000, 21, 431-440.	5.7	954