Andrew J Spillane

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9604132/publications.pdf

Version: 2024-02-01

516681 794568 19 1,803 16 19 citations g-index h-index papers 19 19 19 1841 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Identification of the optimal combination dosing schedule of neoadjuvant ipilimumab plus nivolumab in macroscopic stage III melanoma (OpACIN-neo): a multicentre, phase 2, randomised, controlled trial. Lancet Oncology, The, 2019, 20, 948-960.	10.7	346
2	Pathological response and survival with neoadjuvant therapy in melanoma: a pooled analysis from the International Neoadjuvant Melanoma Consortium (INMC). Nature Medicine, 2021, 27, 301-309.	30.7	218
3	Survival and biomarker analyses from the OpACIN-neo and OpACIN neoadjuvant immunotherapy trials in stage III melanoma. Nature Medicine, 2021, 27, 256-263.	30.7	190
4	Survivorship care plans in cancer: a systematic review of care plan outcomes. British Journal of Cancer, 2014, 111, 1899-1908.	6.4	183
5	Neoadjuvant systemic therapy in melanoma: recommendations of the International Neoadjuvant Melanoma Consortium. Lancet Oncology, The, 2019, 20, e378-e389.	10.7	155
6	Pathological assessment of resection specimens after neoadjuvant therapy for metastatic melanoma. Annals of Oncology, 2018, 29, 1861-1868.	1.2	135
7	Neoadjuvant dabrafenib combined with trametinib for resectable, stage IIIB–C, BRAFV600 mutation-positive melanoma (NeoCombi): a single-arm, open-label, single-centre, phase 2 trial. Lancet Oncology, The, 2019, 20, 961-971.	10.7	126
8	Personalized response-directed surgery and adjuvant therapy after neoadjuvant ipilimumab and nivolumab in high-risk stage III melanoma: the PRADO trial. Nature Medicine, 2022, 28, 1178-1188.	30.7	121
9	Pre-operative ctDNA predicts survival in high-risk stage III cutaneous melanoma patients. Annals of Oncology, 2019, 30, 815-822.	1.2	77
10	Multiomic profiling of checkpoint inhibitor-treated melanoma: Identifying predictors of response and resistance, and markers of biological discordance. Cancer Cell, 2022, 40, 88-102.e7.	16.8	64
11	Patterns and outcomes of breast reconstruction in older women – A systematic review of the literature. European Journal of Surgical Oncology, 2016, 42, 604-615.	1.0	52
12	High-resolution lymphoscintigraphy is essential for recognition of the significance of internal mammary nodes in breast cancer. Annals of Oncology, 2009, 20, 977-984.	1.2	28
13	Pathological response and tumour bed histopathological features correlate with survival following neoadjuvant immunotherapy in stage III melanoma. Annals of Oncology, 2021, 32, 766-777.	1.2	22
14	Neoadjuvant Systemic Therapy (NAST) in Patients with Melanoma: Surgical Considerations by the International Neoadjuvant Melanoma Consortium (INMC). Annals of Surgical Oncology, 2022, 29, 3694-3708.	1.5	21
15	Representativeness of the Index Lymph Node for Total Nodal Basin in Pathologic Response Assessment After Neoadjuvant Checkpoint Inhibitor Therapy in Patients With Stage III Melanoma. JAMA Surgery, 2022, 157, 335.	4.3	20
16	Quality assurance in melanoma surgery: The evolving experience at a large tertiary referral centre. European Journal of Surgical Oncology, 2015, 41, 830-836.	1.0	19
17	Measuring the quality of melanoma surgery – Highlighting issues with standardization and quality assurance of care in surgical oncology. European Journal of Surgical Oncology, 2017, 43, 561-571.	1.0	17
18	Survival Outcomes of Salvage Metastasectomy After Failure of Modern-Era Systemic Therapy for Melanoma. Annals of Surgical Oncology, 2021, 28, 6109-6123.	1.5	8

#	Article	IF	CITATIONS
19	Re-defining the role of surgery in the management of patients with oligometastatic stage IV melanoma in the era of effective systemic therapies. European Journal of Cancer, 2021, 153, 8-15.	2.8	1