

Lihong Lu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9604268/publications.pdf>

Version: 2024-02-01

8
papers

111
citations

1307594
7
h-index

1588992
8
g-index

8
all docs

8
docs citations

8
times ranked

37
citing authors

#	ARTICLE	IF	CITATIONS
1	c-Myc participates in high glucose-mediated endothelial inflammation via upregulation of IRAK1 expression in diabetic nephropathy. <i>Cellular Signalling</i> , 2022, 92, 110263.	3.6	5
2	Epigenetics in the pathogenesis of diabetic nephropathy. <i>Acta Biochimica Et Biophysica Sinica</i> , 2022, 54, 163-172.	2.0	26
3	The SETD8/ELK1/bach1 complex regulates hyperglycaemia-mediated EndMT in diabetic nephropathy. <i>Journal of Translational Medicine</i> , 2022, 20, 147.	4.4	10
4	SETD8 cooperates with MZF1 to participate in hyperglycemia-induced endothelial inflammation via elevation of WNT5A levels in diabetic nephropathy. <i>Cellular and Molecular Biology Letters</i> , 2022, 27, 30.	7.0	8
5	Sirt7 associates with ELK1 to participate in hyperglycemia memory and diabetic nephropathy via modulation of DAPK3 expression and endothelial inflammation. <i>Translational Research</i> , 2022, 247, 99-116.	5.0	9
6	The CREB/KMT5A complex regulates PTP1B to modulate high glucose-induced endothelial inflammatory factor levels in diabetic nephropathy. <i>Cell Death and Disease</i> , 2021, 12, 333.	6.3	18
7	ets1 associates with KMT5A to participate in high glucose-mediated EndMT via upregulation of PFN2 expression in diabetic nephropathy. <i>Molecular Medicine</i> , 2021, 27, 74.	4.4	15
8	KMT5A downregulation participated in High Glucose-mediated EndMT via Upregulation of ENO1 Expression in Diabetic Nephropathy. <i>International Journal of Biological Sciences</i> , 2021, 17, 4093-4107.	6.4	20