

Ling Su

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/960848/publications.pdf>

Version: 2024-02-01

35
papers

1,287
citations

279798

23
h-index

361022

35
g-index

35
all docs

35
docs citations

35
times ranked

2582
citing authors

#	ARTICLE	IF	CITATIONS
1	Salinomycin induces cell death with autophagy through activation of endoplasmic reticulum stress in human cancer cells. <i>Autophagy</i> , 2013, 9, 1057-1068.	9.1	121
2	DDIT3 and KAT2A Proteins Regulate TNFRSF10A and TNFRSF10B Expression in Endoplasmic Reticulum Stress-mediated Apoptosis in Human Lung Cancer Cells. <i>Journal of Biological Chemistry</i> , 2015, 290, 11108-11118.	3.4	89
3	Parthenolide induces apoptosis via TNFRSF10B and PMAIP1 pathways in human lung cancer cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2014, 33, 3.	8.6	75
4	Salermide up-regulates death receptor 5 expression through the ATF4-ATF3-CHOP axis and leads to apoptosis in human cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2012, 16, 1618-1628.	3.6	71
5	Emerging roles of SIRT6 on telomere maintenance, DNA repair, metabolism and mammalian aging. <i>Molecular and Cellular Biochemistry</i> , 2012, 364, 345-350.	3.1	65
6	Distinctive E-cadherin and epidermal growth factor receptor expression in metastatic and nonmetastatic head and neck squamous cell carcinoma. <i>Cancer</i> , 2008, 113, 97-107.	4.1	63
7	The deubiquitinase USP22 regulates PD-L1 degradation in human cancer cells. <i>Cell Communication and Signaling</i> , 2020, 18, 112.	6.5	62
8	Usp9x- and Noxa-mediated Mcl-1 downregulation contributes to pemetrexed-induced apoptosis in human non-small-cell lung cancer cells. <i>Cell Death and Disease</i> , 2014, 5, e1316-e1316.	6.3	58
9	Inhibition of SIRT1/2 upregulates HSPA5 acetylation and induces pro-survival autophagy via ATF4-DDIT4-mTORC1 axis in human lung cancer cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2019, 24, 798-811.	4.9	51
10	PKC ζ Regulates Death Receptor 5 Expression Induced by PS-341 through ATF4-ATF3/CHOP Axis in Human Lung Cancer Cells. <i>Molecular Cancer Therapeutics</i> , 2012, 11, 2174-2182.	4.1	46
11	EHMT2 inhibitor BIX-01294 induces apoptosis through PMAIP1-USP9X-MCL1 axis in human bladder cancer cells. <i>Cancer Cell International</i> , 2015, 15, 4.	4.1	46
12	Chaetocin induces endoplasmic reticulum stress response and leads to death receptor 5-dependent apoptosis in human non-small cell lung cancer cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2015, 20, 1499-1507.	4.9	46
13	Downregulation of E-Cadherin enhances proliferation of head and neck cancer through transcriptional regulation of EGFR. <i>Molecular Cancer</i> , 2011, 10, 116.	19.2	43
14	The Pivotal Role of Integrin β 1 in Metastasis of Head and Neck Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2012, 18, 4589-4599.	7.0	40
15	Understanding metastatic SCCHN cells from unique genotypes to phenotypes with the aid of an animal model and DNA microarray analysis. <i>Clinical and Experimental Metastasis</i> , 2006, 23, 209-222.	3.3	36
16	The arginine methyltransferase PRMT5 and PRMT1 distinctly regulate the degradation of anti-apoptotic protein CFLARL in human lung cancer cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 64.	8.6	36
17	Honokiol inhibits EMT-mediated motility and migration of human non-small cell lung cancer cells in vitro by targeting c-FLIP. <i>Acta Pharmacologica Sinica</i> , 2016, 37, 1574-1586.	6.1	33
18	Cordycepin induces autophagy-mediated c-FLIPL degradation and leads to apoptosis in human non-small cell lung cancer cells. <i>Oncotarget</i> , 2017, 8, 6691-6699.	1.8	28

#	ARTICLE	IF	CITATIONS
19	Loss of CDH1 up-regulates epidermal growth factor receptor via phosphorylation of YBX1 in non-small cell lung cancer cells. <i>FEBS Letters</i> , 2013, 587, 3995-4000.	2.8	26
20	Quantum dot-based quantification revealed differences in subcellular localization of EGFR and E-cadherin between EGFR-TKI sensitive and insensitive cancer cells. <i>Nanotechnology</i> , 2009, 20, 225102.	2.6	24
21	Death Receptor 5 and cellular FLICE-inhibitory protein regulate pemetrexed-induced apoptosis in human lung cancer cells. <i>European Journal of Cancer</i> , 2011, 47, 2471-2478.	2.8	24
22	A novel derivative of tetrandrine (H1) induces endoplasmic reticulum stress-mediated apoptosis and prosurvival autophagy in human non-small cell lung cancer cells. <i>Tumor Biology</i> , 2016, 37, 10403-10413.	1.8	24
23	Methyl jasmonate induces apoptosis and pro-apoptotic autophagy via the ROS pathway in human non-small cell lung cancer. <i>American Journal of Cancer Research</i> , 2016, 6, 187-99.	1.4	23
24	Comparison and optimization of multiplexed quantum dot-based immunohistofluorescence. <i>Nano Research</i> , 2010, 3, 61-68.	10.4	22
25	Glucocorticoid modulatory element-binding protein 1 (GMEB1) interacts with the de-ubiquitinase USP40 to stabilize CFLARL and inhibit apoptosis in human non-small cell lung cancer cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 181.	8.6	19
26	CD74 interacts with CD44 and enhances tumorigenesis and metastasis via RHOA-mediated cofilin phosphorylation in human breast cancer cells. <i>Oncotarget</i> , 2016, 7, 68303-68313.	1.8	18
27	Down-regulation of cellular FLICE-inhibitory protein (Long Form) contributes to apoptosis induced by Hsp90 inhibition in human lung cancer cells. <i>Cancer Cell International</i> , 2012, 12, 54.	4.1	17
28	YIPF2 promotes chemotherapeutic agent-mediated apoptosis via enhancing TNFRSF10B recycling to plasma membrane in non-small cell lung cancer cells. <i>Cell Death and Disease</i> , 2020, 11, 242.	6.3	17
29	Suppression of LASP-1 attenuates the carcinogenesis of prostatic cancer cell lines: Key role of the NF- κ B pathway. <i>Oncology Reports</i> , 2017, 37, 341-347.	2.6	14
30	Hhex inhibits cell migration via regulating RHOA/CDC42-CFL1 axis in human lung cancer cells. <i>Cell Communication and Signaling</i> , 2021, 19, 80.	6.5	12
31	Angio-associated migratory cell protein interacts with epidermal growth factor receptor and enhances proliferation and drug resistance in human non-small cell lung cancer cells. <i>Cellular Signalling</i> , 2019, 61, 10-19.	3.6	11
32	Angio-associated migratory cell protein (AAMP) interacts with cell division cycle 42 (CDC42) and enhances migration and invasion in human non-small cell lung cancer cells. <i>Cancer Letters</i> , 2021, 502, 1-8.	7.2	11
33	The chalcone 2-hydroxy-4,5-dimethoxychalcone activates death receptor 5 pathway and leads to apoptosis in human nonsmall cell lung cancer cells. <i>IUBMB Life</i> , 2013, 65, 533-543.	3.4	10
34	c-FLIP promotes drug resistance in non-small-cell lung cancer cells via upregulating FoxM1 expression. <i>Acta Pharmacologica Sinica</i> , 2022, , .	6.1	4
35	A benzoxazine derivative specifically inhibits cell cycle progression in p53-wild type pulmonary adenocarcinoma cells. <i>Frontiers in Biology</i> , 2010, 5, 180-186.	0.7	2