

# Virgilio Gerald H Evidente

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9611636/publications.pdf>

Version: 2024-02-01

23  
papers

788  
citations

623734

14  
h-index

677142

22  
g-index

23  
all docs

23  
docs citations

23  
times ranked

739  
citing authors

#	ARTICLE	IF	CITATIONS
1	X-linked Dystonia-Parkinsonism (â€œLubagâ€) May Present with Peripheral Synucleinopathy. <i>Movement Disorders</i> , 2022, 37, 130-136.	3.9	2
2	Thalamic Deep Brain Stimulation May Improve Restless Legs Syndrome in Patients With Essential Tremor. <i>Neuromodulation</i> , 2022, 25, 911-917.	0.8	1
3	Tardive Blepharospasm May Respond to Bilateral Pallidal Deep Brain Stimulation. <i>Tremor and Other Hyperkinetic Movements</i> , 2021, 11, 10.	2.0	1
4	Thalamic Deep Brain Stimulation Is Effective in Alleviating Craniocervical Dystonia. <i>Movement Disorders Clinical Practice</i> , 2021, 8, 778-781.	1.5	2
5	Short-Lasting Unilateral Neuralgiform Headache With Conjunctival Injection and Tearing (SUNCT) Improves With Bilateral Ventral Tegmental Area Deep Brain Stimulation. <i>Headache</i> , 2020, 60, 2548-2554.	3.9	6
6	Adductor Spasmodic Dysphonia Improves with Bilateral Thalamic Deep Brain Stimulation: Report of 3 Cases Done Asleep and Review of Literature. <i>Tremor and Other Hyperkinetic Movements</i> , 2020, 10, 60.	2.0	7
7	IncobotulinumtoxinA (Xeomin®) injected for blepharospasm or cervical dystonia according to patient needs is well tolerated. <i>Journal of the Neurological Sciences</i> , 2014, 346, 116-120.	0.6	40
8	Botulinum toxin therapy for cervical dystonia: the science of dosing. <i>Tremor and Other Hyperkinetic Movements</i> , 2014, 4, 273.	2.0	16
9	A randomized, double-blind study of repeated incobotulinumtoxinA (Xeomin®) in cervical dystonia. <i>Journal of Neural Transmission</i> , 2013, 120, 1699-1707.	2.8	51
10	Neuropathological findings of PSP in the elderly without clinical PSP: Possible incidental PSP?. <i>Parkinsonism and Related Disorders</i> , 2011, 17, 365-371.	2.2	43
11	Long-term follow-up of deep brain stimulation for Meige syndrome. <i>Neurosurgical Focus</i> , 2010, 29, E5.	2.3	52
12	Comparing Cerebral White Matter Lesion Burdens between Parkinson's Disease with and without Dementia. <i>Journal of Movement Disorders</i> , 2010, 3, 6-10.	1.3	3
13	Responsiveness of short-lasting unilateral neuralgiform headache with conjunctival injection and tearing to hypothalamic deep brain stimulation. <i>Journal of Neurosurgery</i> , 2009, 110, 279-281.	1.6	76
14	First case of X-linked dystonia-parkinsonism (â€œLubagâ€) to demonstrate a response to bilateral pallidal stimulation. <i>Movement Disorders</i> , 2007, 22, 1790-1793.	3.9	84
15	Restless legs syndrome in Parkinson's disease patients may improve with subthalamic stimulation. <i>Movement Disorders</i> , 2006, 21, 1287-1289.	3.9	83
16	Phenotypic and Molecular Analyses of X-linked Dystonia-Parkinsonism (â€œLubagâ€) in Women. <i>Archives of Neurology</i> , 2004, 61, 1956-9.	4.5	64
17	Smell testing is abnormal in â€œLubagâ€™ or X-linked dystonia-parkinsonism: a pilot study. <i>Parkinsonism and Related Disorders</i> , 2004, 10, 407-410.	2.2	18
18	Piribedil as an adjunct to levodopa in advanced Parkinson's disease: the Asian experience. <i>Parkinsonism and Related Disorders</i> , 2003, 10, 117-121.	2.2	18

#	ARTICLE	IF	CITATIONS
19	Case Studies in Movement Disorders. <i>Seminars in Neurology</i> , 2003, 23, 277-284.	1.4	2
20	Zolpidem improves dystonia in "Lubag" or X-linked dystonia-parkinsonism syndrome. <i>Neurology</i> , 2002, 58, 662-663.	1.1	58
21	Phenomenology of "Lubag" or X-linked dystonia-parkinsonism. <i>Movement Disorders</i> , 2002, 17, 1271-1277.	3.9	92
22	X-linked dystonia ("Lubag") presenting predominantly with parkinsonism: A more benign phenotype?. <i>Movement Disorders</i> , 2002, 17, 200-202.	3.9	37
23	Hemifacial Spasm and Other Craniofacial Movement Disorders. <i>Mayo Clinic Proceedings</i> , 1998, 73, 67-71.	3.0	32