Chunyan Yi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9611873/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Effect of Fluid Overload on Clinical Outcome in Southern Chinese Patients Undergoing Continuous Ambulatory Peritoneal Dialysis. Peritoneal Dialysis International, 2015, 35, 691-702.	2.3	60
2	<i>Escherichia Coli</i> Peritonitis in Peritoneal Dialysis: The Prevalence, Antibiotic Resistance and Clinical Outcomes in a South China Dialysis Center. Peritoneal Dialysis International, 2014, 34, 308-316.	2.3	39
3	Risk Factors for Early-Onset Peritonitis in Southern Chinese Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2016, 36, 640-646.	2.3	39
4	Risk Factors for the First Episode of Peritonitis in Southern Chinese Continuous Ambulatory Peritoneal Dialysis Patients. PLoS ONE, 2014, 9, e107485.	2.5	37
5	Bioimpedance Guided Fluid Management in Peritoneal Dialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2020, 15, 685-694.	4.5	28
6	Incidence and risk factors of peritoneal dialysis-related peritonitis in elderly patients: A retrospective clinical study. Peritoneal Dialysis International, 2020, 40, 26-33.	2.3	28
7	Urgent-start peritoneal dialysis for patients with end stage renal disease: a 10-year retrospective study. BMC Nephrology, 2019, 20, 238.	1.8	27
8	Platelet index levels and cardiovascular mortality in incident peritoneal dialysis patients: a cohort study. Platelets, 2017, 28, 576-584.	2.3	25
9	Clinical Outcome in Elderly Patients on Chronic Peritoneal Dialysis: A Retrospective Study from a Single Center in China. Peritoneal Dialysis International, 2014, 34, 299-307.	2.3	23
10	Prevalence and risk factors of exit-site infection in incident peritoneal dialysis patients. Peritoneal Dialysis International, 2020, 40, 164-170.	2.3	19
11	Prevalence and Prognosis of Coexisting Frailty and Cognitive Impairment in Patients on Continuous Ambulatory Peritoneal Dialysis. Scientific Reports, 2018, 8, 17305.	3.3	18
12	Prognostic value of inflammation-based prognostic scores on outcome in patients undergoing continuous ambulatory peritoneal dialysis. BMC Nephrology, 2018, 19, 297.	1.8	15
13	Lower Phase Angle Measured by Bioelectrical Impedance Analysis Is a Marker for Increased Mortality in Incident Continuous Ambulatory Peritoneal Dialysis Patients. , 2020, 30, 119-125.		13
14	Clinical Outcomes of Remote Peritoneal Dialysis Patients: A Retrospective Cohort Study from a Single Center in China. Blood Purification, 2016, 41, 100-107.	1.8	12
15	Baseline higher peritoneal transport had been associated with worse nutritional status of incident continuous ambulatory peritoneal dialysis patients in Southern China: a 1-year prospective study. British Journal of Nutrition, 2015, 114, 398-405.	2.3	11
16	The predictive study of the relation between elevated low-density lipoprotein cholesterol to high-density lipoprotein cholesterol ratio and mortality in peritoneal dialysis. Lipids in Health and Disease, 2020, 19, 51.	3.0	11
17	Patient-reported gastrointestinal symptoms in patients with peritoneal dialysis: the prevalence, influence factors and association with quality of life. BMC Nephrology, 2022, 23, 99.	1.8	11
18	Gender-specific associations of skeletal muscle mass and arterial stiffness among peritoneal dialysis patients. Scientific Reports, 2018, 8, 1351.	3.3	9

Chunyan Yi

#	Article	IF	CITATIONS
19	Serum Phosphorus and Albumin in Patients Undergoing Peritoneal Dialysis: Interaction and Association With Mortality. Frontiers in Medicine, 2021, 8, 760394.	2.6	9
20	Patient Survival and Technique Failure in Continuous Ambulatory Peritoneal Dialysis Patients with Prior Stroke. Peritoneal Dialysis International, 2016, 36, 308-314.	2.3	8
21	The Association between Serum Uric Acid and Appendicular Skeletal Muscle Mass and the Effect of Their Interaction on Mortality in Patients on Peritoneal Dialysis. Kidney and Blood Pressure Research, 2020, 45, 969-981.	2.0	8
22	Lower plasma visceral protein concentrations are independently associated with higher mortality in patients on peritoneal dialysis. British Journal of Nutrition, 2015, 113, 627-633.	2.3	7
23	Patient-Doctor Contact Interval and Clinical Outcomes in Continuous Ambulatory Peritoneal Dialysis Patients. American Journal of Nephrology, 2017, 45, 346-352.	3.1	7
24	Changes in Outcomes over Time among Incident Peritoneal Dialysis Patients in Southern China. Peritoneal Dialysis International, 2019, 39, 382-389.	2.3	6
25	Ten-year survival of patients treated with peritoneal dialysis: A prospective observational cohort study. Peritoneal Dialysis International, 2020, 40, 573-580.	2.3	6
26	Changes of antibiotic resistance over time among <i>Escherichia coli</i> peritonitis in Southern China. Peritoneal Dialysis International, 2022, 42, 218-222.	2.3	5
27	Association of Serum Uric Acid with Arterial Stiffness in Peritoneal Dialysis Patients. Kidney and Blood Pressure Research, 2018, 43, 1451-1458.	2.0	4
28	The negative impact of depressive symptoms on patient and technique survival in peritoneal dialysis: a prospective cohort study. International Urology and Nephrology, 2020, 52, 2393-2401.	1.4	4
29	Sexual Effect of Platelet-to-Lymphocyte Ratio in Predicting Cardiovascular Mortality of Peritoneal Dialysis Patients. Mediators of Inflammation, 2022, 2022, 1-9.	3.0	4
30	Metabolic Syndrome and Mortality in Continuous Ambulatory Peritoneal Dialysis Patients: A 5-Year Prospective Cohort Study. Kidney and Blood Pressure Research, 2019, 44, 1026-1035.	2.0	3
31	Type D personality, medication adherence and peritonitis in continuous ambulatory peritoneal dialysis patients. Psychology, Health and Medicine, 2020, 25, 541-549.	2.4	3
32	Roles of peritoneal clearance and residual kidney removal in control of uric acid in patients on peritoneal dialysis. BMC Nephrology, 2020, 21, 148.	1.8	3
33	Prevalence, risk factors and impact on outcomes of 30-day unexpected rehospitalization in incident peritoneal dialysis patients. BMC Nephrology, 2021, 22, 4.	1.8	3
34	Early initiation of PD therapy in elderly patients is associated with increased risk of death. CKJ: Clinical Kidney Journal, 2021, 14, 1649-1656.	2.9	3
35	Gender impact on baseline peritoneal transport properties in incident peritoneal dialysis patients. International Urology and Nephrology, 2019, 51, 2055-2061.	1.4	2
36	Higher Eosinophils Predict Death-Censored Technique Failure in Peritoneal Dialysis Patients. International Archives of Allergy and Immunology, 2020, 181, 765-773.	2.1	2

Chunyan Yi

#	Article	IF	CITATIONS
37	Risk Factors and Clinical Outcomes of Cognitive Impairment in Diabetic Patients Undergoing Peritoneal Dialysis. Kidney and Blood Pressure Research, 2021, 46, 531-540.	2.0	2
38	Association of Abnormal Iron Status with the Occurrence and Prognosis of Peritoneal Dialysis-Related Peritonitis: A Longitudinal Data-Based 10-Year Retrospective Study. Nutrients, 2022, 14, 1613.	4.1	2
39	The incidence of pain and its association with quality of life in patients with peritoneal dialysis. Renal Failure, 2022, 44, 724-730.	2.1	2
40	Association of brachial-ankle pulse wave velocity with cognitive impairment in peritoneal dialysis patients. Renal Failure, 2021, 43, 934-941.	2.1	1
41	Risk factors and clinical outcomes of encapsulating peritoneal sclerosis: A case–control study from China. Peritoneal Dialysis International, 2021, , 089686082110292.	2.3	1