

Tomoharu Tokunaga

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/961292/tomoharu-tokunaga-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

1,995
citations

20
h-index

41
g-index

123
ext. papers

2,256
ext. citations

3.9
avg, IF

4.67
L-index

#	Paper	IF	Citations
108	Alginate-Stabilized Gold Nanoparticles Prepared Using the Microwave-Induced Plasma-in-Liquid Process with Long-Term Storage Stability for Potential Biomedical Applications.. <i>ACS Omega</i> , 2022 , 7, 6238-6247	3.9	1
107	Anelasticity induced by AC flash processing of cubic zirconia. <i>Acta Materialia</i> , 2022 , 227, 117704	8.4	3
106	Anisotropic Growth of Copper Nanorods Mediated by Cl Ions.. <i>ACS Omega</i> , 2022 , 7, 7414-7420	3.9	
105	A first attempt of automated shrinkage-rate control flash sintering using a current profile without feedback of shrinkage behavior for 8 mol %Y₂O₃-doped ZrO₂. <i>Journal of the Ceramic Society of Japan</i> , 2022 , 130, 327-330	1	
104	Effect of electron beam irradiation in gas atmosphere during ETEM.. <i>Micron</i> , 2022 , 158, 103289	2.3	
103	Power Dissipation Behaviors during SCF-sintering for 8 mol% Y2O3-doped ZrO2. <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2021 , 68, 482-486	0.2	2
102	Cross-sectional Area Dependency of Shrinkages and Grain Sizes of Flash-sintered 3 mol%Y2O3ZrO2 Polycrystals with a Circular Truncated Cone-shape at High Frequency Alternating Electric Current Fields. <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2021 , 68, 487-493	0.2	4
101	Crystalline boron monosulfide nanosheets with tunable bandgaps. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 24631-24640	13	3
100	Constant shrinkage rate control during a flash event for 8 mol %Y2O3-doped ZrO2 polycrystals. <i>Journal of the Ceramic Society of Japan</i> , 2021 , 129, 204-207	1	2
99	Shrinkage rate control during a flash state by current-ramping for 3 mol% Y2O3-doped ZrO2 polycrystals. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 4960-4967	3.8	4
98	Near complete densification of flash sintered 8YSZ: controlled shrinkage rate effects. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 4567-4571	6	8
97	Rapid sintering of 3 mol % Y2O3-doped ZrO2 by a combined rapid furnace heating and shrinkage-controlled flash sintering protocol. <i>Journal of the Ceramic Society of Japan</i> , 2021 , 129, 551-554 ¹		6
96	Highly Correlated Size and Composition of Pt/Au Alloy Nanoparticles via Magnetron Sputtering onto Liquid. <i>Langmuir</i> , 2020 , 36, 3004-3015	4	9
95	Synthesis of composition-tunable PdCu alloy nanoparticles by double target sputtering. <i>New Journal of Chemistry</i> , 2020 , 44, 4704-4712	3.6	7
94	Blue photoluminescence at room temperature from Y2O3-doped ZrO2 polycrystals sintered by flash sintering. <i>Applied Physics Express</i> , 2020 , 13, 035506	2.4	1
93	Suppression of nitridation of yttria-doped zirconia during flash sintering. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 3002-3007	3.8	8
92	H2 production from methane decomposition by fullerene at low temperature. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 14347-14353	6.7	1

91	Flash sintering for BaTiO ₃ with square alternating current field including zero-field duration. <i>Journal of the Ceramic Society of Japan</i> , 2020 , 128, 1018-1023	1	8
90	In situ TEM observation of liquid-state Sn nanoparticles vanishing in a SiO ₂ structure: a potential synthetic tool for controllable morphology evolution from core-shell to yolk-shell and hollow structures. <i>Nanoscale Advances</i> , 2020 , 2, 1456-1464	5.1	1
89	Blue photo luminescence from 3 mol%Y ₂ O ₃ -doped ZrO ₂ polycrystals sintered by flash sintering under an alternating current electric field. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 2072-2076	6	13
88	Selective Reduction Mechanism of Graphene Oxide Driven by the Photon Mode the Thermal Mode. <i>ACS Nano</i> , 2019 , 13, 10103-10112	16.7	21
87	Green Synthesis of Size-Tunable Iron Oxides and Iron Nanoparticles in a Salt Matrix. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 17697-17705	8.3	10
86	One-Minute Joule Annealing Enhances the Thermoelectric Properties of Carbon Nanotube Yarns via the Formation of Graphene at the Interface. <i>ACS Applied Energy Materials</i> , 2019 , 2, 7700-7708	6.1	14
85	Preparation and Growth Mechanism of Pt/Cu Alloy Nanoparticles by Sputter Deposition onto a Liquid Polymer. <i>Langmuir</i> , 2019 , 35, 8418-8427	4	11
84	Size-Tunable Alumina-Encapsulated Sn-Based Phase Change Materials for Thermal Energy Storage. <i>ACS Applied Nano Materials</i> , 2019 , 2, 3752-3760	5.6	17
83	Porous ZnV ₂ O ₄ Nanowire for Stable and High-Rate Lithium-Ion Battery Anodes. <i>ACS Applied Nano Materials</i> , 2019 , 2, 4247-4256	5.6	26
82	Technique to control specimen electric current during a flash state with alternating current electric fields. <i>Journal of the Ceramic Society of Japan</i> , 2019 , 127, 849-851	1	5
81	B-site Ordered Atomic Structure in LSAT: (La _{0.3} Sr _{0.7})(Al _{0.65} Ta _{0.35})O ₃ Single Crystal. <i>Materia Japan</i> , 2019 , 58, 93-93	0.1	
80	Topologically immobilized catalysis centre for long-term stable carbon dioxide reforming of methane. <i>Chemical Science</i> , 2019 , 10, 3701-3705	9.4	19
79	Removal of carbon contamination in ETEM by introducing Ar during electron beam irradiation. <i>Journal of Microscopy</i> , 2019 , 273, 46-52	1.9	4
78	Ligand free green plasma-in-liquid synthesis of Au/Ag alloy nanoparticles. <i>New Journal of Chemistry</i> , 2018 , 42, 5680-5687	3.6	10
77	Intergranular amorphous films formed by DC electric field in pure zirconia. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 3282-3287	3.8	15
76	Sputter Deposition toward Short Cationic Thiolated Fluorescent Gold Nanoclusters: Investigation of Their Unique Structural and Photophysical Characteristics Using High-Performance Liquid Chromatography. <i>Langmuir</i> , 2018 , 34, 4024-4030	4	6
75	Nanoporous Nickel Composite Catalyst for the Dry Reforming of Methane. <i>ACS Omega</i> , 2018 , 3, 16651-16657	5.57	8
74	Electric current-controlled synthesis of BaTiO ₃ . <i>Journal of the American Ceramic Society</i> , 2017 , 100, 3843-3850	3.38	21

73	Water transport phenomena through membranes consisting of vertically-aligned double-walled carbon nanotube array. <i>Carbon</i> , 2017 , 120, 358-365	10.4	25
72	Consolidation of undoped, monoclinic zirconia polycrystals by flash sintering. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 3851-3857	3.8	17
71	Preparation of Au/Pd Bimetallic Nanoparticles by a Microwave-Induced Plasma in Liquid Process. <i>Bulletin of the Chemical Society of Japan</i> , 2017 , 90, 279-285	5.1	27
70	Nanophase-separated NiNb as an automobile exhaust catalyst. <i>Chemical Science</i> , 2017 , 8, 3374-3378	9.4	14
69	Au/Cu Bimetallic Nanoparticles via Double-Target Sputtering onto a Liquid Polymer. <i>Langmuir</i> , 2017 , 33, 12389-12397	4	26
68	Small Nanosized Oxygen-Deficient Tungsten Oxide Particles: Mechanistic Investigation with Controlled Plasma Generation in Water for Their Preparation. <i>ACS Omega</i> , 2017 , 2, 5104-5110	3.9	8
67	Structural Control Parameters for Formation of Single-Crystalline Sn Nanorods in Organic Phase. <i>Crystal Growth and Design</i> , 2017 , 17, 4554-4562	3.5	11
66	Directly determining the polarity of WC grains in WC ₂ wt%Co alloy by ABF-STEM. <i>International Journal of Refractory Metals and Hard Materials</i> , 2017 , 62, 9-13	4.1	4
65	Methane decomposition for hydrogen production by catalytic activity of carbon black under low flow rate conditions. <i>Journal of the Ceramic Society of Japan</i> , 2017 , 125, 185-189	1	2
64	In-Situ TEM Study of a Nanoporous NiCo Catalyst Used for the Dry Reforming of Methane. <i>Metals</i> , 2017 , 7, 406	2.3	10
63	Titanium oxide nanoparticle dispersions in a liquid monomer and solid polymer resins prepared by sputtering. <i>New Journal of Chemistry</i> , 2016 , 40, 9337-9343	3.6	7
62	Matrix Sputtering into Liquid Mercaptan: From Blue-Emitting Copper Nanoclusters to Red-Emitting Copper Sulfide Nanoclusters. <i>Langmuir</i> , 2016 , 32, 12159-12165	4	14
61	Double target sputtering into liquid: A new approach for preparation of AgAu alloy nanoparticles. <i>Materials Letters</i> , 2016 , 171, 75-78	3.3	25
60	Hard-templating synthesis of macroporous platinum microballs (MPtM). <i>Materials Letters</i> , 2016 , 164, 488-492	3.3	6
59	Formation of grain boundary second phase in BaTiO ₃ polycrystal under a high DC electric field at elevated temperatures. <i>Journal of the Ceramic Society of Japan</i> , 2016 , 124, 388-392	1	32
58	Direct observation of B-site ordering in LSAT: (La _{0.3} Sr _{0.7})(Al _{0.65} Ta _{0.35})O ₃ single crystal. <i>Applied Physics Letters</i> , 2016 , 108, 251905	3.4	4
57	Synthesis of zirconium oxynitride in air under DC electric fields. <i>Applied Physics Letters</i> , 2016 , 109, 083104	3.4	39
56	Earth-Abundant and Durable Nanoporous Catalyst for Exhaust-Gas Conversion. <i>Advanced Functional Materials</i> , 2016 , 26, 1609-1616	15.6	15

55	In situ observation of carbon nanotube yarn during voltage application. <i>Micron</i> , 2015 , 74, 30-4	2.3	3
54	Plasma induced tungsten doping of TiO ₂ particles for enhancement of photocatalysis under visible light. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 24556-9	3.6	19
53	Enhancement of sintering rates in BaTiO ₃ by controlling of DC electric current. <i>Journal of the Ceramic Society of Japan</i> , 2015 , 123, 465-468	1	20
52	Environment-Sensitive Thermal Coarsening of Nanoporous Gold. <i>Materials Transactions</i> , 2015 , 56, 468-472	2	18
51	Improved properties of Carbon nanotube yarn spun from dense and long carbon nanotube forest 2015 ,		1
50	Double-wall TiO ₂ nanotube arrays: enhanced photocatalytic activity and in situ TEM observations at high temperature. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 19924-32	9.5	24
49	Atomic observation of catalysis-induced nanopore coarsening of nanoporous gold. <i>Nano Letters</i> , 2014 , 14, 1172-7	11.5	100
48	In Situ Transmission Electron Microscopic Observation of Double-wall TiO ₂ Nanotube Arrays at High Temperature. <i>Chemistry Letters</i> , 2014 , 43, 1514-1516	1.7	5
47	Formation of secondary phase at grain boundary of flash-sintered BaTiO ₃ . <i>Microscopy (Oxford, England)</i> , 2014 , 63 Suppl 1, i19-i20	1.3	16
46	Surface precipitates formed on annealed LSAT (001) single crystal. <i>Microscopy (Oxford, England)</i> , 2014 , 63 Suppl 1, i20	1.3	
45	Growth of rectangular hollow tube crystals with rutile-type structure in supercritical fluids. <i>Journal of Physics: Conference Series</i> , 2014 , 500, 022007	0.3	1
44	Fabrication of tin-filled carbon nanofibres by microwave plasma vapour deposition and their in situ heating observation by environmental transmission electron microscopy. <i>Nanoscale Research Letters</i> , 2013 , 8, 302	5	1
43	Microstructural analysis of thermal degradation of palladium-coated niobium membrane. <i>Journal of Alloys and Compounds</i> , 2013 , 573, 192-197	5.7	29
42	Microstructure characterization of defects in cubic silicon carbide using transmission electron microscopy. <i>Microscopy and Microanalysis</i> , 2013 , 19 Suppl 5, 119-22	0.5	1
41	Behavior of Cu nanoparticles ink under reductive calcination for fabrication of Cu conductive film. <i>Thin Solid Films</i> , 2012 , 520, 2789-2793	2.2	23
40	Oxidation kinetics of single crystal silicon carbide using electron microscopy. <i>Journal of the Ceramic Society of Japan</i> , 2012 , 120, 181-185	1	4
39	Atomic origins of the high catalytic activity of nanoporous gold. <i>Nature Materials</i> , 2012 , 11, 775-80	27	687
38	High temperature in-situ observations of multi-segmented metal nanowires encapsulated within carbon nanotubes by in-situ filling technique. <i>Nanoscale Research Letters</i> , 2012 , 7, 448	5	5

37	Temperature distributions of electron beam-irradiated samples by scanning electron microscopy. <i>Journal of Microscopy</i> , 2012 , 248, 228-33	1.9	11
36	Growth and structure analysis of tungsten oxide nanorods using environmental TEM. <i>Nanoscale Research Letters</i> , 2012 , 7, 85	5	33
35	Observation of microstructural changes in polymer-coated Kompeito-type platinum particles by in situ heating TEM. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 2612-6	1.3	5
34	Low-Temperature Fabrication of Germanium Nanostructures by Ion Irradiation: Effect of Supplied Particle Species. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 01AB05	1.4	2
33	A method for accurate temperature measurement using infrared thermal camera. <i>Journal of Electron Microscopy</i> , 2012 , 61, 223-7		2
32	Characterization of microstructures of thermal oxide scales on silicon carbide using transmission electron microscopy. <i>Journal of the Ceramic Society of Japan</i> , 2012 , 120, 64-68	1	2
31	Low-Temperature Fabrication of Germanium Nanostructures by Ion Irradiation: Effect of Supplied Particle Species. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 01AB05	1.4	
30	Direct growth of horizontally aligned carbon nanotubes between electrodes and its application to field-effect transistors. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 11011-4	1.3	1
29	Fabrication of Ge nanoneedles by ion-irradiation method. <i>Surface and Coatings Technology</i> , 2011 , 206, 812-815	4.4	1
28	Growth and Optical Properties of Rectangular Hollow Tube TiO ₂ Crystals with Rutile-Type Structure. <i>Crystal Growth and Design</i> , 2011 , 11, 4427-4432	3.5	9
27	In-situ TEM observation of internal metal inside metal filled carbon fiber. <i>Diamond and Related Materials</i> , 2011 , 20, 210-212	3.5	1
26	Stacking Faults around the Hetero-Interface Induced by 6H-SiC Polytype Transformation on 3C-SiC with Solution Growth. <i>Materials Science Forum</i> , 2010 , 645-648, 363-366	0.4	1
25	Microstructural Characterization of Epitaxial Cubic Silicon Carbide Using Transmission Electron Microscopy. <i>Materials Science Forum</i> , 2010 , 645-648, 379-382	0.4	
24	In-situ TEM studies of the sintering behavior of copper nanoparticles covered by biopolymer nanoskin. <i>Journal of Electron Microscopy</i> , 2010 , 59 Suppl 1, S75-80		10
23	Direct growth of horizontally aligned carbon nanotubes between electrodes and its application to field-effect transistors 2010 ,		1
22	Characterization of oxide scales thermally formed on single-crystal silicon carbide. <i>Journal of Electron Microscopy</i> , 2010 , 59 Suppl 1, S123-7		3
21	Growth and Nanoscale Magnetic Properties of Ferromagnetic Nanowire Encapsulated Inside Carbon Nanotubes. <i>IEEE Transactions on Magnetics</i> , 2009 , 45, 2488-2491	2	3
20	Synthesis and characterization of carbon nanotube grown on flexible and conducting carbon fiber sheet for field emitter. <i>Diamond and Related Materials</i> , 2009 , 18, 341-344	3.5	8

19	Fabrication and Characterization of Supersaturated Al-Mg Alloys by Severe Plastic Deformation and Their Mechanical Properties. <i>Materials Transactions</i> , 2009 , 50, 76-81	1.3	28
18	Low-Temperature Fabrication of Ion-Induced Ge Nanostructures: Effect of Simultaneous Al Supply. <i>IEICE Transactions on Electronics</i> , 2009 , E92-C, 1417-1420	0.4	3
17	Microstructure and mechanical properties of aluminum fullerene composite fabricated by high pressure torsion. <i>Scripta Materialia</i> , 2008 , 58, 735-738	5.6	69
16	Microstructure and local magnetic induction of segmented and alloyed Pd/Co nanocomposites encapsulated inside vertically aligned multiwalled carbon nanotubes. <i>Diamond and Related Materials</i> , 2008 , 17, 1525-1528	3.5	2
15	Production of aluminum-matrix carbon nanotube composite using high pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 490, 300-304	5.3	142
14	Encapsulation of Co and Pd multi-metal nanowires inside multiwalled carbon nanotubes by microwave plasma chemical vapor deposition. <i>Diamond and Related Materials</i> , 2007 , 16, 1200-1203	3.5	13
13	Facile fabrication and structural studies of filtered Ge nanowires from aged Al ₇₅ Ge alloy. <i>Scripta Materialia</i> , 2007 , 57, 281-284	5.6	5
12	Encapsulation of segmented Pd/Co nanocomposites into vertically aligned carbon nanotubes by plasma-hydrogen-induced demixing. <i>Applied Physics Letters</i> , 2007 , 90, 133116	3.4	9
11	Influence of surface structure modifications on the growth of carbon-nanotubes on the SiC) surfaces. <i>Surface Science</i> , 2006 , 600, 4077-4080	1.8	7
10	Demixing of Solid-Soluted Co-Pd Binary Alloy Induced by Microwave Plasma Hydrogen Irradiation Technique. <i>Japanese Journal of Applied Physics</i> , 2006 , 45, L860-L863	1.4	5
9	Cobalt nanorods fully encapsulated in carbon nanotube and magnetization measurements by off-axis electron holography. <i>Applied Physics Letters</i> , 2006 , 88, 243118	3.4	18
8	Microstructure Analyses of Metal-Filled Carbon Nanotubes Synthesized by Microwave Plasma-Enhanced Chemical Vapor Deposition. <i>IEEE Nanotechnology Magazine</i> , 2006 , 5, 485-490	2.6	7
7	Characterization of transport properties of multiwalled carbon nanotube networks by microwave plasma chemical vapor deposition. <i>Diamond and Related Materials</i> , 2006 , 15, 1138-1142	3.5	3
6	Synthesis and characterization of metal-filled carbon nanotubes by microwave plasma chemical vapor deposition. <i>Diamond and Related Materials</i> , 2005 , 14, 790-793	3.5	21
5	Formation of wedge-shaped carbon film by chemical vapor deposition method and observation using transmission electron microscopy. <i>Scripta Materialia</i> , 2005 , 52, 1205-1209	5.6	11
4	Corn-shape carbon nanofibers with dense graphite synthesized by microwave plasma-enhanced chemical vapor deposition. <i>Applied Physics Letters</i> , 2004 , 84, 2886-2888	3.4	19
3	Microstructure of metal-filled carbon nanotubes. <i>Journal of Electron Microscopy</i> , 2004 , 53, 149-55		18
2	Synthesis of corn-shape carbon nanofibers on Si and Mo substrates by bias-enhanced microwave plasma chemical vapor deposition. <i>Diamond and Related Materials</i> , 2004 , 13, 1198-1202	3.5	4

1 Hopping carrier mobilities and thermoelectric properties of oxide materials with perovskite-related structure 2