
Teresa MorÃ;n

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9614503/publications.pdf Version: 2024-02-01



TEDESA MODÃ:N

#	Article	IF	CITATIONS
1	Erlotinib versus standard chemotherapy as first-line treatment for European patients with advanced EGFR mutation-positive non-small-cell lung cancer (EURTAC): a multicentre, open-label, randomised phase 3 trial. Lancet Oncology, The, 2012, 13, 239-246.	5.1	4,943
2	Phase II study of afatinib, an irreversible ErbB family blocker, in demographically and genotypically defined lung adenocarcinoma. Lung Cancer, 2015, 88, 63-69.	0.9	78
3	The anti-cancer drug ABTL0812 induces ER stress-mediated cytotoxic autophagy by increasing dihydroceramide levels in cancer cells. Autophagy, 2021, 17, 1349-1366.	4.3	72
4	The epidermal growth factor receptor (EGRF) in lung cancer. Translational Respiratory Medicine, 2015, 3, 1.	3.8	34
5	A Randomized Open-Label Phase III Trial Evaluating the Addition of Denosumab to Standard First-Line Treatment in Advanced NSCLC: The European Thoracic Oncology Platform (ETOP) and European Organisation for Research and Treatment of Cancer (EORTC) SPLENDOUR Trial. Journal of Thoracic Oncology, 2020, 15, 1647-1656.	0.5	34
6	Patient-reported outcomes from the randomized phase III ALEX study of alectinib versus crizotinib in patients with ALK-positive non-small-cell lung cancer. Lung Cancer, 2019, 138, 79-87.	0.9	29
7	High Prevalence of Somatic Oncogenic Driver Alterations in Patients With NSCLC and Li-Fraumeni Syndrome. Journal of Thoracic Oncology, 2020, 15, 1232-1239.	0.5	29
8	A phase Ib trial of continuous once-daily oral afatinib plus sirolimus in patients with epidermal growth factor receptor mutation-positive non-small cell lung cancer and/or disease progression following prior erlotinib or gefitinib. Lung Cancer, 2017, 108, 154-160.	0.9	18
9	Phase II clinical trial with metronomic oral vinorelbine and tri-weekly cisplatin as induction therapy, subsequently concomitant with radiotherapy (RT) in patients with locally advanced, unresectable, non-small cell lung cancer (NSCLC). Analysis of survival and value of ctDNA for patient selection.	0.9	17
10	The novel proautophagy anticancer drug ABTL0812 potentiates chemotherapy in adenocarcinoma and squamous nonsmall cell lung cancer. International Journal of Cancer, 2020, 147, 1163-1179.	2.3	16
11	Targeting EML4-ALK driven non-small cell lung cancer (NSCLC). Translational Lung Cancer Research, 2013, 2, 128-41.	1.3	16
12	Lung cancer in HIV-infected patients in the combination antiretroviral treatment era. Translational Lung Cancer Research, 2015, 4, 678-88.	1.3	16
13	Concomitant genomic alterations in KRAS mutant advanced lung adenocarcinoma. Lung Cancer, 2020, 140, 42-45.	0.9	15
14	Clinical Activity of Afatinib in Patients With Non–Small-Cell Lung Cancer Harboring Uncommon EGFR Mutations: A Spanish Retrospective Multicenter Study. Clinical Lung Cancer, 2020, 21, 428-436.e2.	1.1	14
15	A randomized, phase 2 study of deoxyuridine triphosphatase inhibitor, TAS-114, in combination with S-1 versus S-1 alone in patients with advanced non-small-cell lung cancer. Investigational New Drugs, 2020, 38, 1588-1597.	1.2	12
16	A Randomized, Open-Label Phase II Study Evaluating Emibetuzumab Plus Erlotinib and Emibetuzumab Monotherapy in MET Immunohistochemistry Positive NSCLC Patients with Acquired Resistance to Erlotinib. Clinical Lung Cancer, 2022, 23, 300-310.	1.1	12
17	LungBEAM: A prospective multicenter study to monitor stage IV NSCLC patients with EGFR mutations using BEAMing technology. Cancer Medicine, 2021, 10, 5878-5888.	1.3	11
18	Oral vinorelbine versus etoposide with cisplatin and chemo-radiation as treatment in patients with stage III non-small cell lung cancer: A randomized phase II (RENO study). Lung Cancer, 2019, 135, 161-168.	0.9	10

Teresa MorÃin

#	Article	IF	CITATIONS
19	Monitoring <i>EGFR</i> -T790M mutation in serum/plasma for prediction of response to third-generation EGFR inhibitors in patients with lung cancer. Oncotarget, 2018, 9, 27074-27086.	0.8	8
20	Efficacy of nintedanib plus docetaxel in patients with refractory advanced epidermal growth factor receptor mutant lung adenocarcinoma. Clinical and Translational Oncology, 2021, 23, 2560-2567.	1.2	7
21	IgA vasculitis and polymyalgia rheumatica induced by durvalumab. Translational Lung Cancer Research, 2020, 9, 421-423.	1.3	4
22	ls more the better?—cetuximab in non-small cell lung cancer patients. Translational Lung Cancer Research, 2018, 7, S195-S197.	1.3	1
23	ASTRIS, a large real-world study to evaluate the efficacy of osimertinib in epidermal growth factor receptor T790M mutation-positive non-small cell lung cancer patients: Clinical characteristics and genotyping methods in a Spanish cohort. Revista Espanola De Patologia, 2020, 53, 140-148.	0.6	0