

# Michaela Sonnleitner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9617453/publications.pdf>

Version: 2024-02-01

13  
papers

495  
citations

933447

10  
h-index

1125743

13  
g-index

13  
all docs

13  
docs citations

13  
times ranked

556  
citing authors

#	ARTICLE	IF	CITATIONS
1	The type specimens in Eugen von Halácsy's Herbarium Graecum. <i>Phytotaxa</i> , 2021, 493, 1-156.	0.3	4
2	Do pentaploid hybrids mediate gene flow between tetraploid <i>Senecio disjunctus</i> and hexaploid <i>S. carniolicus</i> s. str. ( <i>S. carniolicus</i> aggregate, Asteraceae)? <i>Alpine Botany</i> , 2021, 131, 151-160.	2.4	11
3	Reciprocal transplantations reveal strong niche differentiation among ploidy-differentiated species of the <i>Senecio carniolicus</i> aggregate (Asteraceae) in the easternmost Alps. <i>Alpine Botany</i> , 2018, 128, 107-119.	2.4	4
4	A novel method to infer the origin of polyploids from Amplified Fragment Length Polymorphism data reveals that the alpine polyploid complex of <i>Senecio carniolicus</i> (Asteraceae) evolved mainly via autopolyploidy. <i>Molecular Ecology Resources</i> , 2017, 17, 877-892.	4.8	16
5	Underestimated diversity in one of the world's best studied mountain ranges: The polyploid complex of <i>Senecio carniolicus</i> (Asteraceae) contains four species in the European Alps. <i>Phytotaxa</i> , 2015, 213, 1.	0.3	24
6	Ecological differentiation, lack of hybrids involving diploids, and asymmetric gene flow between polyploids in narrow contact zones of <i>Senecio carniolicus</i> (syn. <i>Jacobaea carniolica</i> .) <i>Journal of Ecology</i> , 2019, 107, 1010-1020.	2.9	50
7	Ecological differentiation of diploid and polyploid cytotypes of <i>Senecio carniolicus</i> sensu lato (Asteraceae) is stronger in areas of sympatry. <i>Annals of Botany</i> , 2015, 117, mcv176.	2.9	26
8	Parental Ploidy Strongly Affects Offspring Fitness in Heteroploid Crosses among Three Cytotypes of Autopolyploid <i>Jacobaea carniolica</i> (Asteraceae). <i>PLoS ONE</i> , 2013, 8, e78959.	2.5	42
9	Extensive range persistence in peripheral and interior refugia characterizes Pleistocene range dynamics in a widespread Alpine plant species ( <i>Senecio carniolicus</i> , Asteraceae). <i>Molecular Ecology</i> , 2012, 21, 1255-1270.	3.9	44
10	Distribution and habitat segregation on different spatial scales among diploid, tetraploid and hexaploid cytotypes of <i>Senecio carniolicus</i> (Asteraceae) in the Eastern Alps. <i>Annals of Botany</i> , 2010, 106, 967-977.	2.9	109
11	Microclimatic patterns correlate with the distribution of epiphyllous bryophytes in a tropical lowland rain forest in Costa Rica. <i>Journal of Tropical Ecology</i> , 2009, 25, 321-330.	1.1	53
12	Ecological segregation drives fine-scale cytotype distribution of <i>Senecio carniolicus</i> in the Eastern Alps. <i>Preslia</i> , 2009, 81, 309-319.	2.8	39
13	Sympatric diploid and hexaploid cytotypes of <i>Senecio carniolicus</i> (Asteraceae) in the Eastern Alps are separated along an altitudinal gradient. <i>Journal of Plant Research</i> , 2007, 120, 721-725.	2.4	69