

# Yoshio Terada

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9618016/yoshio-terada-publications-by-year.pdf>

**Version:** 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

434

citations

13

h-index

18

g-index

81

ext. papers

626

ext. citations

3.4

avg, IF

3.4

L-index

#	Paper	IF	Citations
68	Tissue-specific regulation of 11 $\beta$ hydroxysteroid dehydrogenase type-1 mRNA expressions in Cushing's syndrome mouse model.. <i>Steroids</i> , <b>2022</b> , 183, 109021	2.8	0
67	Gemcitabine-induced renal thrombotic microangiopathy.. <i>Nephrology</i> , <b>2022</b> ,	2.2	0
66	Unilateral adrenalectomy partially improved hyperglycemia in a patient with primary bilateral macronodular adrenal hyperplasia. <i>Diabetology International</i> , <b>2021</b> , 12, 480-484	2.3	0
65	Expanding the spectrum of reactive arthritis (ReA): classic ReA and infection-related arthritis including poststreptococcal ReA, Poncet's disease, and iBCG-induced ReA. <i>Rheumatology International</i> , <b>2021</b> , 41, 1387-1398	3.6	5
64	Long-term continuous use of proton-pump inhibitors is associated with renal function decline in patients without acute kidney injury. <i>Clinical and Experimental Nephrology</i> , <b>2021</b> , 25, 1087-1092	2.5	1
63	Effects of transient acute kidney injury, persistent acute kidney injury and acute kidney disease on the long-term renal prognosis after an initial acute kidney injury event. <i>Nephrology</i> , <b>2021</b> , 26, 312-318	2.2	4
62	Effects of LDL apheresis on proteinuria in patients with diabetes mellitus, severe proteinuria, and dyslipidemia. <i>Clinical and Experimental Nephrology</i> , <b>2021</b> , 25, 1-8	2.5	2
61	Crescentic glomerulonephritis induced by anti-vascular endothelial growth factor receptor 2 antibody. <i>Nephrology</i> , <b>2021</b> ,	2.2	0
60	Kidney Outcomes Associated With SGLT2 Inhibitors Versus Other Glucose-Lowering Drugs in Real-world Clinical Practice: The Japan Chronic Kidney Disease Database. <i>Diabetes Care</i> , <b>2021</b> , 44, 2542-2551	14.6	4
59	I. Epidemiology of Acute Kidney Injury. <i>The Journal of the Japanese Society of Internal Medicine</i> , <b>2021</b> , 110, 894-904	0	
58	Overhanging Edge Bone Erosion in Chronic Tophaceous Gout. <i>Internal Medicine</i> , <b>2020</b> , 59, 2335-2336	1.1	
57	Incidence of remission and relapse of proteinuria, end-stage kidney disease, mortality, and major outcomes in primary nephrotic syndrome: the Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , <b>2020</b> , 24, 526-540	2.5	17
56	Better remission rates in elderly Japanese patients with primary membranous nephropathy in nationwide real-world practice: The Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , <b>2020</b> , 24, 893-909	2.5	1
55	Breathlessness, pleural effusions, fibromas, and Meigs syndrome: look beyond the chest and don't delay!. <i>Lancet, The</i> , <b>2020</b> , 395, e32	40	5
54	Severe hypoglycemia caused by a small dose of repaglinide and concurrent use of nilotinib and febricitat in a patient with type 2 diabetes. <i>Diabetology International</i> , <b>2020</b> , 11, 388-392	2.3	1
53	J-CKD-DB: a nationwide multicentre electronic health record-based chronic kidney disease database in Japan. <i>Scientific Reports</i> , <b>2020</b> , 10, 7351	4.9	14
52	Efficacy of abatacept for Felty's syndrome. <i>Rheumatology</i> , <b>2020</b> , 59, 256-259	3.9	0

51	Prevalences of hyperuricemia and electrolyte abnormalities in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB). <i>PLoS ONE</i> , <b>2020</b> , 15, e0240402	3.7	6
50	Autoimmune polyglandular syndrome type 3 variant in rheumatoid arthritis. <i>Romanian Journal of Internal Medicine = Revue Roumaine De Medecine Interne</i> , <b>2020</b> , 58, 40-43	1.5	1
49	Guideline on the use of iodinated contrast media in patients with kidney disease 2018. <i>Clinical and Experimental Nephrology</i> , <b>2020</b> , 24, 1-44	2.5	13
48	Guideline on the use of iodinated contrast media in patients with kidney disease 2018. <i>Japanese Journal of Radiology</i> , <b>2020</b> , 38, 3-46	2.9	2
47	Hepatitis C Virus-Associated Cryoglobulinemic Vasculitis. <i>American Journal of Medicine</i> , <b>2020</b> , 133, e367-e368	3.6	1
46	Reactive Arthritis Caused by <i>Rothia mucilaginosa</i> in an Elderly Diabetic Patient. <i>Journal of Clinical Rheumatology</i> , <b>2020</b> , 26, e303-e304	1.1	2
45	Hydroxychloroquine-Associated Hyperpigmentation in Chilblain Lupus Erythematosus. <i>Journal of Clinical Rheumatology</i> , <b>2020</b> , 26, e192	1.1	0
44	Suppurative Osteomyelitis Incorrectly Diagnosed as Rheumatoid Arthritis. <i>Journal of Clinical Rheumatology</i> , <b>2020</b> , 26, e261-e263	1.1	1
43	Atypical extensive pancreatic pseudocyst with hemorrhage in a hemodialysis patient. <i>Radiology Case Reports</i> , <b>2020</b> , 15, 1415-1418	1	0
42	Anomalous Inferior Vena Cava in a Patient With Limited Cutaneous Systemic Sclerosis and Primary Biliary Cholangitis. <i>Journal of Clinical Rheumatology</i> , <b>2020</b> , 26, e203	1.1	0
41	Prevalence of anemia in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB). <i>PLoS ONE</i> , <b>2020</b> , 15, e0236132	3.7	20
40	Antineutrophil Cytoplasmic Antibody-Associated Hypertrophic Pachymeningitis Mimicking Petroclival Meningioma. <i>Journal of Clinical Rheumatology</i> , <b>2020</b> , 26, e153-e154	1.1	0
39	Undercarboxylated osteocalcin correlates with insulin secretion in Japanese individuals with diabetes. <i>Diabetology and Metabolic Syndrome</i> , <b>2020</b> , 12, 72	5.6	3
38	Overlapping Syndrome of Systemic Scleroderma and Cryoglobulinemic Vasculitis. <i>American Journal of Medicine</i> , <b>2019</b> , 132, e589-e590	2.4	0
37	Low-dose atrial natriuretic peptide for prevention or treatment of acute kidney injury: a systematic review and meta-analysis. <i>Critical Care</i> , <b>2019</b> , 23, 41	10.8	16
36	Repeated attacks of polyarteritis nodosa in the central nervous system. <i>Modern Rheumatology Case Reports</i> , <b>2019</b> , 3, 30-33	0.4	0
35	Cotton Wool Sign in Paget Disease of Bone. <i>Internal Medicine</i> , <b>2019</b> , 58, 1809-1810	1.1	0
34	Immunohistochemistry for aldosterone synthase CYP11B2 and matrix-assisted laser desorption ionization imaging mass spectrometry for in-situ aldosterone detection. <i>Current Opinion in Nephrology and Hypertension</i> , <b>2019</b> , 28, 105-112	3.5	4

33	Influence of hyperuricemia treatment on postoperative acute kidney injury among hyperuricemia patients: a single-center retrospective database analysis. <i>BMC Research Notes</i> , <b>2019</b> , 12, 756	2.3	3
32	Is recurrent Kikuchi-Fujimoto disease a precursor to systemic lupus erythematosus?. <i>Romanian Journal of Internal Medicine = Revue Roumaine De Medecine Interne</i> , <b>2019</b> , 57, 72-77	1.5	2
31	IgA-Proliferative Glomerulonephritis with Monoclonal Immunoglobulin Deposits. <i>American Journal of Medicine</i> , <b>2019</b> , 132, e542-e545	2.4	1
30	A case of neuronal intranuclear inclusion disease associated with lupus nephritis-like nephropathy. <i>ENeurologicalSci</i> , <b>2018</b> , 10, 28-30	2.1	5
29	Transition from acute kidney injury to chronic kidney disease: a single-centre cohort study. <i>Clinical and Experimental Nephrology</i> , <b>2018</b> , 22, 1281-1293	2.5	8
28	Leucine rich $\beta$ glycoprotein is a potential urinary biomarker for renal tubular injury. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 498, 1045-1051	3.4	14
27	Rationale and study design of a clinical trial to assess the effects of LDL apheresis on proteinuria in diabetic patients with severe proteinuria and dyslipidemia. <i>Clinical and Experimental Nephrology</i> , <b>2018</b> , 22, 591-596	2.5	1
26	Evaluation of the accuracy of estimated baseline serum creatinine for acute kidney injury diagnosis. <i>Clinical and Experimental Nephrology</i> , <b>2018</b> , 22, 405-412	2.5	5
25	The Japanese clinical practice guideline for acute kidney injury 2016. <i>Clinical and Experimental Nephrology</i> , <b>2018</b> , 22, 985-1045	2.5	28
24	The Japanese Clinical Practice Guideline for acute kidney injury 2016. <i>Journal of Intensive Care</i> , <b>2018</b> , 6, 48	7	18
23	A consensus statement on health-care transition of patients with childhood-onset chronic kidney diseases: providing adequate medical care in adolescence and young adulthood. <i>Clinical and Experimental Nephrology</i> , <b>2018</b> , 22, 743-751	2.5	7
22	Knockout of the interleukin-36 receptor protects against renal ischemia-reperfusion injury by reduction of proinflammatory cytokines. <i>Kidney International</i> , <b>2018</b> , 93, 599-614	9.9	26
21	Effects of topiroxostat in hyperuricemic patients with chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , <b>2018</b> , 22, 337-345	2.5	7
20	Fasting plasma mannose levels are associated with insulin sensitivity independent of BMI in Japanese individuals with diabetes. <i>Diabetology and Metabolic Syndrome</i> , <b>2018</b> , 10, 88	5.6	3
19	Incidence of acute kidney injury among patients with chronic kidney disease: a single-center retrospective database analysis. <i>Clinical and Experimental Nephrology</i> , <b>2017</b> , 21, 43-48	2.5	9
18	Plasma mannose level, a putative indicator of glycogenolysis, and glucose tolerance in Japanese individuals. <i>Journal of Diabetes Investigation</i> , <b>2017</b> , 8, 489-495	3.9	8
17	A minimal impact of long-term S-flurbiprofen plaster application on kidney function in osteoarthritis patients. <i>Clinical and Experimental Nephrology</i> , <b>2017</b> , 21, 1060-1067	2.5	7
16	Analysis of factors influencing glucose tolerance in Japanese patients with non-alcoholic fatty liver disease. <i>Diabetology and Metabolic Syndrome</i> , <b>2017</b> , 9, 65	5.6	4

15	Petrified Ear Auricles with Isolated Adrenocorticotrophic Hormone Deficiency. <i>Internal Medicine</i> , <b>2017</b> , 56, 3263-3264	1.1	4
14	Frequency of reactive arthritis, uveitis, and conjunctivitis in Japanese patients with bladder cancer following intravesical BCG therapy: A 20-year, two-centre retrospective study. <i>Joint Bone Spine</i> , <b>2017</b> , 84, 637-638	2.9	7
13	Serum uric acid level as a risk factor for acute kidney injury in hospitalized patients: a retrospective database analysis using the integrated medical information system at Kochi Medical School hospital. <i>Clinical and Experimental Nephrology</i> , <b>2016</b> , 20, 235-43	2.5	23
12	Adrenal and thyroid metachronous metastases from renal cell carcinoma. <i>Endocrine</i> , <b>2016</b> , 53, 335-6	4	1
11	Polyarteritis nodosa confined to the breasts associated with polyenthesitis. <i>Modern Rheumatology</i> , <b>2016</b> , 26, 159-60	3.3	
10	Detection of asymptomatic enthesitis in psoriasis patients: An onset of psoriatic arthritis?. <i>Journal of Dermatology</i> , <b>2016</b> , 43, 650-4	1.6	18
9	Cystic parathyroid adenoma with intracystic hemorrhage. <i>Endocrine</i> , <b>2016</b> , 52, 399-400	4	5
8	Clinical practice guideline for drug-induced kidney injury in Japan 2016: digest version. <i>Clinical and Experimental Nephrology</i> , <b>2016</b> , 20, 827-831	2.5	7
7	Clinical characteristics of Japanese patients with reactive arthritis following intravesical BCG therapy for bladder cancer. <i>Modern Rheumatology</i> , <b>2015</b> , 25, 161-3	3.3	6
6	5-Aminolevulinic acid protects against cisplatin-induced nephrotoxicity without compromising the anticancer efficiency of cisplatin in rats in vitro and in vivo. <i>PLoS ONE</i> , <b>2013</b> , 8, e80850	3.7	30
5	Aldosterone stimulates nuclear factor-kappa B activity and transcription of intercellular adhesion molecule-1 and connective tissue growth factor in rat mesangial cells via serum- and glucocorticoid-inducible protein kinase-1. <i>Clinical and Experimental Nephrology</i> , <b>2012</b> , 16, 81-8	2.5	45
4	Frequency of enthesitis in apparently healthy Japanese subjects detected by F FDG-PET/CT. <i>Modern Rheumatology</i> , <b>2012</b> , 22, 939-941	3.3	3
3	Weber-Christian disease associated with granulomatous mastitis: a variant type of Weber-Christian disease?. <i>Modern Rheumatology</i> , <b>2011</b> , 21, 228-231	3.3	2
2	Atypical generalized morphea-like scleroderma presenting deep sclerosis on the fingers. <i>Modern Rheumatology</i> , <b>2011</b> , 21, 232-234	3.3	1
1	Rapidly progressive destructive arthritis in psoriatic arthritis sine psoriasis: do bone resorption marker levels predict outcome of bone destruction in psoriatic arthritis?. <i>Modern Rheumatology</i> , <b>2011</b> , 21, 106-108	3.3	3