

Yingting Zuo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9623547/yingting-zuo-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38

papers

119

citations

6

h-index

9

g-index

58

ext. papers

333

ext. citations

4.9

avg, IF

3.26

L-index

#	Paper	IF	Citations
38	Triglyceride-glucose index is associated with the risk of myocardial infarction: an 11-year prospective study in the Kailuan cohort. <i>Cardiovascular Diabetology</i> , 2021 , 20, 19	8.7	21
37	Triglyceride-glucose index and the risk of stroke and its subtypes in the general population: an 11-year follow-up. <i>Cardiovascular Diabetology</i> , 2021 , 20, 46	8.7	14
36	Elevated triglyceride-glucose (TyG) index predicts incidence of Prediabetes: a prospective cohort study in China. <i>Lipids in Health and Disease</i> , 2020 , 19, 226	4.4	12
35	Visit-to-Visit Variability of Lipids Measurements and the Risk of Stroke and Stroke Types: A Prospective Cohort Study. <i>Journal of Stroke</i> , 2020 , 22, 119-129	5.6	10
34	Oxidized low-density lipoprotein (LDL) and LDL cholesterol are associated with outcomes of minor stroke and TIA. <i>Atherosclerosis</i> , 2020 , 297, 74-80	3.1	9
33	Change in triglyceride-glucose index predicts the risk of cardiovascular disease in the general population: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2021 , 20, 113	8.7	8
32	Associations between changes in serum uric acid and the risk of myocardial infarction. <i>International Journal of Cardiology</i> , 2020 , 314, 25-31	3.2	5
31	Oxidized Low-Density Lipoprotein to High-Density Lipoprotein Ratio Predicts Recurrent Stroke in Minor Stroke or Transient Ischemic Attack. <i>Stroke</i> , 2018 , 49, 2637-2642	6.7	5
30	Low serum albumin levels predict poor outcome in patients with acute ischaemic stroke or transient ischaemic attack. <i>Stroke and Vascular Neurology</i> , 2021 , 6, 458-466	9.1	4
29	Association between the triglyceride-glucose index and carotid plaque stability in nondiabetic adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2921-2928	4.5	4
28	Distinct eGFR trajectories are associated with risk of myocardial infarction in people with diabetes or prediabetes. <i>Journal of Diabetes</i> , 2021 , 13, 124-133	3.8	3
27	U-Shaped Relationship of High-Density Lipoprotein Cholesterol and Incidence of Total, Ischemic and Hemorrhagic Stroke: A Prospective Cohort Study.. <i>Stroke</i> , 2022 , STROKEAHA121034393	6.7	2
26	CO combining power and outcomes in patients with acute ischaemic stroke or transient ischaemic attack. <i>Stroke and Vascular Neurology</i> , 2021 , 6, 252-259	9.1	2
25	Diabetes modifies the association of prehypertension with cardiovascular disease and all-cause mortality. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1221-1228	2.3	2
24	Changes in serum uric acid and the risk of cardiovascular disease and all-cause mortality in the general population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1401-1409	4.5	2
23	Efficacy and safety of butylphthalide for patients who had acute ischaemic stroke receiving intravenous thrombolysis or endovascular treatment (BAST trial): study protocol for a randomised placebo-controlled trial. <i>BMJ Open</i> , 2021 , 11, e045559	3	2
22	Different contribution of SBP and DBP variability to vascular events in patients with stroke. <i>Stroke and Vascular Neurology</i> , 2020 , 5, 110-115	9.1	2

21	Association of changes in lipids with risk of myocardial infarction among people without lipid-lowering therapy. <i>Atherosclerosis</i> , 2020 , 301, 69-78	3.1	1
20	Serum bilirubin levels are associated with poor functional outcomes in patients with acute ischemic stroke or transient ischemic attack. <i>BMC Neurology</i> , 2021 , 21, 373	3.1	1
19	Antihypertensive treatment decrease stroke occurrence: a prospective cohort study. <i>Journal of Hypertension</i> , 2021 , 39, 1652-1661	1.9	1
18	Visit-to-visit variability of serum uric acid measurements and the risk of all-cause mortality in the general population. <i>Arthritis Research and Therapy</i> , 2021 , 23, 74	5.7	1
17	Imaging Parameters Predict Recurrence After Transient Ischemic Attack or Minor Stroke Stratified by ABCD Score. <i>Stroke</i> , 2021 , 52, 2007-2015	6.7	1
16	Mediation effect of arterial stiffness on ideal cardiovascular health and stroke. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2382-2390	4.5	1
15	Electrolytes and clinical outcomes in patients with acute ischemic stroke or transient ischemic attack. <i>Annals of Translational Medicine</i> , 2021 , 9, 1069	3.2	1
14	Association of triglyceride-glucose index with intra- and extra-cranial arterial stenosis: a combined cross-sectional and longitudinal analysis. <i>Endocrine</i> , 2021 , 74, 308-317	4	1
13	Distinct triglyceride-glucose trajectories are associated with different risks of incident cardiovascular disease in normal-weight adults.. <i>American Heart Journal</i> , 2022 , 248, 63-63	4.9	1
12	Hypertension, Arterial Stiffness, and Diabetes: a Prospective Cohort Study.. <i>Hypertension</i> , 2022 , 1011618	3.5	1
11	Time course of serum uric acid accumulation and the risk of diabetes mellitus.. <i>Nutrition and Diabetes</i> , 2022 , 12, 1	4.7	0
10	Lower Serum Potassium Levels at Admission are Associated with the Risk of Recurrent Stroke in Patients with Acute Ischemic Stroke or Transient Ischemic Attack. <i>Cerebrovascular Diseases</i> , 2021 , 1-9	3.2	0
9	Glomerular Hyperfiltration Interacts With Abnormal Metabolism to Enhance Arterial Stiffness in Middle-Aged and Elderly People. <i>Frontiers in Medicine</i> , 2021 , 8, 732413	4.9	0
8	Leukocyte subtypes and adverse clinical outcomes in patients with acute ischemic cerebrovascular events. <i>Annals of Translational Medicine</i> , 2021 , 9, 748	3.2	0
7	Risk of arterial stiffness according to metabolically healthy obese phenotype: a combined cross-sectional and longitudinal study in kailuan cohort. <i>Aging</i> , 2021 , 13, 15114-15125	5.6	0
6	Baseline and Cumulative Blood Pressure in Predicting the Occurrence of Cardiovascular Events. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 735679	5.4	0
5	High lactate dehydrogenase was associated with adverse outcomes in patients with acute ischemic stroke or transient ischemic attack. <i>Annals of Palliative Medicine</i> , 2021 , 10, 10185-10195	1.7	0
4	Association between changes in lipid indexes and early progression of kidney dysfunction in participants with normal estimated glomerular filtration rate: a prospective cohort study.. <i>Endocrine</i> , 2022 , 1	4	0

- 3 Prediabetes and risk of stroke and its subtypes by hypertension status.. *Diabetes/Metabolism Research and Reviews*, **2022**, e3521 7.5
- 2 Joint association of modifiable lifestyle and metabolic health status with incidence of cardiovascular disease and all-cause mortality: a prospective cohort study. *Endocrine*, **2021**, 1 4
- 1 Two-Year Change in Serum Total Cholesterol Is Associated With Incident Ischemic Stroke: Results From the Kailuan Study. *Frontiers in Neurology*, **2021**, 12, 710083 4.1