
Sabina Sieri

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/96312/publications.pdf Version: 2024-02-01



SARINA SIEDI

#	Article	IF	CITATIONS
1	General and Abdominal Adiposity and Risk of Death in Europe. New England Journal of Medicine, 2008, 359, 2105-2120.	27.0	1,746
2	Prediction of acute myeloid leukaemia risk in healthy individuals. Nature, 2018, 559, 400-404.	27.8	617
3	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. European Heart Journal, 2021, 42, 2439-2454.	2.2	491
4	Body Size and Risk of Colon and Rectal Cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2006, 98, 920-931.	6.3	485
5	Discovery of common and rare genetic risk variants for colorectal cancer. Nature Genetics, 2019, 51, 76-87.	21.4	377
6	Fruit and Vegetable Intake and Overall Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2010, 102, 529-537.	6.3	357
7	Ovarian Cancer Risk Factors by Histologic Subtype: An Analysis From the Ovarian Cancer Cohort Consortium. Journal of Clinical Oncology, 2016, 34, 2888-2898.	1.6	349
8	Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. Gut, 2013, 62, 1764-1770.	12.1	330
9	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. American Journal of Clinical Nutrition, 2012, 96, 150-163.	4.7	285
10	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). American Journal of Clinical Nutrition, 2015, 101, 613-621.	4.7	284
11	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 1441-1452.	4.7	251
12	Fruits, Vegetables, and Colon Cancer Risk in a Pooled Analysis of 14 Cohort Studies. Journal of the National Cancer Institute, 2007, 99, 1471-1483.	6.3	228
13	Consumption of Vegetables and Fruits and Risk of Breast Cancer. JAMA - Journal of the American Medical Association, 2005, 293, 183.	7.4	227
14	Position paper on vegetarian diets from the working group of the Italian Society of Human Nutrition. Nutrition, Metabolism and Cardiovascular Diseases, 2017, 27, 1037-1052.	2.6	200
15	Circulating Vitamin D and Colorectal Cancer Risk: An International Pooling Project of 17 Cohorts. Journal of the National Cancer Institute, 2019, 111, 158-169.	6.3	199
16	Physical activity and risks of breast and colorectal cancer: a Mendelian randomisation analysis. Nature Communications, 2020, 11, 597.	12.8	193
17	Diet in the Italian Epic Cohorts: Presentation of Data and Methodological Issues. Tumori, 2003, 89, 594-607.	1.1	192
18	Erythrocyte Membrane Fatty Acids and Subsequent Breast Cancer: a Prospective Italian Study. Journal of the National Cancer Institute, 2001, 93, 1088-1095.	6.3	180

#	Article	IF	CITATIONS
19	Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2006, 118, 728-738.	5.1	173
20	Blood Pressure and Risk of Renal Cell Carcinoma in the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2008, 167, 438-446.	3.4	170
21	Fruit and Vegetable Intake and Risk of Breast Cancer by Hormone Receptor Status. Journal of the National Cancer Institute, 2013, 105, 219-236.	6.3	164
22	Genome-wide association study identifies new prostate cancer susceptibility loci. Human Molecular Genetics, 2011, 20, 3867-3875.	2.9	160
23	Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2011, 129, 2712-2719.	5.1	154
24	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study. American Journal of Clinical Nutrition, 2013, 97, 1107-1120.	4.7	150
25	Reproducibility of food consumption frequencies derived from the Children's Eating Habits Questionnaire used in the IDEFICS study. International Journal of Obesity, 2011, 35, S61-S68.	3.4	149
26	A Priori–Defined Dietary Patterns Are Associated with Reduced Risk of Stroke in a Large Italian Cohort. Journal of Nutrition, 2011, 141, 1552-1558.	2.9	140
27	A prospective study of dietary selenium intake and risk of type 2 diabetes. BMC Public Health, 2010, 10, 564.	2.9	139
28	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2008, 88, 1304-12.	4.7	139
29	Dietary patterns, cardiovascular risk factors and C-reactive protein in a healthy Italian population. Nutrition, Metabolism and Cardiovascular Diseases, 2009, 19, 697-706.	2.6	136
30	Diet, serum insulin-like growth factor-I and IGF-binding protein-3 in European women. European Journal of Clinical Nutrition, 2007, 61, 91-98.	2.9	129
31	Impact of Cigarette Smoking on Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Study. Journal of Clinical Oncology, 2012, 30, 4550-4557.	1.6	129
32	Endogenous sex hormones and subsequent breast cancer in premenopausal women. International Journal of Cancer, 2004, 112, 312-318.	5.1	128
33	Risk of Colon Cancer and Coffee, Tea, and Sugar-Sweetened Soft Drink Intake: Pooled Analysis of Prospective Cohort Studies. Journal of the National Cancer Institute, 2010, 102, 771-783.	6.3	124
34	A Molecular Epidemiology Project on Diet and Cancer: The Epic-Italy Prospective Study. Design and Baseline Characteristics of Participants. Tumori, 2003, 89, 586-593.	1.1	120
35	Dietary Glycemic Load and Index and Risk of Coronary Heart Disease in a Large Italian Cohort. Archives of Internal Medicine, 2010, 170, 640-7.	3.8	116
36	Patterns of alcohol consumption in 10 European countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. Public Health Nutrition, 2002, 5, 1287-1296.	2.2	114

#	Article	IF	CITATIONS
37	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. Annals of Oncology, 2013, 24, 2449-2455.	1.2	114
38	Dietary intakes and food sources of phytoestrogens in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24-hour dietary recall cohort. European Journal of Clinical Nutrition, 2012, 66, 932-941.	2.9	113
39	Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. Annals of Neurology, 2009, 65, 378-385.	5.3	111
40	Sex Hormone Levels, Breast Cancer Risk, and Cancer Receptor Status in Postmenopausal Women: the ORDET Cohort. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 169-176.	2.5	111
41	Plasma carotenoids as biomarkers of intake of fruits and vegetables: ecological-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). European Journal of Clinical Nutrition, 2005, 59, 1397-1408.	2.9	109
42	Serum C-peptide levels and breast cancer risk: Results from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2006, 119, 659-667.	5.1	104
43	Effects of dietary intervention on IGF-I and IGF-binding proteins, and related alterations in sex steroid metabolism: the Diet and Androgens (DIANA) Randomised Trial. European Journal of Clinical Nutrition, 2003, 57, 1079-1088.	2.9	102
44	Regular Consumption of Dark Chocolate Is Associated with Low Serum Concentrations of C-Reactive Protein in a Healthy Italian Population. Journal of Nutrition, 2008, 138, 1939-1945.	2.9	102
45	Alcohol consumption and breast cancer risk by estrogen receptor status: in a pooled analysis of 20 studies. International Journal of Epidemiology, 2016, 45, 916-928.	1.9	101
46	Circulating Inflammation Markers and Risk of Epithelial Ovarian Cancer. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 799-810.	2.5	100
47	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. American Journal of Clinical Nutrition, 2009, 90, 602-612.	4.7	98
48	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. Annals of Oncology, 2013, 24, 543-553.	1.2	98
49	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. Diabetes, 2015, 64, 3028-3036.	0.6	98
50	Total Antioxidant Capacity of the Diet Is Associated with Lower Risk of Ischemic Stroke in a Large Italian Cohort,. Journal of Nutrition, 2011, 141, 118-123.	2.9	97
51	Urinary 6-Sulfatoxymelatonin Levels and Risk of Breast Cancer in Postmenopausal Women. Journal of the National Cancer Institute, 2008, 100, 898-905.	6.3	94
52	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. Breast Cancer Research, 2012, 14, R76.	5.0	94
53	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. Carcinogenesis, 2017, 38, 699-707.	2.8	94
54	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2013, 110, 1500-1511.	2.3	92

#	Article	IF	CITATIONS
55	Dietary Fat Intake and Development of Specific Breast Cancer Subtypes. Journal of the National Cancer Institute, 2014, 106, .	6.3	92
56	EPIC-Heart: The cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. European Journal of Epidemiology, 2007, 22, 129-141.	5.7	91
57	Polyphenol intake is associated with low-grade inflammation, using a novel data analysis from the Moli-sani study. Thrombosis and Haemostasis, 2016, 115, 344-352.	3.4	91
58	Parental education and frequency of food consumption in European children: the IDEFICS study. Public Health Nutrition, 2013, 16, 487-498.	2.2	90
59	Development and Validation of a Food Frequency Questionnaire for the Assessment of Dietary Total Antioxidant Capacity ,2. Journal of Nutrition, 2007, 137, 93-98.	2.9	88
60	Italian mediterranean index and risk of colorectal cancer in the Italian section of the EPIC cohort. International Journal of Cancer, 2013, 132, 1404-1411.	5.1	88
61	Serum Vitamin D and Risk of Prostate Cancer in a Case-Control Analysis Nested Within the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Epidemiology, 2009, 169, 1223-1232.	3.4	87
62	Variety in vegetable and fruit consumption and the risk of gastric and esophageal cancer in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2012, 131, E963-73.	5.1	83
63	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). International Journal of Epidemiology, 2007, 36, 66-76.	1.9	81
64	Dietary glycemic index, glycemic load, and the risk of breast cancer in an Italian prospective cohort study. American Journal of Clinical Nutrition, 2007, 86, 1160-1166.	4.7	81
65	Adherence to a Mediterranean diet and long-term changes in weight and waist circumference in the EPIC-Italy cohort. Nutrition and Diabetes, 2018, 8, 22.	3.2	81
66	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2007, 121, 1331-1338.	5.1	80
67	Dietary Glycemic Index, Glycemic Load, and Digestible Carbohydrate Intake Are Not Associated with Risk of Type 2 Diabetes in Eight European Countries. Journal of Nutrition, 2013, 143, 93-99.	2.9	79
68	Prospective analysis of circulating metabolites and breast cancer in EPIC. BMC Medicine, 2019, 17, 178.	5.5	79
69	Prospective study on the role of glucose metabolism in breast cancer occurrence. International Journal of Cancer, 2012, 130, 921-929.	5.1	78
70	Evaluation of the Children's Eating Habits Questionnaire used in the IDEFICS study by relating urinary calcium and potassium to milk consumption frequencies among European children. International Journal of Obesity, 2011, 35, S69-S78.	3.4	76
71	Fruits and vegetables consumption and the risk of histological subtypes of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2010, 21, 357-371.	1.8	75
72	Intakes of vitamins A, C, and E and use of multiple vitamin supplements and risk of colon cancer: a pooled analysis of prospective cohort studies. Cancer Causes and Control, 2010, 21, 1745-1757.	1.8	75

#	Article	IF	CITATIONS
73	Body mass index, waist circumference and waist–hip ratio and serum levels of IGF-I and IGFBP-3 in European women. International Journal of Obesity, 2006, 30, 1623-1631.	3.4	74
74	The mediterranean dietary pattern and breast cancer risk in Greek-Cypriot women: a case-control study. BMC Cancer, 2012, 12, 113.	2.6	74
75	Dietary glycemic index, glycemic load, and cancer risk: results from the EPIC-Italy study. Scientific Reports, 2017, 7, 9757.	3.3	74
76	Fruits and vegetables and renal cell carcinoma: Findings from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2006, 118, 3133-3139.	5.1	73
77	Variety in Fruit and Vegetable Consumption and the Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2278-2286.	2.5	73
78	Premenopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status-Results from the EPIC cohort. International Journal of Cancer, 2014, 134, 1947-1957.	5.1	71
79	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 940-948.	5.1	70
80	Exploring causality of the association between smoking and Parkinson's disease. International Journal of Epidemiology, 2019, 48, 912-925.	1.9	70
81	Diet in the Italian EPIC cohorts: presentation of data and methodological issues. Tumori, 2003, 89, 594-607.	1.1	70
82	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 124, 1926-1934.	5.1	69
83	Dietary patterns and longitudinal change in body mass in European children: a follow-up study on the IDEFICS multicenter cohort. European Journal of Clinical Nutrition, 2013, 67, 1042-1049.	2.9	69
84	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. Diabetes Care, 2021, 44, 98-106.	8.6	68
85	Glycosylated Hemoglobin and Risk of Colorectal Cancer in Men and Women, the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 3108-3115.	2.5	67
86	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2012, 96, 345-355.	4.7	67
87	Salad vegetables dietary pattern protects against HER-2-positive breast cancer: A prospective Italian study. International Journal of Cancer, 2007, 121, 911-914.	5.1	65
88	Physical activity and sedentary behaviour in European children: the IDEFICS study. Public Health Nutrition, 2014, 17, 2295-2306.	2.2	65
89	Alcohol intake and breast cancer in the <scp>E</scp> uropean prospective investigation into cancer and nutrition. International Journal of Cancer, 2015, 137, 1921-1930.	5.1	65
90	A molecular epidemiology project on diet and cancer: the EPIC-Italy Prospective Study. Design and baseline characteristics of participants. Tumori, 2003, 89, 586-93.	1.1	65

#	Article	IF	CITATIONS
91	Infection with Hepatitis B and C Viruses and Risk of Lymphoid Malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 208-214.	2.5	64
92	Erythrocyte Membrane Phospholipid Composition as a Biomarker of Dietary Fat. Annals of Nutrition and Metabolism, 2006, 50, 95-102.	1.9	63
93	Fruit and vegetables consumption and breast cancer risk: the EPIC Italy study. Breast Cancer Research and Treatment, 2012, 132, 1127-1136.	2.5	63
94	Associations between dietary pattern and lifestyle, anthropometry and other health indicators in the elderly participants of the EPIC-Italy cohort. Nutrition, Metabolism and Cardiovascular Diseases, 2006, 16, 186-201.	2.6	62
95	Gender differences in copper, zinc and selenium status in diabetic-free metabolic syndrome European population – The IMMIDIET study. Nutrition, Metabolism and Cardiovascular Diseases, 2012, 22, 517-524.	2.6	62
96	Fat and Protein Intake and Subsequent Breast Cancer Risk in Postmenopausal Women. Nutrition and Cancer, 2002, 42, 10-17.	2.0	61
97	Tumor necrosis factor (TNF)â€î±, soluble TNF receptors and endometrial cancer risk: The EPIC study. International Journal of Cancer, 2011, 129, 2032-2037.	5.1	61
98	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. PLoS Medicine, 2017, 14, e1002409.	8.4	61
99	Dietary intakes of retinol, β-carotene, vitamin D and vitamin E in the European Prospective Investigation into Cancer and Nutrition cohort. European Journal of Clinical Nutrition, 2009, 63, S150-S178.	2.9	60
100	A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. British Journal of Nutrition, 2007, 98, 406-415.	2.3	59
101	A Transcriptome-Wide Association Study Identifies Novel Candidate Susceptibility Genes for Pancreatic Cancer. Journal of the National Cancer Institute, 2020, 112, 1003-1012.	6.3	59
102	Glycemic index and glycemic load of commercial Italian foods. Nutrition, Metabolism and Cardiovascular Diseases, 2016, 26, 419-429.	2.6	57
103	Diet composition and serum levels of selenium species: A cross-sectional study. Food and Chemical Toxicology, 2018, 115, 482-490.	3.6	57
104	Consumption of added fats and oils in the European Prospective Investigation into Cancer and Nutrition (EPIC) centres across 10 European countries as assessed by 24-hour dietary recalls. Public Health Nutrition, 2002, 5, 1227-1242.	2.2	56
105	Primary brain tumours and specific serum immunoglobulin E: a case–control study nested in the European Prospective Investigation into Cancer and Nutrition cohort. Allergy: European Journal of Allergy and Clinical Immunology, 2011, 66, 1434-1441.	5.7	56
106	Biomarkers of inflammation and breast cancer risk: a case-control study nested in the EPIC-Varese cohort. Scientific Reports, 2017, 7, 12708.	3.3	55
107	Metabolic Syndrome and Breast Cancer Risk: A Case-Cohort Study Nested in a Multicentre Italian Cohort. PLoS ONE, 2015, 10, e0128891.	2.5	55
108	Dietary glycemic index and glycemic load and risk of colorectal cancer: results from the <scp>EPIC</scp> â€#taly study. International Journal of Cancer, 2015, 136, 2923-2931.	5.1	54

#	Article	IF	CITATIONS
109	Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. American Journal of Epidemiology, 2007, 166, 912-923.	3.4	53
110	Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. BMC Medicine, 2015, 13, 252.	5.5	53
111	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. British Journal of Cancer, 2017, 116, 688-696.	6.4	53
112	A Generic Liquid Chromatographyâ^'Tandem Mass Spectrometry Exposome Method for the Determination of Xenoestrogens in Biological Matrices. Analytical Chemistry, 2019, 91, 11334-11342.	6.5	53
113	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Breast Cancer Research and Treatment, 2013, 139, 163-176.	2.5	52
114	Blood pressure and risk of cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 146, 2680-2693.	5.1	52
115	Dietary patterns and risk of breast cancer in the ORDET cohort. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 567-72.	2.5	52
116	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. International Journal of Obesity, 2011, 35, 416-426.	3.4	51
117	Diet and hip fractures among elderly Europeans in the EPIC cohort. European Journal of Clinical Nutrition, 2011, 65, 132-139.	2.9	50
118	Circulating Concentrations of Folate and Vitamin B12 in Relation to Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition Study. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 279-285.	2.5	49
119	Consumption of healthy foods at different content of antioxidant vitamins and phytochemicals and metabolic risk factors for cardiovascular disease in men and women of the Moli–sani study. European Journal of Clinical Nutrition, 2013, 67, 207-213.	2.9	48
120	Dietary cadmium and risk of breast cancer subtypes defined by hormone receptor status: A prospective cohort study. International Journal of Cancer, 2019, 144, 2153-2160.	5.1	48
121	Genetic association of gastric cancer with miRNA clusters including the cancerâ€related genes <i>MIR29, MIR25, MIR93</i> and <i>MIR106</i> : Results from the EPICâ€EURGAST study. International Journal of Cancer, 2014, 135, 2065-2076.	5.1	47
122	Colorectal cancer risk and dyslipidemia: A case–cohort study nested in an Italian multicentre cohort. Cancer Epidemiology, 2014, 38, 144-151.	1.9	47
123	Association of menopausal characteristics and risk of coronary heart disease: a pan-European case–cohort analysis. International Journal of Epidemiology, 2019, 48, 1275-1285.	1.9	47
124	Exercise Levels and Preferences in Cancer Patients: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2020, 17, 5351.	2.6	47
125	C-reactive protein and ovarian cancer: a prospective study nested in three cohorts (Sweden, USA,) Tj ETQq1	1 0.784314 rg 1.8	BT /Overloc 46
126	Inverse Association Between Dietary Vitamin D and Risk of Cutaneous Melanoma in a Northern Italy Population. Nutrition and Cancer, 2011, 63, 506-513.	2.0	45

#	Article	IF	CITATIONS
127	Factors associated with inflammation markers, a cross-sectional analysis. Cytokine, 2011, 56, 769-778.	3.2	45
128	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. European Journal of Cancer, 2011, 47, 1808-1816.	2.8	45
129	Eating out is different from eating at home among individuals who occasionally eat out. A cross-sectional study among middle-aged adults from eleven European countries. British Journal of Nutrition, 2015, 113, 1951-1964.	2.3	45
130	Patterns in metabolite profile are associated with risk of more aggressive prostate cancer: A prospective study of 3,057 matched case–control sets from EPIC. International Journal of Cancer, 2020, 146, 720-730.	5.1	45
131	Elevated levels of D-dimers increase the risk of ischaemic and haemorrhagic stroke. Thrombosis and Haemostasis, 2014, 112, 941-946.	3.4	44
132	A food pattern that is predictive of flavonol intake and risk of pancreatic cancer. American Journal of Clinical Nutrition, 2008, 88, 1653-1662.	4.7	43
133	The association of circulating adiponectin levels with pancreatic cancer risk: A study within the prospective EPIC cohort. International Journal of Cancer, 2012, 130, 2428-2437.	5.1	43
134	Clustering of lifestyle behaviours and relation to body composition in European children. The IDEFICS study. European Journal of Clinical Nutrition, 2015, 69, 811-816.	2.9	43
135	Demographic, lifestyle, and other factors in relation to antimüllerian hormone levels in mostly late premenopausal women. Fertility and Sterility, 2017, 107, 1012-1022.e2.	1.0	43
136	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 125, 2643-2651.	5.1	42
137	Dietary Total Antioxidant Capacity and Colorectal Cancer in the Italian EPIC Cohort. PLoS ONE, 2015, 10, e0142995.	2.5	42
138	Dietary glycemic index, glycemic load and cancer: An overview of the literature. Nutrition, Metabolism and Cardiovascular Diseases, 2017, 27, 18-31.	2.6	41
139	Fruit and vegetable consumption in relation to hepatocellular carcinoma in a multi-centre, European cohort study. British Journal of Cancer, 2015, 112, 1273-1282.	6.4	40
140	The Associations of Advanced Glycation End Products and Its Soluble Receptor with Pancreatic Cancer Risk: A Case–Control Study within the Prospective EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 619-628.	2.5	39
141	Dietary fat, fat subtypes and hepatocellular carcinoma in a large <scp>E</scp> uropean cohort. International Journal of Cancer, 2015, 137, 2715-2728.	5.1	38
142	Determinants of serum cadmium levels in a Northern Italy community: A cross-sectional study. Environmental Research, 2016, 150, 219-226.	7.5	38
143	Protein intake in Parkinsonian patients using the EPIC food frequency questionnaire. Movement Disorders, 2006, 21, 1229-1231.	3.9	37
144	A Case-Control Study of the Risk of Cutaneous Melanoma Associated with Three Selenium Exposure Indicators. Tumori, 2012, 98, 287-295.	1.1	37

#	Article	IF	CITATIONS
145	Genetic variation in the <i>lactase</i> gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2013, 132, 1901-1910.	5.1	37
146	High glycemic diet and breast cancer occurrence in the Italian EPIC cohort. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 628-634.	2.6	37
147	Diet Quality and Risk of Melanoma in an Italian Population. Journal of Nutrition, 2015, 145, 1800-1807.	2.9	37
148	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2015, 136, 399-410.	5.1	36
149	Fine mapping of chromosome 5p15.33 based on a targeted deep sequencing and high density genotyping identifies novel lung cancer susceptibility loci. Carcinogenesis, 2016, 37, 96-105.	2.8	36
150	Biomarkers of folate and vitamin B12 and breast cancer risk: report from the EPIC cohort. International Journal of Cancer, 2017, 140, 1246-1259.	5.1	36
151	Methylome Analysis and Epigenetic Changes Associated with Menarcheal Age. PLoS ONE, 2013, 8, e79391.	2.5	36
152	Selected polymorphisms in sex hormone-related genes, circulating sex hormones and risk of endometrial cancer. Cancer Epidemiology, 2012, 36, 445-452.	1.9	35
153	Dietary fibre intake and ischaemic heart disease mortality: the European Prospective Investigation into Cancer and Nutrition-Heart study. European Journal of Clinical Nutrition, 2012, 66, 950-956.	2.9	35
154	Dietary Glycemic Load and Glycemic Index and Risk of Cerebrovascular Disease in the EPICOR Cohort. PLoS ONE, 2013, 8, e62625.	2.5	35
155	Validation of a short questionnaire to record adherence to the Mediterranean diet: An Italian experience. Nutrition, Metabolism and Cardiovascular Diseases, 2018, 28, 1140-1147.	2.6	35
156	Espresso Coffee Consumption and Risk of Coronary Heart Disease in a Large Italian Cohort. PLoS ONE, 2015, 10, e0126550.	2.5	35
157	A population-based case–control study of diet and melanoma risk in northern Italy. Public Health Nutrition, 2005, 8, 1307-1314.	2.2	34
158	Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2013, 132, 635-644.	5.1	34
159	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2017, 141, 287-297.	5.1	34
160	KIM-1 as a Blood-Based Marker for Early Detection of Kidney Cancer: A Prospective Nested Case–Control Study. Clinical Cancer Research, 2018, 24, 5594-5601.	7.0	34
161	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 125, 982-987.	5.1	32
162	Alcohol consumption patterns, diet and body weight in 10 European countries. European Journal of Clinical Nutrition, 2009, 63, S81-S100.	2.9	32

#	Article	IF	CITATIONS
163	Impact of thearubigins on the estimation of total dietary flavonoids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. European Journal of Clinical Nutrition, 2013, 67, 779-782.	2.9	32
164	Endogenous sex steroids in premenopausal women and risk of breast cancer: the ORDET cohort. Breast Cancer Research, 2013, 15, R46.	5.0	31
165	N-acetyltransferase 2 Phenotype, Occupation, and Bladder Cancer Risk: Results from the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 2055-2065.	2.5	31
166	Toenail selenium and risk of type 2 diabetes: the ORDET cohort study. Journal of Trace Elements in Medicine and Biology, 2015, 29, 145-150.	3.0	31
167	Associations of dairy product consumption with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC)–Italy cohort. American Journal of Clinical Nutrition, 2019, 110, 1220-1230.	4.7	31
168	The effect of occasional smoking on smoking-related cancers. Cancer Causes and Control, 2006, 17, 1305-1309.	1.8	30
169	Total dietary antioxidant capacity and lung function in an Italian population: a favorable role in premenopausal/never smoker women. European Journal of Clinical Nutrition, 2012, 66, 61-68.	2.9	30
170	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. British Journal of Nutrition, 2016, 116, 316-325.	2.3	30
171	Cardiovascular risk factors and global risk of fatal cardiovascular disease are positively correlated between partners of 802 married couples from different European countries. Thrombosis and Haemostasis, 2007, 98, 648-655.	3.4	29
172	Dietary Folate Intake and Breast Cancer Risk: European Prospective Investigation Into Cancer and Nutrition. Journal of the National Cancer Institute, 2014, 107, dju367-dju367.	6.3	29
173	Adherence to combined lifestyle factors and their contribution to obesity in the IDEFICS study. Obesity Reviews, 2015, 16, 138-150.	6.5	29
174	Toenail selenium as an indicator of environmental exposure: A cross-sectional study. Molecular Medicine Reports, 2017, 15, 3405-3412.	2.4	29
175	MiRNA-513a-5p inhibits progesterone receptor expression and constitutes a risk factor for breast cancer: the hOrmone and Diet in the ETiology of breast cancer prospective study. Carcinogenesis, 2018, 39, 98-108.	2.8	29
176	Ethanol Intake and Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Epidemiology, 2006, 164, 1103-1114.	3.4	28
177	Mushroom and dietary selenium intakes in relation to fasting glucose levels in a free-living Italian adult population: The Moli-sani Project. Diabetes and Metabolism, 2014, 40, 34-42.	2.9	27
178	Plasma Riboflavin and Vitamin B-6, but Not Homocysteine, Folate, or Vitamin B-12, Are Inversely Associated with Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition-Varese Cohort. Journal of Nutrition, 2016, 146, 1227-1234.	2.9	27
179	Coffee and Tea Consumption and the Contribution of Their Added Ingredients to Total Energy and Nutrient Intakes in 10 European Countries: Benchmark Data from the Late 1990s. Nutrients, 2018, 10, 725.	4.1	27
180	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 2971-2979.	5.1	26

#	Article	IF	CITATIONS
181	Prediagnostic Circulating Parathyroid Hormone Concentration and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 767-778.	2.5	26
182	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. Preventive Medicine, 2012, 54, 183-192.	3.4	26
183	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. British Journal of Cancer, 2016, 115, 1430-1440.	6.4	26
184	Relationship between Plasma Fatty Acid Composition and Diet over Previous Years in the Italian Centers of the European Prospective Investigation into Cancer and Nutrition (EPIC). Tumori, 2003, 89, 624-635.	1.1	25
185	Dietary intake of acrylamide and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. British Journal of Cancer, 2014, 111, 987-997.	6.4	25
186	Eating at restaurants, at work or at home. Is there a difference? A study among adults of 11 European countries in the context of the HECTOR* project. European Journal of Clinical Nutrition, 2017, 71, 407-419.	2.9	25
187	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 1293-1303.	3.6	25
188	Trace elements and melanoma. Journal of Trace Elements in Medicine and Biology, 2005, 19, 69-73.	3.0	24
189	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2010, 91, 1769-1776.	4.7	24
190	Dietary Intakes and Risk of Lymphoid and Myeloid Leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). Nutrition and Cancer, 2014, 66, 14-28.	2.0	24
191	Downregulation of microRNAs 145-3p and 145-5p Is a Long-term Predictor of Postmenopausal Breast Cancer Risk: The ORDET Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2471-2481.	2.5	24
192	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2016, 138, 65-73.	5.1	24
193	Ovarian cancer early detection by circulating <scp>CA</scp> 125 in the context of antiâ€ <scp>CA</scp> 125 autoantibody levels: Results from the <scp>EPIC</scp> cohort. International Journal of Cancer, 2018, 142, 1355-1360.	5.1	24
194	Glycaemic index and body fat distribution in children: The results of the ARCA project. Nutrition, Metabolism and Cardiovascular Diseases, 2012, 22, 28-34.	2.6	23
195	North–south gradients in plasma concentrations of B-vitamins and other components of one-carbon metabolism in Western Europe: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. British Journal of Nutrition, 2013, 110, 363-374.	2.3	23
196	Circulating Biomarkers of One-Carbon Metabolism in Relation to Renal Cell Carcinoma Incidence and Survival. Journal of the National Cancer Institute, 2014, 106, .	6.3	23
197	Micronutrients Involved in One-Carbon Metabolism and Risk of Breast Cancer Subtypes. PLoS ONE, 2015, 10, e0138318.	2.5	22
198	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. Journal of Ovarian Research, 2017, 10, 20.	3.0	22

#	Article	IF	CITATIONS
199	Validation of a food-frequency questionnaire for Flemish and Italian-native subjects in Belgium: The IMMIDIET study. Nutrition, 2011, 27, 302-309.	2.4	21
200	Circulating prolactin levels and risk of epithelial ovarian cancer. Cancer Causes and Control, 2013, 24, 741-748.	1.8	21
201	A prospective study of oneâ€carbon metabolism biomarkers and cancer of the head and neck and esophagus. International Journal of Cancer, 2015, 136, 915-927.	5.1	21
202	Acrylamide and glycidamide hemoglobin adduct levels and endometrial cancer risk: A nested case ontrol study in nonsmoking postmenopausal women from the <scp>EPIC</scp> cohort. International Journal of Cancer, 2016, 138, 1129-1138.	5.1	21
203	The association of substituting carbohydrates with total fat and different types of fatty acids with mortality and weight change among diabetes patients. Clinical Nutrition, 2016, 35, 1096-1102.	5.0	21
204	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. BMC Medicine, 2017, 15, 26.	5.5	21
205	Up to one-third of breast cancer cases in post-menopausal Mediterranean women might be avoided by modifying lifestyle habits: the EPIC Italy study. Breast Cancer Research and Treatment, 2017, 161, 311-320.	2.5	21
206	Postmenopausal circulating levels of 2- and 16α-hydroxyestrone and risk of endometrial cancer. British Journal of Cancer, 2011, 105, 1458-1464.	6.4	20
207	Are the dietary habits of treated individuals with celiac disease adherent to a Mediterranean diet?. Nutrition, Metabolism and Cardiovascular Diseases, 2018, 28, 1148-1154.	2.6	20
208	Association of leukocyte DNA methylation changes with dietary folate and alcohol intake in the EPIC study. Clinical Epigenetics, 2019, 11, 57.	4.1	20
209	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. American Journal of Clinical Nutrition, 2020, 112, 631-643.	4.7	19
210	Dietary intakes in infertile women a pilot study. Nutrition Journal, 2009, 8, 53.	3.4	18
211	Do Pre-Diagnostic Drinking Habits Influence Breast Cancer Survival?. Tumori, 2011, 97, 142-148.	1.1	18
212	Evaluation of a Modified Italian European Prospective Investigation into Cancer and Nutrition Food Frequency Questionnaire for Individuals with Celiac Disease. Journal of the Academy of Nutrition and Dietetics, 2016, 116, 1810-1816.	0.8	18
213	Tumorâ€associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. International Journal of Cancer, 2018, 143, 515-526.	5.1	18
214	Results from the European Prospective Investigation into Cancer and Nutrition Link Vitamin B6 Catabolism and Lung Cancer Risk. Cancer Research, 2018, 78, 302-308.	0.9	18
215	Association Between Dietary Vitamin C and Risk of Cutaneous Melanoma in a Population of Northern Italy. International Journal for Vitamin and Nutrition Research, 2013, 83, 291-298.	1.5	18
216	Fish consumption and subsequent change in body weight in European women and men. British Journal of Nutrition, 2013, 109, 353-362.	2.3	17

#	Article	IF	CITATIONS
217	A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk. Journal of the National Cancer Institute, 2015, 107, .	6.3	17
218	Genetic variation in the ADIPOQ gene, adiponectin concentrations and risk of colorectal cancer: a Mendelian Randomization analysis using data from three large cohort studies. European Journal of Epidemiology, 2017, 32, 419-430.	5.7	17
219	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2020, 123, 198-208.	2.3	17
220	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2020, 147, 1027-1039.	5.1	17
221	Alcohol Consumption and Risk of Parkinson's Disease: Data From a Large Prospective European Cohort. Movement Disorders, 2020, 35, 1258-1263.	3.9	17
222	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 104-113.	2.5	17
223	A case-control study of the risk of cutaneous melanoma associated with three selenium exposure indicators. Tumori, 2012, 98, 287-95.	1.1	17
224	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology, 2014, 38, 528-537.	1.9	16
225	Parkinson's Disease Case Ascertainment in the EPIC Cohort: The NeuroEPIC4PD Study. Neurodegenerative Diseases, 2015, 15, 331-338.	1.4	16
226	Dietary Intake of Acrylamide and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 291-297.	2.5	16
227	Changes in food habits in cancer patients in Italy: a survey. AIOM - SINPE - FAVO. Nutrition, 2018, 55-56, 140-145.	2.4	16
228	Dairy foods, calcium, and risk of breast cancer overall and for subtypes defined by estrogen receptor status: a pooled analysis of 21 cohort studies. American Journal of Clinical Nutrition, 2021, 114, 450-461.	4.7	16
229	The blood metabolome of incident kidney cancer: A case–control study nested within the MetKid consortium. PLoS Medicine, 2021, 18, e1003786.	8.4	16
230	Do pre-diagnostic drinking habits influence breast cancer survival?. Tumori, 2011, 97, 142-8.	1.1	16
231	Glycaemic index, glycaemic load and risk of cutaneous melanoma in a population-based, case–control study. British Journal of Nutrition, 2017, 117, 432-438.	2.3	14
232	Exogenous hormone use and cutaneous melanoma risk in women: The European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 146, 3267-3280.	5.1	14
233	Glycemic Index, Glycemic Load and Mammographic Breast Density: The EPIC Florence Longitudinal Study. PLoS ONE, 2013, 8, e70943.	2.5	14
234	Bulky DNA adducts and breast cancer risk in the prospective EPIC-Italy study. Breast Cancer Research and Treatment, 2011, 129, 477-484.	2.5	13

#	Article	IF	CITATIONS
235	Food intake and risk of cutaneous melanoma in an Italian population. European Journal of Clinical Nutrition, 2008, 62, 1351-1354.	2.9	12
236	Genetic Variability of the mTOR Pathway and Prostate Cancer Risk in the European Prospective Investigation on Cancer (EPIC). PLoS ONE, 2011, 6, e16914.	2.5	12
237	The combination of daily breakfast consumption and optimal breakfast choices in childhood is an important public health message. International Journal of Food Sciences and Nutrition, 2014, 65, 273-279.	2.8	12
238	Fiber intake modulates the association of alcohol intake with breast cancer. International Journal of Cancer, 2017, 140, 316-321.	5.1	12
239	Determinants of serum manganese levels in an Italian population. Molecular Medicine Reports, 2017, 15, 3340-3349.	2.4	12
240	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Nutrients, 2021, 13, 3132.	4.1	12
241	Serum Fatty Acids and Risk of Cutaneous Melanoma: A Population-Based Case-Control Study. Dermatology Research and Practice, 2013, 2013, 1-7.	0.8	11
242	A novel approach to breast cancer prevention: reducing excessive ovarian androgen production in elderly women. Breast Cancer Research and Treatment, 2016, 158, 553-561.	2.5	11
243	Urinary Estrogen Metabolites and Breast Cancer: A Combined Analysis of Individual Level Data. International Journal of Biological Markers, 2013, 28, 3-16.	1.8	10
244	The Association between Educational Level and Cardiovascular and Cerebrovascular Diseases within the EPICOR Study: New Evidence for an Old Inequality Problem. PLoS ONE, 2016, 11, e0164130.	2.5	10
245	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 874-885.	2.5	10
246	Understanding the Links among neuromedin U Gene, beta2-adrenoceptor Gene and Bone Health: An Observational Study in European Children. PLoS ONE, 2013, 8, e70632.	2.5	10
247	Dietary glycemic load and risk of cognitive impairment in women: findings from the EPIC-Naples cohort. European Journal of Epidemiology, 2015, 30, 425-433.	5.7	9
248	Diet and Melanoma Risk: Effects of Choice of Hospital versus Population Controls. Tumori, 2008, 94, 669-673.	1.1	8
249	Prediagnostic Levels of Copper and Zinc and Breast Cancer Risk in the ORDET Cohort. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 1209-1215.	2.5	8
250	Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. BMC Medicine, 2021, 19, 312.	5.5	8
251	Epic-Italy Cohorts and Multipurpose National Surveys. A Comparison of Some Socio-Demographic and Life-Style Characteristics. Tumori, 2003, 89, 615-623.	1.1	7
252	The challenges of cross-national research in primary health care across Europe. Family Practice, 2005, 22, 341-346.	1.9	7

#	Article	IF	CITATIONS
253	Genetic variability of the fatty acid synthase pathway is not associated with prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). European Journal of Cancer, 2011, 47, 420-427.	2.8	7
254	Genetic variability of the forkhead box O3 and prostate cancer risk in the European Prospective Investigation on Cancer. Oncology Reports, 2011, 26, 979-86.	2.6	7
255	General and abdominal adiposity and the risk of Parkinson's disease: A prospective cohort study. Parkinsonism and Related Disorders, 2019, 62, 98-104.	2.2	7
256	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. Carcinogenesis, 2021, 42, 705-713.	2.8	7
257	Circulating inflammatory biomarkers, adipokines and breast cancer risk—a case-control study nested within the EPIC cohort. BMC Medicine, 2022, 20, 118.	5.5	7
258	One arbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 145, 2349-2359.	5.1	6
259	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2019, 188, 274-281.	3.4	6
260	Urinary flavanone concentrations as biomarkers of dietary flavanone intakes in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2020, 123, 691-698.	2.3	6
261	Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2020, 147, 1649-1656.	5.1	4
262	Diet and melanoma risk: effects of choice of hospital versus population controls. Tumori, 2008, 94, 669-73.	1.1	4
263	Anticoagulants used in plasma collection affect adipokine multiplexed measurements. Cytokine, 2016, 80, 43-47.	3.2	3
264	The impact of lifecourse socio-economic position and individual social mobility on breast cancer risk. BMC Cancer, 2020, 20, 1138.	2.6	3
265	Macronutrient composition of the diet and long-term changes in weight and waist circumference in the EPIC–Italy cohort. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 67-75.	2.6	3
266	Dietary Intakes of Animal and Plant Proteins and Risk of Colorectal Cancer: The EPIC-Italy Cohort. Cancers, 2022, 14, 2917.	3.7	3
267	Consuming a high-fat diet is associated with increased risk of certain types of BC. Journal of the National Cancer Institute, 2014, 106, dju114-dju114.	6.3	2
268	Dietary intake of animal and plant proteins and risk of all cause and cause-specific mortality: The Epic-Italy cohort. Nutrition and Healthy Aging, 2022, , 1-12.	1.1	0