Chitoku Toda

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/9631896/publications.pdf

Version: 2024-02-01

25 papers	1,396 citations	430442 18 h-index	610482 24 g-index
27 all docs	27 docs citations	27 times ranked	2501 citing authors

#	Article	IF	Citations
1	Ubiquitin-Specific Protease 2 in the Ventromedial Hypothalamus Modifies Blood Glucose Levels by Controlling Sympathetic Nervous Activation. Journal of Neuroscience, 2022, 42, 4607-4618.	1.7	8
2	Prostaglandin in the ventromedial hypothalamus regulates peripheral glucose metabolism. Nature Communications, 2021, 12, 2330.	5.8	15
3	Refeeding activates neurons in the dorsomedial hypothalamus to inhibit food intake and promote positive valence. Molecular Metabolism, 2021, 54, 101366.	3.0	15
4	Editorial: Crosstalk Between the Metabolic and Cardiovascular Systems in the Brain. Frontiers in Physiology, 2021, 12, 834637.	1.3	0
5	Activation of AMPK-Regulated CRH Neurons in the PVH is Sufficient and Necessary to Induce Dietary Preference for Carbohydrate over Fat. Cell Reports, 2018, 22, 706-721.	2.9	50
6	POMC Neurons: From Birth to Death. Annual Review of Physiology, 2017, 79, 209-236.	5.6	117
7	Hypothalamic Ventromedial Lin28a Enhances Glucose Metabolism in Diet-Induced Obesity. Diabetes, 2017, 66, 2102-2111.	0.3	16
8	Macrophage ubiquitin-specific protease 2 modifies insulin sensitivity in obese mice. Biochemistry and Biophysics Reports, 2017, 9, 322-329.	0.7	12
9	Induction of glucose uptake in skeletal muscle by central leptin is mediated by muscle Î²2-adrenergic receptor but not by AMPK. Scientific Reports, 2017, 7, 15141.	1.6	29
10	UCP2 Regulates Mitochondrial Fission and Ventromedial Nucleus Control of Glucose Responsiveness. Cell, 2016, 164, 872-883.	13.5	136
11	Unsuppressed lipolysis in adipocytes is linked with enhanced gluconeogenesis and altered bile acid physiology in InsrP1195L/+ mice fed high-fat-diet. Scientific Reports, 2015, 5, 17565.	1.6	14
12	Sympathetic Nerve Activity Maintains an Anti-Inflammatory State in Adipose Tissue in Male Mice by Inhibiting TNF-Î± Gene Expression in Macrophages. Endocrinology, 2015, 156, 3680-3694.	1.4	44
13	Hypothalamic prolyl endopeptidase (PREP) regulates pancreatic insulin and glucagon secretion in mice. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 11876-11881.	3.3	26
14	Mitochondrial UCP2 in the central regulation of metabolism. Best Practice and Research in Clinical Endocrinology and Metabolism, 2014, 28, 757-764.	2.2	95
15	PPARÎ³ ablation sensitizes proopiomelanocortin neurons to leptin during high-fat feeding. Journal of Clinical Investigation, 2014, 124, 4017-4027.	3.9	50
16	Extracellular Signalâ€“Regulated Kinase in the Ventromedial Hypothalamus Mediates Leptin-Induced Glucose Uptake in Red-Type Skeletal Muscle. Diabetes, 2013, 62, 2295-2307.	0.3	50
17	Ubiquitinâ€specific protease 2â€69 in macrophages potentially modulates metainflammation. FASEB Journal, 2013, 27, 4940-4953.	0.2	31
18	Beneficial effects of Brazilian propolis on type 2 diabetes inob/obmice. Adipocyte, 2013, 2, 227-236.	1.3	57

#	Article	IF	Citations
19	Regulatory role of leptin in glucose and lipid metabolism in skeletal muscle. Indian Journal of Endocrinology and Metabolism, 2012, 16, 562.	0.2	58
20	An enzymatic photometric assay for 2-deoxyglucose uptake in insulin-responsive tissues and 3T3-L1 adipocytes. Analytical Biochemistry, 2011, 412, 9-17.	1.1	50
21	Role of Central Leptin Signaling in the Starvation-Induced Alteration of B-Cell Development. Journal of Neuroscience, 2011, 31, 8373-8380.	1.7	58
22	Distinct Effects of Leptin and a Melanocortin Receptor Agonist Injected Into Medial Hypothalamic Nuclei on Glucose Uptake in Peripheral Tissues. Diabetes, 2009, 58, 2757-2765.	0.3	94
23	Hypothalamic Orexin Stimulates Feeding-Associated Glucose Utilization in Skeletal Muscle via Sympathetic Nervous System. Cell Metabolism, 2009, 10, 466-480.	7.2	196
24	Uncoupling protein 1 contributes to fat-reducing effect of leptin. Obesity Research and Clinical Practice, 2007, 1, 233-241.	0.8	20
25	Uncoupling Protein 1 Is Necessary for Norepinephrine-Induced Glucose Utilization in Brown Adipose Tissue. Diabetes, 2005, 54, 1385-1391.	0.3	155