## Seav-ly Tran

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/964037/publications.pdf

Version: 2024-02-01

713332 567144 22 914 15 21 citations h-index g-index papers 22 22 22 1043 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Implication of a Key Region of Six Bacillus cereus Genes Involved in Siroheme Synthesis, Nitrite Reductase Production and Iron Cluster Repair in the Bacterial Response to Nitric Oxide Stress. International Journal of Molecular Sciences, 2021, 22, 5079.	1.8	4
2	Nitric Oxide Impacts Human Gut Microbiota Diversity and Functionalities. MSystems, 2021, 6, e0055821.	1.7	13
3	Dr. NO and Mr. Toxic – the versatile role of nitric oxide. Biological Chemistry, 2020, 401, 547-572.	1.2	49
4	Structural Modeling of Cell Wall Peptidase CwpFM (EntFM) Reveals Distinct Intrinsically Disordered Extensions Specific to Pathogenic Bacillus cereus Strains. Toxins, 2020, 12, 593.	1.5	8
5	Advanced Methods for Detection of Bacillus cereus and Its Pathogenic Factors. Sensors, 2020, 20, 2667.	2.1	62
6	Shiga toxin 2 translocation across intestinal epithelium is linked to virulence of Shiga toxin-producing Escherichia coli in humans. Microbiology (United Kingdom), 2018, 164, 509-516.	0.7	11
7	InhA1-Mediated Cleavage of the Metalloprotease NprA Allows Bacillus cereus to Escape From Macrophages. Frontiers in Microbiology, 2018, 9, 1063.	1.5	19
8	The StcE metalloprotease of enterohaemorrhagic <i>Escherichia coli</i> reduces the inner mucus layer and promotes adherence to human colonic epithelium <i>ex vivo</i> . Cellular Microbiology, 2017, 19, e12717.	1,1	58
9	The bacterial DNA repair protein Mfd confers resistance to the host nitrogen immune response. Scientific Reports, 2016, 6, 29349.	1.6	24
10	Differential modulation of flagella expression in enterohaemorrhagic Escherichia coli O157: H7 by intestinal short-chain fatty acid mixes. Microbiology (United Kingdom), 2016, 162, 1761-1772.	0.7	18
11	Shiga toxin production and translocation during microaerobic human colonic infection with <scp>S</scp> higa toxinâ€producing <scp><i>E</i></scp> <i>i&gt; coli</i> àâ€ <scp>O157:H7</scp> and <scp>O104:H4</scp> . Cellul Microbiology, 2014, 16, 1255-1266.	lar 1	44
12	<i>Bacillus cereus</i> ii>immune escape: a journey within macrophages. FEMS Microbiology Letters, 2013, 347, 1-6.	0.7	27
13	Iron regulates Bacillus thuringiensis haemolysin hlyll gene expression during insect infection. Journal of Invertebrate Pathology, 2013, 113, 205-208.	1.5	15
14	Glucose 6P Binds and Activates HlyIIR to Repress Bacillus cereus Haemolysin hlyII Gene Expression. PLoS ONE, 2013, 8, e55085.	1.1	21
15	Haemolysin II is a Bacillus cereus virulence factor that induces apoptosis of macrophages. Cellular Microbiology, 2011, 13, 92-108.	1.1	81
16	Bile Salts Induce Resistance to Polymyxin in Enterohemorrhagic Escherichia coliO157:H7. Journal of Bacteriology, 2011, 193, 4509-4515.	1.0	52
17	A novel antimicrobial peptide significantly enhances acid-induced killing of Shiga toxin-producing Escherichia coli O157 and non-O157 serotypes. Microbiology (United Kingdom), 2011, 157, 1768-1775.	0.7	16
18	Trypan Blue Dye Enters Viable Cells Incubated with the Pore-Forming Toxin Hlyll of Bacillus cereus. PLoS ONE, 2011, 6, e22876.	1.1	105

#	Article	IF	CITATIONS
19	The InhA Metalloproteases of <i>Bacillus cereus </i> Contribute Concomitantly to Virulence. Journal of Bacteriology, 2010, 192, 286-294.	1.0	99
20	CwpFM (EntFM) Is a <i>Bacillus cereus</i> Potential Cell Wall Peptidase Implicated in Adhesion, Biofilm Formation, and Virulence. Journal of Bacteriology, 2010, 192, 2638-2642.	1.0	109
21	InhA1, NprA, and HlyII as Candidates for Markers To Differentiate Pathogenic from Nonpathogenic <i>Bacillus cereus</i> Strains. Journal of Clinical Microbiology, 2010, 48, 1358-1365.	1.8	79
22	Haemolysin II is a Bacillus cereus virulence factor that induces apoptosis of macrophages. Cellular Microbiology, 0, , no-no.	1.1	0