

Ha Thi Kim Quy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9640767/publications.pdf>

Version: 2024-02-01

29
papers

553
citations

471509

17
h-index

677142

22
g-index

29
all docs

29
docs citations

29
times ranked

737
citing authors

#	ARTICLE	IF	CITATIONS
1	Antiviral activities of compounds from aerial parts of <i>Salvia plebeia</i> R. Br. <i>Journal of Ethnopharmacology</i> , 2016, 192, 398-405.	4.1	50
2	Dereplication by High-Performance Liquid Chromatography (HPLC) with Quadrupole-Time-of-Flight Mass Spectroscopy (qTOF-MS) and Antiviral Activities of Phlorotannins from <i>Ecklonia cava</i> . <i>Marine Drugs</i> , 2019, 17, 149.	4.6	39
3	Anti-influenza effect of the major flavonoids from <i>Salvia plebeia</i> R.Br. via inhibition of influenza H1N1 virus neuraminidase. <i>Natural Product Research</i> , 2018, 32, 1224-1228.	1.8	31
4	Antiviral phenolics from the leaves of <i>Cleistocalyx operculatus</i> . <i>F-totera p-c</i> , 2016, 110, 135-141.	2.2	30
5	Sesquiterpenoids with Various Carbocyclic Skeletons from the Flowers of <i>Chrysanthemum indicum</i> . <i>Journal of Natural Products</i> , 2017, 80, 298-307.	3.0	27
6	Three new coumarins from <i>Saposhnikovia divaricata</i> and their porcine epidemic diarrhea virus (PEDV) inhibitory activity. <i>Tetrahedron</i> , 2015, 71, 4651-4658.	1.9	26
7	Protein Tyrosine Phosphatase 1B Inhibitors from the Stems of <i>Akebia quinata</i> . <i>Molecules</i> , 2016, 21, 1091.	3.8	26
8	Chemical constituents from <i>Melicope pteleifolia</i> leaves. <i>Phytochemistry</i> , 2016, 130, 291-300.	2.9	26
9	Antiviral activity of furanocoumarins isolated from <i>Angelica dahurica</i> against influenza A viruses H1N1 and H9N2. <i>Journal of Ethnopharmacology</i> , 2020, 259, 112945.	4.1	25
10	<i>C</i> -Methylated Flavonoid Glycosides from <i>Pentarhizidium orientale</i> Rhizomes and Their Inhibitory Effects on the H1N1 Influenza Virus. <i>Journal of Natural Products</i> , 2017, 80, 2818-2824.	3.0	24
11	PTP1B inhibitors from the seeds of <i>Iris sanguinea</i> and their insulin mimetic activities via AMPK and ACC phosphorylation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 5076-5081.	2.2	22
12	Anthraquinones from <i>Morinda longissima</i> and their insulin mimetic activities via AMP-activated protein kinase (AMPK) activation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 40-44.	2.2	22
13	In vitro antituberculosis activity of diterpenoids from the Vietnamese medicinal plant <i>Croton tonkinensis</i> . <i>Journal of Natural Medicines</i> , 2016, 70, 127-132.	2.3	21
14	Antiviral Activities of Compounds Isolated from <i>Pinus densiflora</i> (Pine Tree) against the Influenza A Virus. <i>Biomolecules</i> , 2020, 10, 711.	4.0	21
15	Hypoglycemic triterpenes from <i>Gynostemma pentaphyllum</i> . <i>Phytochemistry</i> , 2018, 155, 171-181.	2.9	20
16	Polyoxygenated Steroids from the Sponge <i>Clathria gombawuiensis</i> . <i>Journal of Natural Products</i> , 2017, 80, 3224-3233.	3.0	19
17	Discrimination of different geographic varieties of <i>Gymnema sylvestre</i> , an anti-sweet plant used for the treatment of type 2 diabetes. <i>Phytochemistry</i> , 2018, 150, 12-22.	2.9	18
18	Melicopteline AE, Unusual Cyclopeptide Alkaloids with Antiviral Activity against Influenza A Virus from <i>Melicope pteleifolia</i> . <i>Journal of Organic Chemistry</i> , 2021, 86, 1437-1447.	3.2	15

#	ARTICLE	IF	CITATIONS
19	Insulin Mimetic Activity of 3,4- <i>Seco</i> and Hexanordammarane Triterpenoids Isolated from <i>Gynostemma longipes</i> . <i>Journal of Natural Products</i> , 2018, 81, 2470-2482.	3.0	13
20	Oligostilbenes from the leaves of <i>Gnetum latifolium</i> and their biological potential to inhibit neuroinflammation. <i>Phytochemistry</i> , 2019, 165, 112044.	2.9	13
21	Eudesmane Glycosides from <i>Ambrosia artemisiifolia</i> (Common Ragweed) as Potential Neuroprotective Agents. <i>Journal of Natural Products</i> , 2019, 82, 1128-1138.	3.0	12
22	Flavone glycosides from <i>Sicyos angulatus</i> and their inhibitory effects on hepatic lipid accumulation. <i>Phytochemistry</i> , 2019, 157, 53-63.	2.9	10
23	12,23-Dione dammarane triterpenes from <i>Gynostemma longipes</i> and their muscle cell proliferation activities via activation of the AMPK pathway. <i>Scientific Reports</i> , 2019, 9, 1186.	3.3	9
24	Hydroxyoleoside-type seco-iridoids from <i>Symplocos cochinchinensis</i> and their insulin mimetic activity. <i>Scientific Reports</i> , 2019, 9, 2270.	3.3	9
25	Constituents of the Edible Leaves of <i>Melicope pteleifolia</i> with Potential Analgesic Activity. <i>Journal of Natural Products</i> , 2019, 82, 2201-2210.	3.0	8
26	3,4-seco-28-Nor-oleanane triterpenes from <i>Camellia japonica</i> protect from neurotoxicity in a rotenone model of Parkinson's disease. <i>Tetrahedron</i> , 2016, 72, 3240-3249.	1.9	7
27	Reserpine treatment activates AMP activated protein kinase (AMPK). <i>Natural Product Sciences</i> , 2017, 23, 157.	0.9	5
28	Design, Synthesis and Cytotoxicity Evaluation of Substituted Benzimidazole Conjugated 1,3,4-Oxadiazoles. <i>Chemical and Pharmaceutical Bulletin</i> , 2022, 70, 448-453.	1.3	3
29	Molecular networking-based chemical profiling and anti-influenza viral and neuroprotective effects of <i>Elaeocarpus hygrophilus</i> Kurz.. <i>Chemical Papers</i> , 2021, 75, 5323-5337.	2.2	2