
## Ha Thi Kim Quy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9640767/publications.pdf Version: 2024-02-01



Ηλ ΤΗΙ ΚΙΜ ΟΠΥ

#	Article	IF	CITATIONS
1	Design, Synthesis and Cytotoxicity Evalufation of Substituted Benzimidazole Conjugated 1,3,4-Oxadiazoles. Chemical and Pharmaceutical Bulletin, 2022, 70, 448-453.	1.3	3
2	Molecular networking-based chemical profiling and anti-influenza viral and neuroprotective effects of Elaeocarpus hygrophilus Kurz Chemical Papers, 2021, 75, 5323-5337.	2.2	2
3	Melicopteline A–E, Unusual Cyclopeptide Alkaloids with Antiviral Activity against Influenza A Virus from <i>Melicope pteleifolia</i> . Journal of Organic Chemistry, 2021, 86, 1437-1447.	3.2	15
4	Antiviral activity of furanocoumarins isolated from Angelica dahurica against influenza a viruses H1N1 and H9N2. Journal of Ethnopharmacology, 2020, 259, 112945.	4.1	25
5	Antiviral Activities of Compounds Isolated from Pinus densiflora (Pine Tree) against the Influenza A Virus. Biomolecules, 2020, 10, 711.	4.0	21
6	Constituents of the Edible Leaves of <i>Melicope pteleifolia</i> with Potential Analgesic Activity. Journal of Natural Products, 2019, 82, 2201-2210.	3.0	8
7	Oligostilbenes from the leaves of Gnetum latifolium and their biological potential to inhibit neuroinflammation. Phytochemistry, 2019, 165, 112044.	2.9	13
8	Eudesmane Glycosides from <i>Ambrosia artemisiifolia</i> (Common Ragweed) as Potential Neuroprotective Agents. Journal of Natural Products, 2019, 82, 1128-1138.	3.0	12
9	Dereplication by High-Performance Liquid Chromatography (HPLC) with Quadrupole-Time-of-Flight Mass Spectroscopy (qTOF-MS) and Antiviral Activities of Phlorotannins from Ecklonia cava. Marine Drugs, 2019, 17, 149.	4.6	39
10	12,23-Dione dammarane triterpenes from Gynostemma longipes and their muscle cell proliferation activities via activation of the AMPK pathway. Scientific Reports, 2019, 9, 1186.	3.3	9
11	Hydroxyoleoside-type seco-iridoids from Symplocos cochinchinensis and their insulin mimetic activity. Scientific Reports, 2019, 9, 2270.	3.3	9
12	Flavone glycosides from Sicyos angulatus and their inhibitory effects on hepatic lipid accumulation. Phytochemistry, 2019, 157, 53-63.	2.9	10
13	Discrimination of different geographic varieties of Gymnema sylvestre , an anti-sweet plant used for the treatment of type 2 diabetes. Phytochemistry, 2018, 150, 12-22.	2.9	18
14	Anti-influenza effect of the major flavonoids from <i>Salvia plebeia</i> R.Br. via inhibition of influenza H1N1 virus neuraminidase. Natural Product Research, 2018, 32, 1224-1228.	1.8	31
15	Insulin Mimetic Activity of 3,4- <i>Seco</i> and Hexanordammarane Triterpenoids Isolated from <i>Gynostemma longipes</i> . Journal of Natural Products, 2018, 81, 2470-2482.	3.0	13
16	Hypoglycemic triterpenes from Gynostemma pentaphyllum. Phytochemistry, 2018, 155, 171-181.	2.9	20
17	Sesquiterpenoids with Various Carbocyclic Skeletons from the Flowers of <i>Chrysanthemum indicum</i> . Journal of Natural Products, 2017, 80, 298-307.	3.0	27
18	PTP1B inhibitors from the seeds of Iris sanguinea and their insulin mimetic activities via AMPK and ACC phosphorylation. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 5076-5081.	2.2	22

ΗΑ ΤΗΙ ΚΙΜ QUY

#	Article	IF	CITATIONS
19	<i>C</i> -Methylated Flavonoid Glycosides from <i>Pentarhizidium orientale</i> Rhizomes and Their Inhibitory Effects on the H1N1 Influenza Virus. Journal of Natural Products, 2017, 80, 2818-2824.	3.0	24
20	Polyoxygenated Steroids from the Sponge <i>Clathria gombawuiensis</i> . Journal of Natural Products, 2017, 80, 3224-3233.	3.0	19
21	Anthraquinones from Morinda longissima and their insulin mimetic activities via AMP-activated protein kinase (AMPK) activation. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 40-44.	2.2	22
22	Reserpine treatment activates AMP activated protein kinase (AMPK). Natural Product Sciences, 2017, 23, 157.	0.9	5
23	Protein Tyrosine Phosphatase 1B Inhibitors from the Stems of Akebia quinata. Molecules, 2016, 21, 1091.	3.8	26
24	3,4-seco-28-Nor-oleanane triterpenes from Camellia japonica protect from neurotoxicity in a rotenone model of Parkinson's disease. Tetrahedron, 2016, 72, 3240-3249.	1.9	7
25	Antiviral activities of compounds from aerial parts of Salvia plebeia R. Br. Journal of Ethnopharmacology, 2016, 192, 398-405.	4.1	50
26	Chemical constituents from Melicope pteleifolia leaves. Phytochemistry, 2016, 130, 291-300.	2.9	26
27	Antiviral phenolics from the leaves of Cleistocalyx operculatus. Fìtoterapìâ, 2016, 110, 135-141.	2.2	30
28	In vitro antituberculosis activity of diterpenoids from the Vietnamese medicinal plant Croton tonkinensis. Journal of Natural Medicines, 2016, 70, 127-132.	2.3	21
29	Three new coumarins from Saposhnikovia divaricata and their porcine epidemic diarrhea virus (PEDV) inhibitory activity. Tetrahedron, 2015, 71, 4651-4658.	1.9	26