
Amanda P Waller

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9641885/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Thrombin-Induced Podocyte Injury Is Protease-Activated Receptor Dependent. Journal of the American Society of Nephrology: JASN, 2017, 28, 2618-2630.	6.1	34
2	Fluid and electrolyte supplementation after prolonged moderate-intensity exercise enhances muscle glycogen resynthesis in Standardbred horses. Journal of Applied Physiology, 2009, 106, 91-100.	2.5	31
3	Time course and magnitude of fluid and electrolyte shifts during recovery from high-intensity exercise in Standardbred racehorses. Equine and Comparative Exercise Physiology, 2005, 2, 77-87.	0.4	17
4	Physicochemical analysis of acid–base status during recovery from high-intensity exercise in Standardbred racehorses. Equine and Comparative Exercise Physiology, 2005, 2, 119-127.	0.4	10
5	Cyclical plasma electrolyte and acid–base responses to meal feeding in horses over a 24-h period. Equine and Comparative Exercise Physiology, 2005, 2, 159-169.	0.4	9
6	A pilot randomized trial of atorvastatin as adjunct therapy in patients with acute venous thromboembolism. Blood Coagulation and Fibrinolysis, 2021, 32, 16-22.	1.0	5
7	Daily variation in plasma electrolyte and acid–base status in fasted horses over a 25 h period of rest. Equine and Comparative Exercise Physiology, 2006, 3, 29-36.	0.4	4
8	Tracing oral Na ⁺ and K ⁺ in sweat during exercise and recovery in horses. Experimental Physiology, 2021, 106, 972-982.	2.0	4
9	Preâ€loading large volume oral electrolytes: tracing fluid and ion fluxes in horses during rest, exercise and recovery. Journal of Physiology, 2021, 599, 3879-3896.	2.9	4
10	Selective modulator of nuclear receptor PPARÎ ³ with reduced adipogenic potential ameliorates experimental nephrotic syndrome. IScience, 2022, 25, 104001.	4.1	3
11	The Hypofibrinolytic Defect of Nephrotic Syndrome Is Directly Proportional to Fibrin Network Density. Blood, 2018, 132, 1218-1218.	1.4	2
12	Moderate-intensity aerobic exercise vs desmopressin in adolescent males with mild hemophilia A: a randomized trial. Blood, 2022, 140, 1156-1166.	1.4	2
13	Endogenous Thrombin Potential is Directly Correlated with Proteinuria Severity in Both Nephrotic Syndrome Patients and an Animal Model of Nephrotic Syndrome. Blood, 2014, 124, 4243-4243.	1.4	1
14	Thrombin Generation Is Directly Correlated To Proteinuria Severity In An Experimental Model Of Nephrotic Syndrome. Blood, 2013, 122, 3615-3615.	1.4	0
15	Thrombin Induces Apoptosis in Human and Rat Podocytes in a Protease Activated Receptor (PAR)-Dependent Manner. Blood, 2014, 124, 2808-2808.	1.4	0
16	A Novel Enzyme Capture - ELISA for the Direct Determination of Factor XIII Activity. Blood, 2018, 132, 1174-1174.	1.4	0
17	Limited Role of Antithrombin Deficiency in Hypercoagulopathy Associated with Nephrotic Syndrome. Blood, 2021, 138, 294-294.	1.4	0
18	A Novel Assay Using Enzyme Capture - ELISA for Accurate Determination of Factor XIII Activity. Blood, 2020, 136, 23-24.	1.4	0

#	Article	IF	CITATIONS
19	Direct Oral Anticoagulants Reduce Hypercoagulopathy and Preserve Podocyte Function in an Experimental Model of Glomerular Disease. Blood, 2020, 136, 26-26.	1.4	0