

# Tahsin J Chow

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9642275/publications.pdf>

Version: 2024-02-01

75  
papers

1,582  
citations

304743  
22  
h-index

330143  
37  
g-index

77  
all docs

77  
docs citations

77  
times ranked

2056  
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecularly Engineered Cyclopenta[2,1- <i>b</i> ;3,4- <i>b'</i> ]dithiophene-Based Hole-Transporting Materials for High-Performance Perovskite Solar Cells with Efficiency over 19%. <i>ACS Applied Energy Materials</i> , 2021, 4, 4719-4728.	5.1	21
2	Heptacene: Synthesis and Its Hole-Transfer Property in Stable Thin Films. <i>Chemistry - A European Journal</i> , 2021, 27, 10677-10684.	3.3	12
3	Spiro[sulfone]based Auxiliary Acceptor in D-A- $\pi$ -A Dye-Sensitized Solar Cells Application under Indoor/Outdoor Light. <i>Asian Journal of Organic Chemistry</i> , 2021, 10, 3396-3405.	2.7	2
4	Spiro[fluorene-9,9'-phenanthren]-10-one as auxiliary acceptor of D-A- $\pi$ -A dyes for dye-sensitized solar cells under one sun and indoor light. <i>Journal of Power Sources</i> , 2020, 458, 228063.	7.8	37
5	Electrocatalytic hydrogen production using [FeFe]-hydrogenase mimics based on tetracene derivatives. <i>New Journal of Chemistry</i> , 2019, 43, 13810-13815.	2.8	4
6	Donor-Acceptor-Donor Type Cyclopenta[2,1- <i>b</i> ;3,4- <i>b'</i> ]dithiophene Derivatives as a New Class of Hole Transporting Materials for Highly Efficient and Stable Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2019, 2, 7070-7082.	5.1	32
7	High-Performance Organic Dyes with Electron-Deficient Quinoxalino Heterocycles for Dye-Sensitized Solar Cells under One Sun and Indoor Light. <i>ChemSusChem</i> , 2019, 12, 3654-3665.	6.8	51
8	Rational Design of Cyclopenta[2,1- <i>b</i> ;3,4- <i>b'</i> ]dithiophene-bridged Hole Transporting Materials for Highly Efficient and Stable Perovskite Solar Cells. <i>Energy Technology</i> , 2019, 7, 307-316.	3.8	18
9	Synthesis and physical properties of brominated hexacene and hole-transfer properties of thin-film transistors. <i>RSC Advances</i> , 2018, 8, 13259-13265.	3.6	7
10	Tri- and tetraarylanthracenes with novel $\Gamma$ , $\Gamma'$ and $\Gamma''$ topologies as blue-emissive and fluorescent host materials in organic light-emitting diodes (OLEDs). <i>New Journal of Chemistry</i> , 2017, 41, 4510-4517.	2.8	6
11	Performance Characterization of Dye-Sensitized Photovoltaics under Indoor Lighting. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 1824-1830.	4.6	51
12	Carbo[5]helicene versus planar phenanthrene as a scaffold for organic materials in OLEDs: the electroluminescence of anthracene-functionalized emissive materials. <i>New Journal of Chemistry</i> , 2017, 41, 14730-14737.	2.8	10
13	Helicenes as All-in-One Organic Materials for Application in OLEDs: Synthesis and Diverse Applications of Carbo- and Aza[5]helical Diamines. <i>Chemistry - A European Journal</i> , 2016, 22, 9375-9386.	3.3	41
14	Deep blue-emissive bifunctional (hole-transporting + emissive) materials with CIE <sub>y</sub> $\geq$ 0.06 based on a U-shaped phenanthrene scaffold for application in organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9310-9315.	5.5	21
15	Benzophenone-imbedded benzoyltriphenylamine with high triplet energy for application as a universal host material in phosphorescent organic light-emitting diodes (PhOLEDs). <i>New Journal of Chemistry</i> , 2016, 40, 6854-6859.	2.8	14
16	Hole-Transporting Materials Based on Twisted Bimesitylenes for Stable Perovskite Solar Cells with High Efficiency. <i>ChemSusChem</i> , 2016, 9, 274-279.	6.8	48
17	Benzophenones as Generic Host Materials for Phosphorescent Organic Light-Emitting Diodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 1527-1535.	8.0	43
18	Organic Dyes Containing a 1,3-indandione Moiety as Light Harvesting Materials. <i>Journal of the Chinese Chemical Society</i> , 2015, 62, 832-837.	1.4	3

#	ARTICLE	IF	CITATIONS
19	Hexacene: Synthesis, Properties and Future Perspectives. Chemical Record, 2015, 15, 1137-1139.	5.8	11
20	Twisted biaryl-amines as novel host materials for green-emissive phosphorescent organic light-emitting diodes (PhOLEDs). RSC Advances, 2015, 5, 101169-101176.	3.6	6
21	Organic amorphous hole-transporting materials based on Tröger's Base: alternatives to NPB. RSC Advances, 2015, 5, 26806-26810.	3.6	22
22	Pyridomethene-BF <sub>2</sub> complex/phenothiazine hybrid sensitizer with high molar extinction coefficient for efficient, sensitized solar cells. Journal of Materials Chemistry A, 2015, 3, 16831-16842.	10.3	30
23	Polymorphism-dependent fluorescence of bithienylmaleimide with different responses to mechanical crushing and grinding pressure. CrystEngComm, 2014, 16, 11018-11026.	2.6	52
24	Selective "turn-off" fluorescent sensing of mercury ions using aminocyclodextrin:3-hydroxy-N-phenyl-2-naphthamide complex in aqueous solution. RSC Advances, 2014, 4, 11714.	3.6	46
25	A pyridomethene-BF <sub>2</sub> complex-based chemosensor for detection of hydrazine. RSC Advances, 2013, 3, 17924.	3.6	58
26	Phenothiazine derivatives as organic sensitizers for highly efficient dye-sensitized solar cells. Journal of Materials Chemistry, 2012, 22, 4040.	6.7	147
27	Platinum Complexes of 4-Hydroxy-1,5-naphthyridines as Emitting Dyes. Journal of the Chinese Chemical Society, 2012, 59, 357-364.	1.4	3
28	Tetracene-based field-effect transistors using solution processes. Journal of Materials Chemistry, 2012, 22, 13070.	6.7	34
29	Solution-processed organic micro crystal transistor based on tetraceno[2,3-b]thiophene from a monoketone precursor. Journal of Materials Chemistry, 2011, 21, 11317.	6.7	9
30	Geometrical effect of stilbene on the performance of organic dye-sensitized solar cells. Journal of Materials Chemistry, 2011, 21, 14907.	6.7	50
31	Highly efficient triarylene conjugated dyes for sensitized solar cells. Journal of Materials Chemistry, 2011, 21, 9523.	6.7	69
32	Highly efficient red fluorescent dyes for organic light-emitting diodes. Journal of Materials Chemistry, 2011, 21, 3091.	6.7	47
33	Theoretical characterization of photoinduced electron transfer in rigidly linked donor-acceptor molecules: the fragment charge difference and the generalized Mulliken-Hush schemes. Molecular Physics, 2010, 108, 2775-2789.	1.7	19
34	White Light-Emitting Devices Based on Star-Shape Polymers with a Bisindolylmaleimide Core. Macromolecules, 2010, 43, 5925-5931.	4.8	48
35	White light-emitting devices with a single emitting layer based on bisindolylmaleimide fluorophores. Journal of Materials Chemistry, 2009, 19, 5141.	6.7	21
36	Density functional theory analysis of a mixed-chlorine and iridium compound for multi-color organic light-emitting diodes. Journal of Physical Organic Chemistry, 2008, 21, 315-320.	1.9	12

#	ARTICLE	IF	CITATIONS
37	The Preparation of (8-Hydroxyquinolino)Bis(2-Phenylpyridyl)Iridium Complexes and Their Photophysical Properties. Journal of the Chinese Chemical Society, 2008, 55, 439-448.	1.4	14
38	Tuning Excited-State Electron Transfer from an Adiabatic to Nonadiabatic Type in Donor-Bridge-Acceptor Systems and the Associated Energy-Transfer Process. Journal of Physical Chemistry A, 2006, 110, 12136-12144.	2.5	46
39	Polymer Electrolyte Containing Dialkoxyacenes with Oligo(Ethylene Oxide) Side Chains. Journal of the Chinese Chemical Society, 2006, 53, 1335-1342.	1.4	2
40	Light Emitting Materials and Devices of PPV Type Compounds Containing Quinolines. Journal of the Chinese Chemical Society, 2005, 52, 811-818.	1.4	10
41	Photoinduced electron transfer across linearly fused oligo-norbornyl structures. Tetrahedron, 2005, 61, 6967-6975.	1.9	13
42	Synthesis and Electroluminescence of Metal 4-Styryl-8-hydroxyquinolates. Journal of the Chinese Chemical Society, 2004, 51, 735-742.	1.4	8
43	Photoinduced electron transfer reaction tuned by donor-acceptor pairs via the rigid, linear spacer heptacyclo[6.6.0.0.2,6.0.3,13.0.4,11.0.5,9.0.10,14]tetradecane. Tetrahedron, 2003, 59, 5719-5730.	1.9	22
44	Bisindolylmaleimides as Red Electroluminescence Materials. Chemistry of Materials, 2003, 15, 4527-4532.	6.7	54
45	White light emission from single component polymers fabricated by spin coating. Applied Physics Letters, 2003, 82, 550-552.	3.3	74
46	Computations on a Series of Substituted Quinolines. Journal of the Chinese Chemical Society, 2003, 50, 593-596.	1.4	6
47	Preparation and Properties of 2-(9-Carbazolyl)-3-(8-hydroxy-2-Quinoliny)Acrylonitrile Derivatives. Journal of the Chinese Chemical Society, 2003, 50, 135-142.	1.4	2
48	Octasilsesquioxane Chemistry I. Attachment of Four Surface Bridges to Octasilsesquioxane Quasi-cube Framework. Journal of the Chinese Chemical Society, 2002, 49, 943-947.	1.4	2
49	Photo and electroluminescence of 2-anilino-5-phenylpenta-2,4-dienitrile derivatives. Journal of Materials Chemistry, 2002, 12, 42-46.	6.7	14
50	Photoinduced electron transfer reactions across rigid linear spacer groups of high symmetry. Tetrahedron Letters, 2002, 43, 8115-8119.	1.4	11
51	Preparation of Hydroquinone-Containing Polymers by ROMP. Journal of the Chinese Chemical Society, 2001, 48, 945-948.	1.4	7
52	Ole Fin Complexes of Silver(I) and Copper(I)-Diketonates. Journal of the Chinese Chemical Society, 2001, 48, 1003-1008.	1.4	1
53	Heptacyclo[6.6.0.0.2,6.0.3,13.0.4,11.0.5,9.0.10,14]tetradecane: a new type of spacer for mediating electron transfer processes. Tetrahedron Letters, 2001, 42, 29-31.	1.4	16
54	The Bonding Structure of Quadricyclanylidene Derivatives. Journal of the Chinese Chemical Society, 2000, 47, 149-153.	1.4	0

#	ARTICLE	IF	CITATIONS
55	Synthesis of Isodrin Homologues with Parallel-Aligned Double Bonds. <i>Synthetic Communications</i> , 2000, 30, 4473-4478.	2.1	2
56	Synthesis of rod-shaped compounds: bis(7,7- $\epsilon^2$ -heptacyclo[6.6.0.0 <sup>2,6</sup> .0 <sup>3,13</sup> .0 <sup>4,11</sup> .0 <sup>5,9</sup> .0 <sup>10,14</sup> ]tetradecanylidene) derivatives. <i>Tetrahedron Letters</i> , 1999, 40, 7799-7801.	1.4	12
57	A NMR Chemical Shift Analysis on Two Nonconjugated Tri- $\pi$ - $\pi$ Systems. <i>Journal of the Chinese Chemical Society</i> , 1999, 46, 827-831.	1.4	1
58	Solvolysis of isodrin derivatives. Evidence of long-range $\pi$ -participation in the stabilization of carbocations. <i>Journal of Physical Organic Chemistry</i> , 1998, 11, 871-878.	1.9	10
59	Bromination of Binor- $\epsilon$ . <i>Journal of the Chinese Chemical Society</i> , 1997, 44, 49-57.	1.4	3
60	Chemistry of Isodrin Derivatives. The Syntheses of 11- and 12-Hydroxy-1,4,4a,9,9a,10-Hexahydro- $\epsilon$ -Endo-Endo-1,4,9,10-Dimethano- $\epsilon$ -Anthracenes. <i>Journal of the Chinese Chemical Society</i> , 1996, 43, 101-107.	1.4	2
61	The Structures of Quadricyclanone and its 3-Cyclopentadienylidene Derivative. <i>Journal of the Chinese Chemical Society</i> , 1995, 42, 943-946.	1.4	3
62	Transannular Interactions in Polycyclic Hydrocarbons. The System of Cage-Shaped Hexacyclo[6.6.0.0 <sup>2,6</sup> .0 <sup>3,13</sup> .0 <sup>4,11</sup> .0 <sup>5,9</sup> .0 <sup>10,14</sup> ]tetradecane Derivatives. <i>Journal of Organic Chemistry</i> , 1995, 60, 5651-5657.	3.2	10
63	The Chemistry of Binor- $\epsilon$ and its Cyclopropyl Ring Transformations. <i>Journal of the Chinese Chemical Society</i> , 1994, 41, 167-174.	1.4	1
64	Chemistry of Cage-shaped Hydrocarbons. The Oxidation of Heptacyclo[6.6.0.0 <sup>2,6</sup> .0 <sup>3,13</sup> .0 <sup>4,11</sup> .0 <sup>5,9</sup> .0 <sup>10,14</sup> ]tetradecane. <i>Journal of the Chinese Chemical Society</i> , 1994, 41, 833-841.	1.4	1
65	Substituent Effects on the Chemical Reactivities of Tricarbonyl and Tetracarbonyl Iron Complexes of 7-Azanorbornadiene Derivatives. <i>Journal of the Chinese Chemical Society</i> , 1993, 40, 503-507.	1.4	3
66	Regioselectivity in a benzophenone-mediated photo-substitution of some cage-shaped hydrocarbons. <i>Journal of Physical Organic Chemistry</i> , 1992, 5, 721-724.	1.9	5
67	Small and Medium Rings, 75. Syntheses, Photoelectron Spectra, and Photoreactivity of Polycyclic 1,5-Diketones: Transannular Interaction in the Cyclooctane-1,5-dione Fragment. <i>Chemische Berichte</i> , 1991, 124, 803-813.	0.2	20
68	Arrangement of Subchromophores: Orbital Interaction in the Heptacyclo[6.6.0.0 <sup>2,6</sup> .0 <sup>3,13</sup> .0 <sup>4,11</sup> .0 <sup>5,9</sup> .0 <sup>10,14</sup> ]tetradecane System. <i>Chemische Berichte</i> , 1991, 124, 2871-2878.	0.2	16
69	Synthesis of Stable Sulfonium Ylides from Sulfoxides and Dimethyl Acetylenedicarboxylate. <i>Synthetic Communications</i> , 1988, 18, 519-523.	2.1	10
70	Synthesis and Reactions of 1,4,4a,5,8,8a-Hexahydro-1,4-Methano-5,8-Ethenonaphthalene. <i>Synthetic Communications</i> , 1988, 18, 1875-1881.	2.1	10
71	The Preparation of Heptacyclo[6.6.0.0 <sup>2,6</sup> .0 <sup>3,13</sup> .0 <sup>4,11</sup> .0 <sup>5,9</sup> .0 <sup>10,14</sup> ]Tetradecane Derivatives and the Analysis of Their NMR Spectra. <i>Journal of the Chinese Chemical Society</i> , 1988, 35, 291-299.	1.4	8
72	Molybdenum-mediated dimerization of norbornadiene and derivatives. <i>Journal of the American Chemical Society</i> , 1987, 109, 797-804.	13.7	47

#	ARTICLE	IF	CITATIONS
73	Dyotropic Hydrogen Migration in Pentacyclo[7.6.0.0 <sup>2,13</sup> .0 <sup>3,8</sup> .1 <sup>0,14</sup> ]Pentadeca-4, 6,11-triene. Angewandte Chemie International Edition in English, 1986, 25, 1121-1122.	4.4	8
74	Synthesis of rod-shaped dipolar compounds for the study of long-range electronic interactions. Journal of the Chinese Chemical Society, 0, , .	1.4	1
75	Biphenylvinylene quinolinol derivatives and their light-emitting properties. Journal of the Chinese Chemical Society, 0, , .	1.4	0