

Chuanpeng Dong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9643624/publications.pdf>

Version: 2024-02-01

22
papers

356
citations

933447

10
h-index

888059

17
g-index

25
all docs

25
docs citations

25
times ranked

440
citing authors

#	ARTICLE	IF	CITATIONS
1	INPP5D expression is associated with risk for Alzheimer's disease and induced by plaque-associated microglia. <i>Neurobiology of Disease</i> , 2021, 153, 105303.	4.4	63
2	Sestrin 3 Protects Against Diet-Induced Nonalcoholic Steatohepatitis in Mice Through Suppression of Transforming Growth Factor β 2 Signal Transduction. <i>Hepatology</i> , 2020, 71, 76-92.	7.3	44
3	PLCG2 is associated with the inflammatory response and is induced by amyloid plaques in Alzheimer's disease. <i>Genome Medicine</i> , 2022, 14, 17.	8.2	34
4	Development of a novel prognostic signature of long non-coding RNAs in lung adenocarcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 1649-1657.	2.5	30
5	Upregulated KPNA2 promotes hepatocellular carcinoma progression and indicates prognostic significance across human cancer types. <i>Acta Biochimica Et Biophysica Sinica</i> , 2019, 51, 285-292.	2.0	29
6	Integrated Multiple -omics Data Reveal Subtypes of Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2016, 11, e0165457.	2.5	28
7	A B7-1 family based signature demonstrates significantly different prognoses and tumor immune landscapes in lung adenocarcinoma. <i>International Journal of Cancer</i> , 2018, 143, 2592-2601.	5.1	21
8	Intron retention-induced neoantigen load correlates with unfavorable prognosis in multiple myeloma. <i>Oncogene</i> , 2021, 40, 6130-6138.	5.9	21
9	Generation of the tumor-suppressive secretome from tumor cells. <i>Theranostics</i> , 2021, 11, 8517-8534.	10.0	20
10	Panel of seven long noncoding RNA as a candidate prognostic biomarker for ovarian cancer. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 2805-2813.	2.0	13
11	Seven Genes Based Novel Signature Predicts Clinical Outcome and Platinum Sensitivity of High Grade Illc Serous Ovarian Carcinoma. <i>International Journal of Biological Sciences</i> , 2018, 14, 2012-2022.	6.4	10
12	Diagnostic Evidence GAuge of Single cells (DEGAS): a flexible deep transfer learning framework for prioritizing cells in relation to disease. <i>Genome Medicine</i> , 2022, 14, 11.	8.2	10
13	Tumor-Infiltrating Immune-Related Long Non-Coding RNAs Indicate Prognoses and Response to PD-1 Blockade in Head and Neck Squamous Cell Carcinoma. <i>Frontiers in Immunology</i> , 2021, 12, 692079.	4.8	7
14	Intron-Retention Neoantigen Load Predicts Favorable Prognosis in Pancreatic Cancer. <i>JCO Clinical Cancer Informatics</i> , 2022, 6, e2100124.	2.1	6
15	Cancer stem cell associated eight gene-based signature predicts clinical outcomes of colorectal cancer. <i>Oncology Letters</i> , 2018, 17, 442-449.	1.8	5
16	Regulatory activity based risk model identifies survival of stage II and III colorectal carcinoma. <i>Oncotarget</i> , 2017, 8, 98360-98370.	1.8	4
17	Highly robust model of transcription regulator activity predicts breast cancer overall survival. <i>BMC Medical Genomics</i> , 2020, 13, 49.	1.5	3
18	Impact of <i>PLCG2</i> expression on Microglial Biology and Disease Pathogenesis in Alzheimer's Disease. <i>Alzheimer's and Dementia</i> , 2021, 17, e058740.	0.8	2

#	ARTICLE	IF	CITATIONS
19	Development and validation of a novel mRNA signature for predicting early relapse in non-small cell lung cancer. Japanese Journal of Clinical Oncology, 2021, 51, 1277-1286.	1.3	1
20	Development of a Novel Deep Transfer Learning Framework to Characterize Inter- and Intra-Tumor Heterogeneity in Myeloma Patients. Blood, 2019, 134, 3075-3075.	1.4	0
21	A Highly Robust Model for Predicting Outcome of Multiple Myeloma Patients By Inferring Patient-Specific Transcription Factor Activity. Blood, 2019, 134, 1785-1785.	1.4	0
22	PLCG2 expression is associated with plaque-associated microglia in Alzheimer's disease.. Alzheimer's and Dementia, 2021, 17 Suppl 3, e054755.	0.8	0