

Nasser K Altorki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9644778/publications.pdf>

Version: 2024-02-01

160
papers

15,478
citations

46918

47
h-index

18075

120
g-index

165
all docs

165
docs citations

165
times ranked

16623
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Sublobar resection is comparable to lobectomy for screen-detected lung cancer. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 163, 1907-1915. | 0.4 | 26 |
| 2 | Outcomes After Surgical Resection of Early-stage Lung Adenocarcinomas With Epidermal Growth Factor Receptor Mutations. <i>Annals of Thoracic Surgery</i> , 2022, 114, 905-910. | 0.7 | 3 |
| 3 | Lung Cancer Stage Shift as a Result of COVID-19 Lockdowns in New York City, a Brief Report. <i>Clinical Lung Cancer</i> , 2022, 23, e238-e242. | 1.1 | 14 |
| 4 | Commentary: Surgery for ground-glass nodules: Free lunch or slippery slope?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 163, 465-466. | 0.4 | 1 |
| 5 | Minimally Invasive Surgery for Lung Cancer Following Neoadjuvant Therapy in the United States. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2022, , . | 0.5 | 1 |
| 6 | Adjuvant therapy for early-stage non-small cell lung cancer: The breaking of a new dawn. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, , . | 0.4 | 1 |
| 7 | Extent of Resection Influences Survival in Early-Stage Lung Cancer With Occult Nodal Disease. <i>Annals of Thoracic Surgery</i> , 2022, , . | 0.7 | 7 |
| 8 | Expression of the mono-ADP-ribosyltransferase ART1 by tumor cells mediates immune resistance in non-small cell lung cancer. <i>Science Translational Medicine</i> , 2022, 14, eabe8195. | 5.8 | 16 |
| 9 | Safety of lung cancer surgery during COVID-19 in a pandemic epicenter. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 164, 378-385. | 0.4 | 8 |
| 10 | Integrative network analysis of early-stage lung adenocarcinoma identifies aurora kinase inhibition as interceptor of invasion and progression. <i>Nature Communications</i> , 2022, 13, 1592. | 5.8 | 16 |
| 11 | Global evolution of the tumor microenvironment associated with progression from preinvasive invasive to invasive human lung adenocarcinoma. <i>Cell Reports</i> , 2022, 39, 110639. | 2.9 | 15 |
| 12 | Treatment of cT3N1M0/IIIA non-small cell lung cancer and the risk of underuse of surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021, 161, 256-263.e1. | 0.4 | 2 |
| 13 | Commentary: Can machine learning reduce readmissions after esophagectomy? A consummation devoutly to be wished. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021, 161, 1944-1945. | 0.4 | 1 |
| 14 | 52350 PKM2 mediates anti-tumor immunity and T cell dysfunction. <i>Journal of Clinical and Translational Science</i> , 2021, 5, 89-89. | 0.3 | 0 |
| 15 | Multicenter, randomized phase II study of neoadjuvant pembrolizumab plus chemotherapy and chemoradiotherapy in esophageal adenocarcinoma (EAC).. <i>Journal of Clinical Oncology</i> , 2021, 39, 4005-4005. | 0.8 | 18 |
| 16 | Neoadjuvant durvalumab with or without stereotactic body radiotherapy in patients with early-stage non-small-cell lung cancer: a single-centre, randomised phase 2 trial. <i>Lancet Oncology</i> , The, 2021, 22, 824-835. | 5.1 | 191 |
| 17 | Two-field lymph node dissection or three-field lymph node dissection. What's in a name?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021, , . | 0.4 | 3 |
| 18 | Validation of a Circulating Tumor DNA-Based Next-Generation Sequencing Assay in a Cohort of Patients with Solid tumors: A Proposed Solution for Decentralized Plasma Testing. <i>Oncologist</i> , 2021, 26, e1971-e1981. | 1.9 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Radiation-activated secretory proteins of Scgb1a1+ club cells increase the efficacy of immune checkpoint blockade in lung cancer. <i>Nature Cancer</i> , 2021, 2, 919-931. | 5.7 | 26 |
| 20 | Adjuvant atezolizumab after adjuvant chemotherapy in resected stage IB-III A non-small-cell lung cancer (IMpower010): a randomised, multicentre, open-label, phase 3 trial. <i>Lancet</i> , The, 2021, 398, 1344-1357. | 6.3 | 689 |
| 21 | Commentary: High-dose induction chemoradiation for lung cancer: The past is prologue. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020, 160, 1346-1347. | 0.4 | 0 |
| 22 | Differential Contributions of Pre- and Post-EMT Tumor Cells in Breast Cancer Metastasis. <i>Cancer Research</i> , 2020, 80, 163-169. | 0.4 | 62 |
| 23 | Sternal Reconstruction Using Customized 3D-Printed Titanium Implants. <i>Annals of Thoracic Surgery</i> , 2020, 109, e411-e414. | 0.7 | 17 |
| 24 | Genome-wide cell-free DNA mutational integration enables ultra-sensitive cancer monitoring. <i>Nature Medicine</i> , 2020, 26, 1114-1124. | 15.2 | 216 |
| 25 | Commentary: Where is the leak? From the anastomosis or the database?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020, 160, 1096-1097. | 0.4 | 0 |
| 26 | Staple Line Thickening After Sublobar Resection: Reaction or Recurrence?. <i>Annals of Thoracic Surgery</i> , 2020, 109, 1670-1676. | 0.7 | 6 |
| 27 | Commentary: Lobectomy or sublobar resection for early lung cancer: One small step for surgeons, one giant step for patients. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 158, 909-910. | 0.4 | 2 |
| 28 | Do the surgical results in the National Lung Screening Trial reflect modern thoracic surgical practice?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 157, 2038-2046.e1. | 0.4 | 21 |
| 29 | TOX is a critical regulator of tumour-specific T cell differentiation. <i>Nature</i> , 2019, 571, 270-274. | 13.7 | 697 |
| 30 | Adjuvant Therapy for Node-Positive Esophageal Cancer After Induction and Surgery: A Multisite Study. <i>Annals of Thoracic Surgery</i> , 2019, 108, 828-836. | 0.7 | 28 |
| 31 | Sublobar resection for node-negative lung cancer \leq 5 cm in size. <i>European Journal of Cardio-thoracic Surgery</i> , 2019, 56, 858-866. | 0.6 | 18 |
| 32 | Role of wedge resection in bronchial carcinoid (BC) tumors: SEER database analysis. <i>Journal of Thoracic Disease</i> , 2019, 11, 1355-1362. | 0.6 | 10 |
| 33 | Reintervention and Survival After Limited Lung Resection for Lung Cancer Treatment in Australia. <i>Annals of Thoracic Surgery</i> , 2019, 107, 1507-1514. | 0.7 | 3 |
| 34 | Extent of lymphadenectomy is associated with oncological efficacy of sublobar resection for lung cancer \leq 2 cm. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 157, 2454-2465.e1. | 0.4 | 38 |
| 35 | Do individual surgeon volumes affect outcomes in thoracic surgery?. <i>European Journal of Cardio-thoracic Surgery</i> , 2019, 56, 770-777. | 0.6 | 16 |
| 36 | Segmentectomy Is Equivalent to Lobectomy in Hypermetabolic Clinical Stage IA Lung Adenocarcinomas. <i>Annals of Thoracic Surgery</i> , 2019, 107, 217-223. | 0.7 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | The lung microenvironment: an important regulator of tumour growth and metastasis. <i>Nature Reviews Cancer</i> , 2019, 19, 9-31. | 12.8 | 692 |
| 38 | Neoadjuvant Therapy for Locally Advanced Esophageal Cancer Should Be Targeted to Tumor Histology. <i>Annals of Thoracic Surgery</i> , 2019, 107, 187-193. | 0.7 | 9 |
| 39 | Molecular Testing for Early Lung Cancer. <i>Archives of Pathology and Laboratory Medicine</i> , 2018, 142, 794-795. | 1.2 | 1 |
| 40 | Predictors of Survival After Treatment of Oligometastases After Esophagectomy. <i>Annals of Thoracic Surgery</i> , 2018, 105, 357-362. | 0.7 | 32 |
| 41 | Are minimum volume standards appropriate for lung and esophageal surgery?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 155, 2683-2694.e1. | 0.4 | 29 |
| 42 | T1N0 oesophageal cancer: patterns of care and outcomes over 25 years. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 53, 952-959. | 0.6 | 11 |
| 43 | Pulmonary sarcomatoid carcinoma: an analysis of a rare cancer from the Surveillance, Epidemiology, and End Results database. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 53, 828-834. | 0.6 | 46 |
| 44 | Never smokers with resected lung cancer: different demographics, similar survival. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 53, 842-848. | 0.6 | 19 |
| 45 | Immune reprogramming via PD-1 inhibition enhances early-stage lung cancer survival. <i>JCI Insight</i> , 2018, 3, . | 2.3 | 49 |
| 46 | What is the role of wedge resection for T1a lung cancer?. <i>Journal of Thoracic Disease</i> , 2018, 10, S1157-S1162. | 0.6 | 8 |
| 47 | Perioperative mortality and morbidity after sublobar versus lobar resection for early-stage non-small-cell lung cancer: post-hoc analysis of an international, randomised, phase 3 trial (CALGB/Alliance 140503). <i>Lancet Respiratory Medicine</i> , 2018, 6, 915-924. | 5.2 | 268 |
| 48 | Consequences of Refusing Surgery for Esophageal Cancer: A National Cancer Database Analysis. <i>Annals of Thoracic Surgery</i> , 2018, 106, 1476-1483. | 0.7 | 33 |
| 49 | Incidence and Prognostic Significance of Carcinoid Lymph Node Metastases. <i>Annals of Thoracic Surgery</i> , 2018, 106, 981-988. | 0.7 | 41 |
| 50 | Lung cancer patients have the highest malignancy-associated suicide rate in USA: a population-based analysis. <i>Ecancermedicalscience</i> , 2018, 12, 859. | 0.6 | 45 |
| 51 | The importance of lymph node dissection accompanying wedge resection for clinical stage IA lung cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2017, 51, ezw343. | 0.6 | 28 |
| 52 | Matrix Metalloproteinase 14 promotes lung cancer by cleavage of Heparin-Binding EGF-like Growth Factor. <i>Neoplasia</i> , 2017, 19, 55-64. | 2.3 | 45 |
| 53 | Robotic Thymectomy: Learning Curve and Associated Perioperative Outcomes. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2017, 27, 685-690. | 0.5 | 24 |
| 54 | Localizing small nodules: Is it time for a randomized trial?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2017, 153, 1591. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | The nuclear transport receptor Importin-11 is a tumor suppressor that maintains PTEN protein. <i>Journal of Cell Biology</i> , 2017, 216, 641-656. | 2.3 | 35 |
| 56 | Invited Commentary. <i>Annals of Thoracic Surgery</i> , 2017, 103, 421. | 0.7 | 0 |
| 57 | Biopsy first: Lessons learned from Cancer and Leukemia Group B (CALGB) 140503. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2017, 153, 1592-1597. | 0.4 | 64 |
| 58 | Video-Assisted Thoracoscopic Lobectomy Is the Preferred Approach Following Induction Chemotherapy. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2017, 27, 495-500. | 0.5 | 33 |
| 59 | Robotic Thymectomy Is Feasible for Large Thymomas: A Propensity-Matched Comparison. <i>Annals of Thoracic Surgery</i> , 2017, 104, 1673-1678. | 0.7 | 46 |
| 60 | Fischer et al. reply. <i>Nature</i> , 2017, 547, E5-E6. | 13.7 | 21 |
| 61 | Phase I Study of Epigenetic Priming with Azacitidine Prior to Standard Neoadjuvant Chemotherapy for Patients with Resectable Gastric and Esophageal Adenocarcinoma: Evidence of Tumor Hypomethylation as an Indicator of Major Histopathologic Response. <i>Clinical Cancer Research</i> , 2017, 23, 2673-2680. | 3.2 | 49 |
| 62 | What is the role of neoadjuvant chemotherapy, radiation, and adjuvant treatment in resectable esophageal cancer?. <i>Annals of Cardiothoracic Surgery</i> , 2017, 6, 167-174. | 0.6 | 23 |
| 63 | Distinct Akt phosphorylation states are required for insulin regulated Glut4 and Glut1-mediated glucose uptake. <i>ELife</i> , 2017, 6, . | 2.8 | 121 |
| 64 | The NeoRes trial: questioning the benefit of radiation therapy as part of neoadjuvant therapy for esophageal adenocarcinoma. <i>Journal of Thoracic Disease</i> , 2017, 9, 3465-3468. | 0.6 | 4 |
| 65 | A phase III trial to compare atezolizumab (atezo) vs best supportive care (BSC) following adjuvant chemotherapy in patients (pts) with completely resected NSCLC: IMpower010.. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS8576-TPS8576. | 0.8 | 4 |
| 66 | Adenovirus Protein E4-ORF1 Activation of PI3 Kinase Reveals Differential Regulation of Downstream Effector Pathways in Adipocytes. <i>Cell Reports</i> , 2016, 17, 3305-3318. | 2.9 | 13 |
| 67 | Variability in length of stay after uncomplicated pulmonary lobectomy: is length of stay a quality metric or a patient metric?. <i>European Journal of Cardio-thoracic Surgery</i> , 2016, 49, e65-e71. | 0.6 | 42 |
| 68 | Incidence and implications of postoperative supraventricular tachycardia after pulmonary lobectomy. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 151, 982-989. | 0.4 | 21 |
| 69 | Efficacy of the MAGE-A3 cancer immunotherapeutic as adjuvant therapy in patients with resected MAGE-A3-positive non-small-cell lung cancer (MAGRIT): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2016, 17, 822-835. | 5.1 | 390 |
| 70 | Surgery is the Optimum Local Therapeutic Modality for Second Primary Lung Cancer. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2016, 28, 201-202. | 0.4 | 0 |
| 71 | Predictors of Pleural Implants in Patients With Thymic Tumors. <i>Annals of Thoracic Surgery</i> , 2016, 102, 1647-1652. | 0.7 | 7 |
| 72 | Anatomical Segmentectomy and Wedge Resections Are Associated with Comparable Outcomes for Patients with Small cT1N0 Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2016, 11, 1984-1992. | 0.5 | 108 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Screening for Lung Cancer. <i>Surgical Oncology Clinics of North America</i> , 2016, 25, 469-479. | 0.6 | 13 |
| 74 | Lobectomy for Non-Small Cell Lung Cancer by Video-Assisted Thoracic Surgery: Effects of Cumulative Institutional Experience on Adequacy of Lymphadenectomy. <i>Annals of Thoracic Surgery</i> , 2016, 101, 1116-1122. | 0.7 | 47 |
| 75 | Locally advanced esophageal cancer: What becomes of 5-year survivors?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 151, 726-732. | 0.4 | 18 |
| 76 | Video-Assisted Thoracoscopic Surgery Is a Safe and Effective Alternative to Thoracotomy for Anatomical Segmentectomy in Patients With Clinical Stage I Non-Small Cell Lung Cancer. <i>Annals of Thoracic Surgery</i> , 2016, 101, 465-472. | 0.7 | 85 |
| 77 | Preoperative Chemoradiation Therapy Versus Chemotherapy in Patients Undergoing Modified En Bloc Esophagectomy for Locally Advanced Esophageal Adenocarcinoma: Is Radiotherapy Beneficial?. <i>Annals of Thoracic Surgery</i> , 2016, 101, 1262-1270. | 0.7 | 33 |
| 78 | The Microenvironment of Lung Cancer and Therapeutic Implications. <i>Advances in Experimental Medicine and Biology</i> , 2016, 890, 75-110. | 0.8 | 96 |
| 79 | Incidence and Factors Associated With Hospital Readmission After Pulmonary Lobectomy. <i>Annals of Thoracic Surgery</i> , 2016, 101, 434-443. | 0.7 | 28 |
| 80 | Predictors of Disease-free Survival and Recurrence in Patients with Resected Bronchial Carcinoid Tumors. <i>Thoracic and Cardiovascular Surgeon</i> , 2016, 64, 159-165. | 0.4 | 14 |
| 81 | Expression of the receptor for hyaluronic acid mediated motility (RHAMM) is associated with poor prognosis and metastasis in non-small cell lung carcinoma. <i>Oncotarget</i> , 2016, 7, 39957-39969. | 0.8 | 49 |
| 82 | Identification of Reprogrammed Myeloid Cell Transcriptomes in NSCLC. <i>PLoS ONE</i> , 2015, 10, e0129123. | 1.1 | 17 |
| 83 | Sternal Resections: New Materials for Reconstruction. <i>Current Surgery Reports</i> , 2015, 3, 1. | 0.4 | 7 |
| 84 | Lung inflammation promotes metastasis through neutrophil protease-mediated degradation of Tsp-1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 16000-16005. | 3.3 | 168 |
| 85 | Clinical predictors of early cancer-related mortality following neoadjuvant therapy and oesophagectomy. <i>European Journal of Cardio-thoracic Surgery</i> , 2015, 48, 455-460. | 0.6 | 19 |
| 86 | Transcriptome Analysis of Individual Stromal Cell Populations Identifies Stroma-Tumor Crosstalk in Mouse Lung Cancer Model. <i>Cell Reports</i> , 2015, 10, 1187-1201. | 2.9 | 137 |
| 87 | Computed Tomography Screening. <i>Thoracic Surgery Clinics</i> , 2015, 25, 129-143. | 0.4 | 11 |
| 88 | Perioperative Outcomes after Lung Resection in Obese Patients. <i>Thoracic and Cardiovascular Surgeon</i> , 2015, 63, 544-550. | 0.4 | 9 |
| 89 | Reply. <i>Annals of Thoracic Surgery</i> , 2015, 99, 1865-1866. | 0.7 | 2 |
| 90 | Invited Commentary. <i>Annals of Thoracic Surgery</i> , 2015, 100, 286-287. | 0.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Invited Commentary. Annals of Thoracic Surgery, 2015, 99, 1893. | 0.7 | 0 |
| 92 | Epithelial-to-mesenchymal transition is not required for lung metastasis but contributes to chemoresistance. Nature, 2015, 527, 472-476. | 13.7 | 1,498 |
| 93 | Characteristics and outcomes of secondary nodules identified on initial computed tomography scan for patients undergoing resection for primary non-small cell lung cancer. Journal of Thoracic and Cardiovascular Surgery, 2015, 149, 19-24. | 0.4 | 19 |
| 94 | Outcomes in the management of esophageal cancer. Journal of Surgical Oncology, 2014, 110, 599-610. | 0.8 | 68 |
| 95 | The International Association Study Lung Cancer (IASLC) Strategic Screening Advisory Committee (SSAC) Response to the USPSTF Recommendations. Journal of Thoracic Oncology, 2014, 9, 141-143. | 0.5 | 23 |
| 96 | Balancing curability and unnecessary surgery in the context of computed tomography screening for lung cancer. Journal of Thoracic and Cardiovascular Surgery, 2014, 147, 1619-1626. | 0.4 | 56 |
| 97 | The Society of Thoracic Surgeons Practice Guidelines on the Role of Multimodality Treatment for Cancer of the Esophagus and Gastroesophageal Junction. Annals of Thoracic Surgery, 2014, 98, 1880-1885. | 0.7 | 54 |
| 98 | A Propensity-Matched Analysis of Wedge Resection and Stereotactic Body Radiotherapy for Early Stage Lung Cancer. Annals of Thoracic Surgery, 2014, 98, 1152-1159. | 0.7 | 47 |
| 99 | Surgical Lung Biopsy in Adult Respiratory Distress Syndrome: A Meta-Analysis. Annals of Thoracic Surgery, 2014, 98, 1254-1260. | 0.7 | 46 |
| 100 | Invited Commentary. Annals of Thoracic Surgery, 2014, 97, 288-289. | 0.7 | 0 |
| 101 | Sublobar resection is equivalent to lobectomy for clinical stage 1A lung cancer in solid nodules. Journal of Thoracic and Cardiovascular Surgery, 2014, 147, 754-764. | 0.4 | 287 |
| 102 | Invited Commentary. Annals of Thoracic Surgery, 2014, 97, 1981-1982. | 0.7 | 0 |
| 103 | Implementing lung cancer screening: a checklist. Lung Cancer Management, 2014, 3, 1-4. | 1.5 | 4 |
| 104 | Oesophageal Procedures. , 2014, , 193-201. | | 0 |
| 105 | Ratio of Positron Emission Tomography Uptake to Tumor Size in Surgically Resected Non-small Cell Lung Cancer. Annals of Thoracic Surgery, 2013, 95, 397-404. | 0.7 | 27 |
| 106 | Invited Commentary. Annals of Thoracic Surgery, 2013, 96, 1941-1942. | 0.7 | 0 |
| 107 | Invited Commentary. Annals of Thoracic Surgery, 2013, 96, 1195. | 0.7 | 0 |
| 108 | Long-Term Survival After Lobectomy for Non-Small Cell Lung Cancer by Video-Assisted Thoracic Surgery Versus Thoracotomy. Annals of Thoracic Surgery, 2013, 96, 951-961. | 0.7 | 130 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Outcomes after lobectomy using thoracoscopy vs thoracotomy: a comparative effectiveness analysis utilizing the Nationwide Inpatient Sample database. <i>European Journal of Cardio-thoracic Surgery</i> , 2013, 43, 813-817. | 0.6 | 198 |
| 110 | Thymic carcinoma: A cohort study of prognostic factors after surgical resection from the European Society of Thoracic Surgeons database.. <i>Journal of Clinical Oncology</i> , 2013, 31, 7602-7602. | 0.8 | 0 |
| 111 | Worldwide Oesophageal Cancer Collaboration guidelines for lymphadenectomy predict survival following neoadjuvant therapy. <i>European Journal of Cardio-thoracic Surgery</i> , 2012, 42, 659-664. | 0.6 | 49 |
| 112 | Definitive Therapy for Isolated Esophageal Metastases Prolongs Survival. <i>Annals of Thoracic Surgery</i> , 2012, 94, 413-420. | 0.7 | 10 |
| 113 | Preoperative Taxane-Based Chemotherapy and Celecoxib for Carcinoma of the Esophagus and Gastroesophageal Junction: Results of a Phase 2 Trial. <i>Journal of Thoracic Oncology</i> , 2011, 6, 1121-1127. | 0.5 | 21 |
| 114 | Predictors of recurrence and disease-free survival in patients with completely resected esophageal carcinoma. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2011, 141, 1196-1206. | 0.4 | 50 |
| 115 | Clinical T2-T3N0M0 Esophageal Cancer: The Risk of Node Positive Disease. <i>Annals of Thoracic Surgery</i> , 2011, 92, 491-498. | 0.7 | 83 |
| 116 | Lobectomy in Octogenarians With Non-Small Cell Lung Cancer: Ramifications of Increasing Life Expectancy and the Benefits of Minimally Invasive Surgery. <i>Annals of Thoracic Surgery</i> , 2011, 92, 1951-1957. | 0.7 | 101 |
| 117 | Analysis of Spontaneous Vs. Vaccine-Induced Antibody Responses Against Cancer-Testis Antigen MAGE-A3 in Cancer Patients. <i>Blood</i> , 2011, 118, 5087-5087. | 0.6 | 0 |
| 118 | Thoracoscopic lobectomy is associated with lower morbidity than open lobectomy: A propensity-matched analysis from the STS database. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010, 139, 366-378. | 0.4 | 721 |
| 119 | Predictors of survival in patients with persistent nodal metastases after preoperative chemotherapy for esophageal cancer. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010, 139, 387-394. | 0.4 | 23 |
| 120 | Predictors of Cervical and Recurrent Laryngeal Lymph Node Metastases From Esophageal Cancer. <i>Annals of Thoracic Surgery</i> , 2010, 90, 1805-1811. | 0.7 | 25 |
| 121 | Phase II Proof-of-Concept Study of Pazopanib Monotherapy in Treatment-Naive Patients With Stage I/II Resectable Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2010, 28, 3131-3137. | 0.8 | 136 |
| 122 | Kaplan et al. reply. <i>Nature</i> , 2009, 461, E5-E5. | 13.7 | 2 |
| 123 | Invited Commentary. <i>Annals of Thoracic Surgery</i> , 2009, 87, 1065. | 0.7 | 0 |
| 124 | Predictors of Long-Term Survival After Resection of Esophageal Carcinoma With Nonregional Nodal Metastases. <i>Annals of Thoracic Surgery</i> , 2009, 88, 186-193. | 0.7 | 46 |
| 125 | Total Number of Resected Lymph Nodes Predicts Survival in Esophageal Cancer. <i>Annals of Surgery</i> , 2008, 248, 221-226. | 2.1 | 242 |
| 126 | Multifocal Neoplasia and Nodal Metastases in T1 Esophageal Carcinoma. <i>Annals of Surgery</i> , 2008, 247, 434-439. | 2.1 | 81 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Predicting Systemic Disease in Patients With Esophageal Cancer After Esophagectomy. <i>Annals of Surgery</i> , 2008, 248, 979-985. | 2.1 | 279 |
| 128 | PRIMARY SURGERY FOR ADENOCARCINOMA OF THE ESOPHAGUS. , 2008, , 486-491. | | 0 |
| 129 | THREE-FIELD LYMPH NODE DISSECTION FOR CANCER OF THE ESOPHAGUS. , 2008, , 608-612. | | 0 |
| 130 | Lymph Node Dissection for Carcinoma of the Esophagus. , 2007, , 225-233. | | 1 |
| 131 | Downstaging of T or N Predicts Long-Term Survival After Preoperative Chemotherapy and Radical Resection for Esophageal Carcinoma. <i>Annals of Thoracic Surgery</i> , 2006, 82, 480-485. | 0.7 | 46 |
| 132 | Chemotherapy Induces the Expression of Cyclooxygenase-2 in Non-“Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2005, 11, 4191-4197. | 3.2 | 64 |
| 133 | Bronchioloalveolar Carcinoma in Small Pulmonary Nodules: Clinical Relevance. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2005, 17, 123-127. | 0.4 | 7 |
| 134 | En-bloc Esophagectomy-“The Three-Field Dissection. <i>Surgical Clinics of North America</i> , 2005, 85, 611-619. | 0.5 | 29 |
| 135 | Bronchioloalveolar Carcinoma and Ground Glass Opacities. <i>Annals of Thoracic Surgery</i> , 2005, 80, 1560-1561. | 0.7 | 3 |
| 136 | Imaging for Esophageal Tumors. <i>Radiologic Clinics of North America</i> , 2005, 43, 611-619. | 0.9 | 1 |
| 137 | COX-2 inhibition in upper aerodigestive tract tumors. <i>Seminars in Oncology</i> , 2004, 31, 30-35. | 0.8 | 66 |
| 138 | Imaging for esophageal tumors. <i>Thoracic Surgery Clinics</i> , 2004, 14, 61-69. | 0.4 | 30 |
| 139 | COX-2: a target for prevention and treatment of esophageal cancer. <i>Journal of Surgical Research</i> , 2004, 117, 114-120. | 0.8 | 26 |
| 140 | Surgical Resection for Lung Cancer in the Octogenarian. <i>Chest</i> , 2004, 126, 733-738. | 0.4 | 120 |
| 141 | Cyclooxygenase-2: A Target for the Prevention and Treatment of Cancers of the Upper Digestive Tract. , 2003, 37, 107-123. | | 3 |
| 142 | Three-Field Lymph Node Dissection for Squamous Cell and Adenocarcinoma of the Esophagus. <i>Annals of Surgery</i> , 2002, 236, 177-183. | 2.1 | 377 |
| 143 | Diagnosis and management of early lung cancer. <i>Surgical Clinics of North America</i> , 2002, 82, 457-476. | 0.5 | 7 |
| 144 | Duodenal reflux induces cyclooxygenase-2 in the esophageal mucosa of rats: Evidence for involvement of bile acids. <i>Gastroenterology</i> , 2001, 121, 1391-1399. | 0.6 | 134 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Cyclo-oxygenase 2: a pharmacological target for the prevention of cancer. <i>Lancet Oncology</i> , The, 2001, 2, 544-551. | 5.1 | 481 |
| 146 | Should En Bloc Esophagectomy Be the Standard of Care for Esophageal Carcinoma?. <i>Annals of Surgery</i> , 2001, 234, 581-587. | 2.1 | 199 |
| 147 | Early Lung Cancer Action Project. <i>Cancer</i> , 2001, 92, 153-159. | 2.0 | 450 |
| 148 | Immunohistochemical analysis of NY-ESO-1 antigen expression in normal and malignant human tissues. <i>International Journal of Cancer</i> , 2001, 92, 856-860. | 2.3 | 310 |
| 149 | Early Lung Cancer Action Project. <i>Annals of the New York Academy of Sciences</i> , 2001, 952, 124-134. | 1.8 | 47 |
| 150 | Early Lung Cancer Action Project: A Summary of the Findings on Baseline Screening. <i>Oncologist</i> , 2001, 6, 147-152. | 1.9 | 127 |
| 151 | The Rationale for Radical Resection. <i>Surgical Oncology Clinics of North America</i> , 1999, 8, 295-305. | 0.6 | 14 |
| 152 | Inhibition of Cyclooxygenase-2 Gene Expression by p53. <i>Journal of Biological Chemistry</i> , 1999, 274, 10911-10915. | 1.6 | 293 |
| 153 | Early Lung Cancer Action Project: overall design and findings from baseline screening. <i>Lancet</i> , The, 1999, 354, 99-105. | 6.3 | 2,359 |
| 154 | Dihydroxy Bile Acids Activate the Transcription of Cyclooxygenase-2. <i>Journal of Biological Chemistry</i> , 1998, 273, 2424-2428. | 1.6 | 178 |
| 155 | En bloc esophagectomy improves survival for stage III esophageal cancer. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1997, 114, 948-956. | 0.4 | 142 |
| 156 | Occult cervical nodal metastasis in esophageal cancer: Preliminary results of three-field lymphadenectomy. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1997, 113, 540-544. | 0.4 | 139 |
| 157 | The mutational status of p53 protein in gastric and esophageal adenocarcinoma cell lines predicts sensitivity to chemotherapeutic agents. <i>International Journal of Cancer</i> , 1995, 64, 37-46. | 2.3 | 86 |
| 158 | Defining the invasive phenotype of proximal gastric cancer cells. <i>Cancer</i> , 1994, 73, 22-27. | 2.0 | 32 |
| 159 | Characterization of cell lines established from human gastric-esophageal adenocarcinomas: Biologic phenotype and invasion potential. <i>Cancer</i> , 1993, 72, 649-657. | 2.0 | 49 |
| 160 | Signal transduction in tumor angiogenesis. , 0, , 861-871. | | 0 |