

Bo Tang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9645184/publications.pdf>

Version: 2024-02-01

32
papers

1,147
citations

361413

20
h-index

395702

33
g-index

35
all docs

35
docs citations

35
times ranked

2120
citing authors

#	ARTICLE	IF	CITATIONS
1	Upregulation of Akt/NF- κ B-regulated inflammation and Akt/Bad-related apoptosis signaling pathway involved in hepatic carcinoma process: suppression by carnosic acid nanoparticle. <i>International Journal of Nanomedicine</i> , 2016, Volume 11, 6401-6420.	6.7	86
2	Aberrant JMJD3 Expression Upregulates Slug to Promote Migration, Invasion, and Stem Cell-Like Behaviors in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2016, 76, 6520-6532.	0.9	81
3	Isoquercitrin inhibits the progression of liver cancer in vivo and in vitro via the MAPK signalling pathway. <i>Oncology Reports</i> , 2014, 31, 2377-2384.	2.6	70
4	MicroRNA-506 suppresses tumor proliferation and metastasis in colon cancer by directly targeting the oncogene EZH2. <i>Oncotarget</i> , 2015, 6, 32586-32601.	1.8	66
5	JARID1B promotes metastasis and epithelial-mesenchymal transition via PTEN/AKT signaling in hepatocellular carcinoma cells. <i>Oncotarget</i> , 2015, 6, 12723-12739.	1.8	62
6	Isoquercitrin inhibits the progression of pancreatic cancer in vivo and in vitro by regulating opioid receptors and the mitogen-activated protein kinase signalling pathway. <i>Oncology Reports</i> , 2015, 33, 840-848.	2.6	61
7	MicroRNA-1908 functions as a glioblastoma oncogene by suppressing PTEN tumor suppressor pathway. <i>Molecular Cancer</i> , 2015, 14, 154.	19.2	51
8	MicroRNA-155-3p promotes hepatocellular carcinoma formation by suppressing FBXW7 expression. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 93.	8.6	51
9	Overexpression of CTNND1 in hepatocellular carcinoma promotes carcinous characters through activation of Wnt/ β -catenin signaling. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 82.	8.6	51
10	High USP22 expression indicates poor prognosis in hepatocellular carcinoma. <i>Oncotarget</i> , 2015, 6, 12654-12667.	1.8	49
11	Clinicopathological Significance of CDKN2A Promoter Hypermethylation Frequency with Pancreatic Cancer. <i>Scientific Reports</i> , 2015, 5, 13563.	3.3	48
12	microRNA-874 suppresses tumor proliferation and metastasis in hepatocellular carcinoma by targeting the DOR/EGFR/ERK pathway. <i>Cell Death and Disease</i> , 2018, 9, 130.	6.3	43
13	Expression of USP22 and Survivin is an indicator of malignant behavior in hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2015, 47, 2208-2216.	3.3	33
14	Upregulation of the μ opioid receptor in liver cancer promotes liver cancer progression both in vitro and in vivo. <i>International Journal of Oncology</i> , 2013, 43, 1281-1290.	3.3	30
15	Activation of Glioma Cells Generates Immune Tolerant NKT Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 34595-34600.	3.4	28
16	Aberrant Upregulation of 14-3-3 β and EZH2 Expression Serves as an Inferior Prognostic Biomarker for Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2014, 9, e107251.	2.5	27
17	MicroRNA-155 deficiency attenuates ischemia-reperfusion injury after liver transplantation in mice. <i>Transplant International</i> , 2015, 28, 751-760.	1.6	26
18	Heat shock factor 1 inhibits the mitochondrial apoptosis pathway by regulating second mitochondria-derived activator of caspase to promote pancreatic tumorigenesis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017, 36, 64.	8.6	25

#	ARTICLE	IF	CITATIONS
19	Relationship Between Female Hormonal and Menstrual Factors and Pancreatic Cancer. <i>Medicine (United States)</i> , 2015, 94, e177.	1.0	23
20	The relationship between the expression of USP22, BMI1, and EZH2 in hepatocellular carcinoma and their impacts on prognosis. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 6987-6998.	2.0	23
21	EZH2 elevates the proliferation of human cholangiocarcinoma cells through the downregulation of RUNX3. <i>Medical Oncology</i> , 2014, 31, 271.	2.5	21
22	Silencing the EZH2 gene by RNA interference reverses the drug resistance of human hepatic multidrug-resistant cancer cells to 5-Fu. <i>Life Sciences</i> , 2013, 92, 896-902.	4.3	20
23	Inhibition of tribbles protein-1 attenuates radioresistance in human glioma cells. <i>Scientific Reports</i> , 2015, 5, 15961.	3.3	20
24	Mechanisms of Gefitinib-mediated reversal of tamoxifen resistance in MCF-7 breast cancer cells by inducing ER α re-expression. <i>Scientific Reports</i> , 2015, 5, 7835.	3.3	19
25	MicroRNA-644a promotes apoptosis of hepatocellular carcinoma cells by downregulating the expression of heat shock factor 1. <i>Cell Communication and Signaling</i> , 2018, 16, 30.	6.5	19
26	Activated μ -opioid receptors inhibit hydrogen peroxide-induced apoptosis in liver cancer cells through the PKC/ERK signaling pathway. <i>Molecular Medicine Reports</i> , 2014, 10, 839-847.	2.4	18
27	Poly(β -glutamic acid)-coated lipoplexes loaded with Doxorubicin for enhancing the antitumor activity against liver tumors. <i>Nanoscale Research Letters</i> , 2017, 12, 361.	5.7	14
28	Clinicopathological Significance of CXCR4 Expression in Renal Cell Carcinoma: A Meta-Analysis. <i>Annals of Surgical Oncology</i> , 2015, 22, 1026-1031.	1.5	13
29	The mechanism underlying alpinetin-mediated alleviation of pancreatitis-associated lung injury through upregulating aquaporin-1. <i>Drug Design, Development and Therapy</i> , 2016, 10, 841.	4.3	13
30	Protection of rat intestinal epithelial cells from ischemia/reperfusion injury by (D-Ala ₂) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td (D-L 2015, 12, 4079-4088.	2.4	9
31	Operative ubiquitin-specific protease 22 deubiquitination confers a more invasive phenotype to cholangiocarcinoma. <i>Cell Death and Disease</i> , 2021, 12, 678.	6.3	5
32	Downregulation of μ opioid receptor by RNA interference enhances the sensitivity of BEL/FU drug-resistant human hepatocellular carcinoma cells to 5-FU. <i>Molecular Medicine Reports</i> , 2016, 13, 59-66.	2.4	3