Bo Tang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9645184/publications.pdf Version: 2024-02-01



RO TANC

#	Article	IF	CITATIONS
1	Operative ubiquitin-specific protease 22 deubiquitination confers a more invasive phenotype to cholangiocarcinoma. Cell Death and Disease, 2021, 12, 678.	6.3	5
2	microRNA-874 suppresses tumor proliferation and metastasis in hepatocellular carcinoma by targeting the DOR/EGFR/ERK pathway. Cell Death and Disease, 2018, 9, 130.	6.3	43
3	MicroRNA-644a promotes apoptosis of hepatocellular carcinoma cells by downregulating the expression of heat shock factor 1. Cell Communication and Signaling, 2018, 16, 30.	6.5	19
4	Poly(γ-glutamic acid)-coated lipoplexes loaded with Doxorubicin for enhancing the antitumor activity against liver tumors. Nanoscale Research Letters, 2017, 12, 361.	5.7	14
5	Heat shock factor 1 inhibits the mitochondrial apoptosis pathway by regulating second mitochondria-derived activator of caspase to promote pancreatic tumorigenesis. Journal of Experimental and Clinical Cancer Research, 2017, 36, 64.	8.6	25
6	The relationship between the expression of USP22, BMI1, and EZH2 in hepatocellular carcinoma and their impacts on prognosis. OncoTargets and Therapy, 2016, Volume 9, 6987-6998.	2.0	23
7	The mechanism underlying alpinetin-mediated alleviation of pancreatitis-associated lung injury through upregulating aquaporin-1. Drug Design, Development and Therapy, 2016, 10, 841.	4.3	13
8	MicroRNA-155-3p promotes hepatocellular carcinoma formation by suppressing FBXW7 expression. Journal of Experimental and Clinical Cancer Research, 2016, 35, 93.	8.6	51
9	Upregulation of Akt/NF-κB-regulated inflammation and Akt/Bad-related apoptosis signaling pathway involved in hepatic carcinoma process: suppression by carnosic acid nanoparticle. International Journal of Nanomedicine, 2016, Volume 11, 6401-6420.	6.7	86
10	Overexpression of CTNND1 in hepatocellular carcinoma promotes carcinous characters through activation of Wnt/β-catenin signaling. Journal of Experimental and Clinical Cancer Research, 2016, 35, 82.	8.6	51
11	Aberrant JMJD3 Expression Upregulates Slug to Promote Migration, Invasion, and Stem Cell–Like Behaviors in Hepatocellular Carcinoma. Cancer Research, 2016, 76, 6520-6532.	0.9	81
12	Downregulation of δopioid receptor by RNA interference enhances the sensitivity of BEL/FU drug-resistant human hepatocellular carcinoma cells to 5-FU. Molecular Medicine Reports, 2016, 13, 59-66.	2.4	3
13	Protection of rat intestinal epithelial cells from ischemia/reperfusion injury by (D-Ala2,) Tj ETQq1 1 0.784314 rgBT 2015, 12, 4079-4088.	/Overlock 2.4	10 Tf 50 26 9
14	MicroRNA-155 deficiency attenuates ischemia-reperfusion injury after liver transplantation in mice. Transplant International, 2015, 28, 751-760.	1.6	26
15	Clinicopathological Significance of CDKN2A Promoter Hypermethylation Frequency with Pancreatic Cancer. Scientific Reports, 2015, 5, 13563.	3.3	48
16	Inhibition of tribbles protein-1 attenuates radioresistance in human glioma cells. Scientific Reports, 2015, 5, 15961.	3.3	20
17	High USP22 expression indicates poor prognosis in hepatocellular carcinoma. Oncotarget, 2015, 6, 12654-12667.	1.8	49
18	Expression of USP22 and Survivin is an indicator of malignant behavior in hepatocellular carcinoma. International Journal of Oncology, 2015, 47, 2208-2216.	3.3	33

Bo Tang

#	Article	IF	CITATIONS
19	lsoquercitrin inhibits the progression of pancreatic cancer in vivo and in vitro by regulating opioid receptors and the mitogen-activated protein kinase signalling pathway. Oncology Reports, 2015, 33, 840-848.	2.6	61
20	Mechanisms of Gefitinib-mediated reversal of tamoxifen resistance in MCF-7 breast cancer cells by inducing ERα re-expression. Scientific Reports, 2015, 5, 7835.	3.3	19
21	Relationship Between Female Hormonal and Menstrual Factors and Pancreatic Cancer. Medicine (United States), 2015, 94, e177.	1.0	23
22	MicroRNA-1908 functions as a glioblastoma oncogene by suppressing PTEN tumor suppressor pathway. Molecular Cancer, 2015, 14, 154.	19.2	51
23	Clinicopathological Significance of CXCR4 Expression in Renal Cell Carcinoma: A Meta-Analysis. Annals of Surgical Oncology, 2015, 22, 1026-1031.	1.5	13
24	JARID1B promotes metastasis and epithelial-mesenchymal transition via PTEN/AKT signaling in hepatocellular carcinoma cells. Oncotarget, 2015, 6, 12723-12739.	1.8	62
25	MicroRNA-506 suppresses tumor proliferation and metastasis in colon cancer by directly targeting the oncogene EZH2. Oncotarget, 2015, 6, 32586-32601.	1.8	66
26	Aberrant Upregulation of 14-3-3σ and EZH2 Expression Serves as an Inferior Prognostic Biomarker for Hepatocellular Carcinoma. PLoS ONE, 2014, 9, e107251.	2.5	27
27	Activation of Glioma Cells Generates Immune Tolerant NKT Cells. Journal of Biological Chemistry, 2014, 289, 34595-34600.	3.4	28
28	EZH2 elevates the proliferation of human cholangiocarcinoma cells through the downregulation of RUNX3. Medical Oncology, 2014, 31, 271.	2.5	21
29	Activated Î ⁻ opioid receptors inhibit hydrogen peroxide-induced apoptosis in liver cancer cells through the PKC/ERK signaling pathway. Molecular Medicine Reports, 2014, 10, 839-847.	2.4	18
30	lsoquercitrin inhibits the progression of liver cancer in vivo and in vitro via the MAPK signalling pathway. Oncology Reports, 2014, 31, 2377-2384.	2.6	70
31	Silencing the EZH2 gene by RNA interference reverses the drug resistance of human hepatic multidrug-resistant cancer cells to 5-Fu. Life Sciences, 2013, 92, 896-902.	4.3	20
32	Upregulation of the δ opioid receptor in liver cancer promotes liver cancer progression both in vitro and in vivo. International Journal of Oncology, 2013, 43, 1281-1290.	3.3	30