
Yanjie Huang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9652364/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Diagnostic efficacy and influence factors of urinary protein/creatinine ratio replacing 24-h urine protein as an evaluator of proteinuria in children. International Urology and Nephrology, 2022, 54, 1409-1416.	1.4	2
2	Oleic acid alleviates LPS-induced acute kidney injury by restraining inflammation and oxidative stress via the Ras/MAPKs/PPAR-γ signaling pathway. Phytomedicine, 2022, 94, 153818.	5.3	34
3	Renal Expression of CLC-5 and Megalin/Cubilin in Dent-1 Disease With Nonsense Mutations of <i>CLCN5</i> Gene. Pediatric and Developmental Pathology, 2022, 25, 397-403.	1.0	2
4	Extract of Corallodiscus flabellata attenuates renal fibrosis in SAMP8 mice via the Wnt/β-catenin/RAS signaling pathway. BMC Complementary Medicine and Therapies, 2022, 22, 52.	2.7	6
5	Annexin <scp>A2</scp> : The diversity of pathological effects in tumorigenesis and immune response. International Journal of Cancer, 2022, 151, 497-509.	5.1	15
6	Arbutin attenuates LPS-induced acute kidney injury by inhibiting inflammation and apoptosis via the PI3K/Akt/Nrf2 pathway. Phytomedicine, 2021, 82, 153466.	5.3	54
7	Targeting Enrichment and Correlation Studies of Glutathione and Homocysteine in IgAVN Patient Urine Based on a Core–Shell Zr-Based Metal–Organic Framework. ACS Applied Materials & Interfaces, 2021, 13, 40070-40078.	8.0	9
8	Correlation of urine protein/creatinine ratios to 24-h urinary protein for quantitating proteinuria in children. Pediatric Nephrology, 2020, 35, 463-468.	1.7	18
9	Simultaneous extraction of diverse organic pollutants from environmental water using a magnetic covalent organic framework composite. Analytica Chimica Acta, 2020, 1140, 132-144.	5.4	45
10	Could urinary ACE2 protein level help identify individuals susceptible to SARS-CoV-2 infection and complication?. Science China Life Sciences, 2020, 63, 1766-1767.	4.9	4
11	Magnetic mesoporous polyimide composite for efficient extraction of Rhodamine B in food samples. Journal of Separation Science, 2019, 42, 2023-2031.	2.5	16
12	Urinary metal and metalloid biomarker study of Henoch-Schonlein purpura nephritis using inductively coupled plasma orthogonal acceleration time-of-flight mass spectrometry. Talanta, 2018, 178, 728-735.	5.5	7
13	Selective removal of IgG from the urine of patients with proteinuria using a polymer coated core–shell magnetic nanoparticle. RSC Advances, 2016, 6, 107732-107738.	3.6	4
14	On-cartridge derivatisation using a calixarene solid-phase extraction sorbent for facile, sensitive and fast determination of formaldehyde in beer. Food Chemistry, 2016, 211, 314-319.	8.2	20