
Cyriel Y Ponsioen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9654928/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Findings From a Randomized Controlled Trial of Fecal Transplantation for Patients With Ulcerative Colitis. Gastroenterology, 2015, 149, 110-118.e4.	0.6	769
2	Population-based epidemiology, malignancy risk, and outcome of primary sclerosing cholangitis. Hepatology, 2013, 58, 2045-2055.	3.6	519
3	Epidemiology of primary sclerosing cholangitis and primary biliary cirrhosis: A systematic review. Journal of Hepatology, 2012, 56, 1181-1188.	1.8	506
4	Levels of Alkaline Phosphatase and Bilirubin Are Surrogate End Points of Outcomes of Patients With Primary Biliary Cirrhosis: An International Follow-up Study. Gastroenterology, 2014, 147, 1338-1349.e5.	0.6	365
5	Patient Age, Sex, and Inflammatory Bowel Disease Phenotype Associate With Course of Primary Sclerosing Cholangitis. Gastroenterology, 2017, 152, 1975-1984.e8.	0.6	355
6	Loss of Infliximab Into Feces Is Associated With Lack of Response to Therapy in Patients With Severe Ulcerative Colitis. Gastroenterology, 2015, 149, 350-355.e2.	0.6	342
7	Development and Validation of a Scoring System to Predict Outcomes of Patients With Primary Biliary Cirrhosis Receiving Ursodeoxycholic Acid Therapy. Gastroenterology, 2015, 149, 1804-1812.e4.	0.6	330
8	The EASL–Lancet Liver Commission: protecting the next generation of Europeans against liver disease complications and premature mortality. Lancet, The, 2022, 399, 61-116.	6.3	257
9	Fecal microbiota transplantation as novel therapy in gastroenterology: A systematic review. World Journal of Gastroenterology, 2015, 21, 5359.	1.4	204
10	Primary sclerosing cholangitis is associated with a distinct phenotype of inflammatory bowel disease. Inflammatory Bowel Diseases, 2012, 18, 2270-2276.	0.9	202
11	Laparoscopic ileocaecal resection versus infliximab for terminal ileitis in Crohn's disease: a randomised controlled, open-label, multicentre trial. The Lancet Gastroenterology and Hepatology, 2017, 2, 785-792.	3.7	196
12	Systematic Review and Meta-analysis. Inflammatory Bowel Diseases, 2017, 23, 1702-1709.	0.9	174
13	Pharmacokinetic Features and Presence of Antidrug Antibodies Associate With Response to Infliximab Induction Therapy in Patients With Moderate to Severe Ulcerative Colitis. Clinical Gastroenterology and Hepatology, 2016, 14, 251-258.e2.	2.4	171
14	Serum immunoglobulin G4 and immunoglobulin G1 for distinguishing immunoglobulin G4â€associated cholangitis from primary sclerosing cholangitis. Hepatology, 2014, 59, 1954-1963.	3.6	158
15	Microbial shifts and signatures of long-term remission in ulcerative colitis after faecal microbiota transplantation. ISME Journal, 2017, 11, 1877-1889.	4.4	157
16	Role of endoscopy in primary sclerosing cholangitis: European Society of Gastrointestinal Endoscopy (ESGE) and European Association for the Study of the Liver (EASL) Clinical Guideline. Endoscopy, 2017, 49, 588-608.	1.0	154
17	Ursodeoxycholic acid therapy and liver transplant-free survival in patients with primary biliary cholangitis. Journal of Hepatology, 2019, 71, 357-365.	1.8	148
18	Surrogate endpoints for clinical trials in primary sclerosing cholangitis: Review and results from an International PSC Study Group consensus process. Hepatology, 2016, 63, 1357-1367.	3.6	133

#	Article	IF	CITATIONS
19	Prior Colorectal Neoplasia Is Associated With Increased Risk of Ileoanal Pouch Neoplasia in Patients With Inflammatory Bowel Disease. Gastroenterology, 2014, 146, 119-128.e1.	0.6	113
20	A Double-blind, Placebo-controlled, Randomized Study of Infliximab in Primary Sclerosing Cholangitis. Journal of Clinical Gastroenterology, 2008, 42, 522-526.	1.1	109
21	Enhanced liver fibrosis score predicts transplantâ€free survival in primary sclerosing cholangitis. Hepatology, 2015, 62, 188-197.	3.6	106
22	The Mucosa-associated Microbiota of PSC Patients is Characterized by Low Diversity and Low Abundance of Uncultured Clostridiales II. Journal of Crohn's and Colitis, 2015, 9, 342-348.	0.6	106
23	A novel prognostic model for transplant-free survival in primary sclerosing cholangitis. Gut, 2018, 67, 1864-1869.	6.1	81
24	Validation of the prognostic value of histologic scoring systems in primary sclerosing cholangitis: An international cohort study. Hepatology, 2017, 65, 907-919.	3.6	79
25	Laparoscopic ileocaecal resection versus infliximab for terminal ileitis in Crohn's disease: retrospective long-term follow-up of the LIR!C trial. The Lancet Gastroenterology and Hepatology, 2020, 5, 900-907.	3.7	75
26	Goals of Treatment for Improved Survival in Primary Biliary Cholangitis: Treatment Target Should Be Bilirubin Within the Normal Range and Normalization of Alkaline Phosphatase. American Journal of Gastroenterology, 2020, 115, 1066-1074.	0.2	74
27	Alkaline phosphatase at diagnosis of primary sclerosing cholangitis and 1 year later: evaluation of prognostic value. Liver International, 2016, 36, 1867-1875.	1.9	70
28	Adalimumab for Crohn's disease: Long-term sustained benefit in a population-based cohort of 438 patients. Journal of Crohn's and Colitis, 2014, 8, 866-875.	0.6	69
29	No Superiority of Stents vs Balloon Dilatation for Dominant Strictures in Patients With Primary Sclerosing Cholangitis. Gastroenterology, 2018, 155, 752-759.e5.	0.6	69
30	Major Hepatic Complications in Ursodeoxycholic Acid-Treated Patients With Primary Biliary Cholangitis: Risk Factors and Time Trends in Incidence and Outcome. American Journal of Gastroenterology, 2018, 113, 254-264.	0.2	64
31	Applicability and prognostic value of histologic scoring systems in primary sclerosing cholangitis. Journal of Hepatology, 2015, 63, 1212-1219.	1.8	56
32	Cost-effectiveness of laparoscopic ileocaecal resection versus infliximab treatment of terminal ileitis in Crohn's disease: the LIR!C Trial. Gut, 2019, 68, 1774-1780.	6.1	56
33	Safety and Feasibility of Using the Second-Generation Pillcam Colon Capsule to Assess Active Colonic Crohn's Disease. Clinical Gastroenterology and Hepatology, 2015, 13, 1480-1486.e3.	2.4	55
34	Milder disease stage in patients with primary biliary cholangitis over a 44â€year period: A changing natural history. Hepatology, 2018, 67, 1920-1930.	3.6	55
35	Enhanced liver fibrosis test predicts transplantâ€free survival in primary sclerosing cholangitis, a multiâ€centre study. Liver International, 2017, 37, 1554-1561.	1.9	54
36	Effects of Age and Sex of Response to Ursodeoxycholic Acid and Transplant-free Survival in Patients With Primary Biliary Cholangitis. Clinical Gastroenterology and Hepatology, 2019, 17, 2076-2084.e2.	2.4	54

#	Article	IF	CITATIONS
37	Effectiveness of cognitive–behavioral therapy on quality of life, anxiety, and depressive symptoms among patients with inflammatory bowel disease: A multicenter randomized controlled trial Journal of Consulting and Clinical Psychology, 2017, 85, 918-925.	1.6	53
38	Novel serum and bile protein markers predict primary sclerosing cholangitis disease severity and prognosis. Journal of Hepatology, 2017, 66, 1214-1222.	1.8	51
39	Burden of disease and increasing prevalence of inflammatory bowel disease in a population-based cohort in the Netherlands. European Journal of Gastroenterology and Hepatology, 2016, 28, 1065-1072.	0.8	47
40	Design and Endpoints for Clinical Trials in Primary Sclerosing Cholangitis. Hepatology, 2018, 68, 1174-1188.	3.6	42
41	Genetic association analysis identifies variants associated with disease progression in primary sclerosing cholangitis. Gut, 2018, 67, 1517-1524.	6.1	42
42	Genomic Characterization of Cholangiocarcinoma in Primary Sclerosing Cholangitis Reveals Therapeutic Opportunities. Hepatology, 2020, 72, 1253-1266.	3.6	42
43	Multimodal treatment of perianal fistulas in Crohn's disease: seton versus anti-TNF versus advancement plasty (PISA): study protocol for a randomized controlled trial. Trials, 2015, 16, 366.	0.7	40
44	The ACCURE-trial: the effect of appendectomy on the clinical course of ulcerative colitis, a randomised international multicenter trial (NTR2883) and the ACCURE-UK trial: a randomised external pilot trial (ISRCTN56523019). BMC Surgery, 2015, 15, 30.	0.6	40
45	A survey of infectious agents as risk factors for primary sclerosing cholangitis: are Chlamydia species involved?. European Journal of Gastroenterology and Hepatology, 2002, 14, 641-648.	0.8	37
46	Chromoendoscopy versus autofluorescence imaging for neoplasia detection in patients with longstanding ulcerative colitis (FIND-UC): an international, multicentre, randomised controlled trial. The Lancet Gastroenterology and Hepatology, 2018, 3, 305-316.	3.7	31
47	Intestinal fibrosis is associated with lack of response to Infliximab therapy in Crohn's disease. PLoS ONE, 2018, 13, e0190999.	1.1	30
48	Validation and Investigation of the Operating Characteristics of the Ulcerative Colitis Endoscopic Index of Severity. Inflammatory Bowel Diseases, 2019, 25, 937-944.	0.9	29
49	Comparison of MRI Activity Scoring Systems and Features for the Terminal lleum in Patients With Crohn Disease. American Journal of Roentgenology, 2019, 212, W25-W31.	1.0	29
50	Defining Primary Sclerosing Cholangitis: Results From an International Primary Sclerosing Cholangitis Study Group Consensus Process. Gastroenterology, 2021, 161, 1764-1775.e5.	0.6	28
51	Return to sender: Lymphocyte trafficking mechanisms as contributors to primary sclerosing cholangitis. Journal of Hepatology, 2019, 71, 603-615.	1.8	27
52	TNF-anti-TNF Immune Complexes Inhibit IL-12/IL-23 Secretion by Inflammatory Macrophages via an Fc-dependent Mechanism. Journal of Crohn's and Colitis, 2018, 12, 1122-1130.	0.6	25
53	Risk factors for primary sclerosing cholangitis. Liver International, 2016, 36, 84-91.	1.9	24
54	Relapse rates and predictors for relapse in a real-life cohort of IBD patients after discontinuation of anti-TNF therapy. Scandinavian Journal of Gastroenterology, 2019, 54, 281-288.	0.6	24

#	Article	IF	CITATIONS
55	Screening prior to biological therapy in Crohn's disease: Adherence to guidelines and prevalence of infections. Results from a multicentre retrospective study. Digestive and Liver Disease, 2014, 46, 881-886.	0.4	22
56	Increased cancer risk in a large population-based cohort of patients with primary biliary cirrhosis: follow-up for up to 36 years. Hepatology International, 2014, 8, 266-74.	1.9	22
57	Ustekinuma b for Crohn's Disease: Two-Year Results of the Initiative on Crohn and Colitis (ICC) Registry, a Nationwide Prospective Observational Cohort Study. Journal of Crohn's and Colitis, 2021, 15, 1920-1930.	0.6	22
58	Liver Impairment—The Potential Application of Volatile Organic Compounds in Hepatology. Metabolites, 2021, 11, 618.	1.3	19
59	Effects of Tumor Necrosis Factor Antagonists in Patients With Primary Sclerosing Cholangitis. Clinical Gastroenterology and Hepatology, 2020, 18, 2295-2304.e2.	2.4	18
60	Factors Associated With Progression and Outcomes of Early Stage Primary Biliary Cholangitis. Clinical Gastroenterology and Hepatology, 2020, 18, 684-692.e6.	2.4	17
61	Prolonged fibroblast growth factor 19 response in patients with primary sclerosing cholangitis after an oral chenodeoxycholic acid challenge. Hepatology International, 2017, 11, 132-140.	1.9	16
62	β-Blocker use is associated with a higher relapse risk of inflammatory bowel disease: a Dutch retrospective case–control study. European Journal of Gastroenterology and Hepatology, 2018, 30, 161-166.	0.8	16
63	MRI characteristics of proctitis in Crohn's disease on perianal MRI. Abdominal Radiology, 2016, 41, 1918-1930.	1.0	15
64	Semi-automatic bowel wall thickness measurements on MR enterography in patients with Crohn's disease. British Journal of Radiology, 2017, 90, 20160654.	1.0	14
65	Semiautomatic Assessment of the Terminal lleum and Colon in Patients with Crohn Disease Using MRI (the VIGOR++ Project). Academic Radiology, 2018, 25, 1038-1045.	1.3	14
66	Impaired Quality of Working Life in Inflammatory Bowel Disease Patients. Digestive Diseases and Sciences, 2021, 66, 2916-2924.	1.1	13
67	Diagnostic Accuracy of Endoscopic Trimodal Imaging and Chromoendoscopy for Lesion Characterization in Ulcerative Colitis. Journal of Crohn's and Colitis, 2018, 12, 1438-1447.	0.6	12
68	Genetic Abnormalities in Biliary Brush Samples for Distinguishing Cholangiocarcinoma from Benign Strictures in Primary Sclerosing Cholangitis. Gastroenterology Research and Practice, 2016, 2016, 1-9.	0.7	11
69	Characterization of gut-homing molecules in non-endstage livers of patients with primary sclerosing cholangitis and inflammatory bowel disease. Journal of Translational Autoimmunity, 2020, 3, 100054.	2.0	10
70	Recent insights in primary sclerosing cholangitis. Journal of Digestive Diseases, 2012, 13, 337-341.	0.7	9
71	Antibiotic Therapy of 3ÂDays May Be Sufficient After Biliary Drainage for Acute Cholangitis: A Systematic Review. Digestive Diseases and Sciences, 2021, 66, 4128-4139.	1.1	8
72	Methotrexate and Thioguanine Rescue Therapy for Conventional Thiopurine Failing Ulcerative Colitis Patients: A Multi-center Database Study on Tolerability and Effectiveness. Inflammatory Bowel Diseases, 2018, 24, 1558-1565.	0.9	7

#	Article	IF	CITATIONS
73	Collagen proportionate area correlates with histological stage and predicts clinical events in primary sclerosing cholangitis. Liver International, 2021, 41, 2681-2692.	1.9	7
74	Fecal Filobasidium Is Associated with Clinical Remission and Endoscopic Response following Fecal Microbiota Transplantation in Mild-to-Moderate Ulcerative Colitis. Microorganisms, 2022, 10, 737.	1.6	7
75	Symptom patterns in the daily life of <scp>PSC</scp> patients. Liver International, 2022, 42, 1562-1570.	1.9	7
76	The Simple Cholestatic Complaints Score is a valid and quick patientâ€reported outcome measure in primary sclerosing cholangitis. Liver International, 2020, 40, 2758-2766.	1.9	6
77	Expression of MAdCAM-1 and Gut-homing T Cells in Inflamed Pouch Mucosa. Journal of Crohn's and Colitis, 2021, 15, 1491-1499.	0.6	5
78	Endoscopic vacuum-assisted surgical closure (EVASC) of anastomotic defects after low anterior resection for rectal cancer; lessons learned. Surgical Endoscopy and Other Interventional Techniques, 2022, 36, 8280-8289.	1.3	5
79	Endpoints in the design of clinical trials for primary sclerosing cholangitis. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2018, 1864, 1410-1414.	1.8	4
80	Epigenetic Signatures Discriminate Patients With Primary Sclerosing Cholangitis and Ulcerative Colitis From Patients With Ulcerative Colitis. Frontiers in Immunology, 2022, 13, 840935.	2.2	4
81	Comparison of contrast-enhanced and diffusion-weighted MRI in assessment of the terminal ileum in Crohn's disease patients. Abdominal Radiology, 2019, 44, 398-405.	1.0	3
82	Acute Dysphagia: Don't Wait and See. Gastroenterology, 2014, 147, 281-282.	0.6	2
83	Simplified care-pathway selection for nonspecialist practice. European Journal of Gastroenterology and Hepatology, 2020, Publish Ahead of Print, .	0.8	2
84	Genetic Profiling of Colorectal Carcinomas of Patients with Primary Sclerosing Cholangitis and Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2022, , .	0.9	2
85	Reply. Gastroenterology, 2016, 150, 286-287.	0.6	1
86	A novel technique capable of taking â€~protected' biopsies for reliable assessment of the distribution of microbiota along the colonic mucosa. Journal of Microbiological Methods, 2021, 185, 106204.	0.7	1
87	Feeding the Gut–Liver Axis in PSC: What Makes It Different from IBD?. Gastroenterology, 2021, 161, 1070-1071.	0.6	Ο