

Ahmed M El-Agrody

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/966333/publications.pdf>

Version: 2024-02-01

84
papers

2,177
citations

257450

24
h-index

243625

44
g-index

88
all docs

88
docs citations

88
times ranked

1630
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of 1,4-dihydropyrano[2,3-c]pyrazole derivatives and exploring molecular and cytotoxic properties based on DFT and molecular docking studies. Journal of Molecular Structure, 2022, 1249, 131555.	3.6	18
2	Discovery of novel rigid analogs of 2-naphthol with potent anticancer activity through multi-target topoisomerase I & II and tyrosine kinase receptor EGFR & VEGFR-2 inhibition mechanism. Chemo-Biological Interactions, 2022, 355, 109838.	4.0	9
3	The Crystal Structure of 2-Amino-4-(2,3-Dichlorophenyl)-6-Methoxy-4H-Benzo[h]chromene-3-Carbonitrile: Antitumor and Tyrosine Kinase Receptor Inhibition Mechanism Studies. Crystals, 2022, 12, 737.	2.2	5
4	The Crystal Structure of 3-Amino-1-(4-Chlorophenyl)-9-Methoxy-1H-Benzo[f]Chromene-2-Carbonitrile: Antimicrobial Activity and Docking Studies. Crystals, 2022, 12, 982.	2.2	5
5	Synthesis, Cytotoxic Activity, Crystal Structure, DFT Studies and Molecular Docking of 3-Amino-1-(2,5-dichlorophenyl)-8-methoxy-1H-benzo[f]chromene-2-carbonitrile. Crystals, 2021, 11, 184.	2.2	27
6	Metal-free domino amination-Knoevenagel condensation approach to access new coumarins as potent nanomolar inhibitors of VEGFR-2 and EGFR. Green Chemistry Letters and Reviews, 2021, 14, 578-599.	4.7	3
7	Synthesis, characterization, anti-proliferative activity and DFT study of 1H-benzo[f]chromene-2-carbothioamide derivatives. Journal of Molecular Structure, 2021, 1240, 130542.	3.6	4
8	Synthesis and evaluation of antitumor activity of 9-methoxy-1H-benzo[f]chromene derivatives. Bioorganic Chemistry, 2021, 116, 105402.	4.1	12
9	Synthesis of $\hat{1}^2$ -Enaminonitrile-Linked 8-Methoxy-1H-Benzo[f]Chromene Moieties and Analysis of Their Antitumor Mechanisms. Frontiers in Chemistry, 2021, 9, 759148.	3.6	11
10	Synthesis, in vitro cytotoxicity activity against the human cervix carcinoma cell line and in silico computational predictions of new 4-arylamino-3-nitrocoumarin analogues. Journal of Molecular Structure, 2020, 1200, 127047.	3.6	13
11	A proficient microwave synthesis with structure elucidation and the exploitation of the biological behavior of the newly halogenated 3-amino-1H-benzo[f]chromene molecules, targeting dual inhibition of topoisomerase II and microtubules. Bioorganic Chemistry, 2020, 95, 103549.	4.1	16
12	Targeted potent antimicrobial benzochromene-based analogues: Synthesis, computational studies, and inhibitory effect against $14\hat{1}^{\pm}$ -Demethylase and DNA Gyrase. Bioorganic Chemistry, 2020, 105, 104387.	4.1	10
13	Novel molecular discovery of promising amidine-based thiazole analogues as potent dual Matrix Metalloproteinase-2 and 9 inhibitors: Anticancer activity data with prominent cell cycle arrest and DNA fragmentation analysis effects. Bioorganic Chemistry, 2020, 101, 103992.	4.1	26
14	Synthesis, anticancer evaluation and molecular docking studies of new heterocycles linked to sulfonamide moiety as novel human topoisomerase types I and II poisons. Bioorganic Chemistry, 2020, 98, 103725.	4.1	22
15	In vitro anticancer activity of pyrano[3, 2-c]chromene derivatives with both cell cycle arrest and apoptosis induction. Medicinal Chemistry Research, 2020, 29, 617-629.	2.4	26
16	Rational Design and Synthesis of Diverse Pyrimidine Molecules Bearing Sulfonamide Moiety as Novel ERK Inhibitors. International Journal of Molecular Sciences, 2019, 20, 5592.	4.1	10
17	Microwave synthesis of novel halogenated $\hat{1}^2$ -enaminonitriles linked 9-bromo-1H-benzo[f]chromene moieties: Induces cell cycle arrest and apoptosis in human cancer cells via dual inhibition of topoisomerase I and II. Bioorganic Chemistry, 2019, 93, 103289.	4.1	17
18	Cell cycle arrest and induction of apoptosis of newly synthesized pyranoquinoline derivatives under microwave irradiation. Medicinal Chemistry Research, 2019, 28, 668-680.	2.4	7

#	ARTICLE	IF	CITATIONS
19	Developing lipophilic aromatic halogenated fused systems with specific ring orientations, leading to potent anticancer analogs and targeting the c-Src Kinase enzyme. Journal of Molecular Structure, 2019, 1186, 212-223.	3.6	29
20	Design and Synthesis of Novel Heterocyclic-Based 4H-benzo[h]chromene Moieties: Targeting Antitumor Caspase 3/7 Activities and Cell Cycle Analysis. Molecules, 2019, 24, 1060.	3.8	31
21	Antiproliferative effect, cell cycle arrest and apoptosis generation of novel synthesized anticancer heterocyclic derivatives based 4H-benzo[h]chromene. Bioorganic Chemistry, 2019, 87, 560-571.	4.1	40
22	New naturally occurring phenolic derivatives from marine Nocardiosis sp. AS23C: Structural elucidation and in silico computational studies. Vietnam Journal of Chemistry, 2019, 57, 164-174.	0.8	5
23	Synthesis of diverse amide linked bis-indoles and indole derivatives bearing coumarin-based moiety: cytotoxicity and molecular docking investigations. Medicinal Chemistry Research, 2018, 27, 796-806.	2.4	19
24	Introducing novel potent anticancer agents of 1H-benzo[f]chromene scaffolds, targeting c-Src kinase enzyme with MDA-MB-231 cell line anti-invasion effect. Journal of Enzyme Inhibition and Medicinal Chemistry, 2018, 33, 1074-1088.	5.2	38
25	Crystal Structure and Spectral Studies of 3-Amino-9-Methoxy-1-(4-methoxyphenyl)-1H-Benzo[f]Chromene-2-Carbonitrile. Journal of Computational and Theoretical Nanoscience, 2018, 15, 1835-1838.	0.4	1
26	Synthesis, reactions, of naphtho[2,1-b]furan derivatives and antimicrobial activity. Journal of Analytical & Pharmaceutical Research, 2018, 7, .	1.0	1
27	Synthesis, Characterization, Biological Activity of Novel 1H-benzo[f]-chromene and 12H-benzo[f]chromeno[2,3-d]pyrimidine Derivatives. Letters in Drug Design and Discovery, 2018, 15, 857-865.	0.7	14
28	The anti-proliferative activity of novel 4H-benzo[h]chromenes, 7H-benzo[h]-chromeno[2,3-d]pyrimidines and the structure-activity relationships of the 2-, 3-positions and fused rings at the 2, 3-positions. Journal of Saudi Chemical Society, 2017, 21, 82-90.	5.2	41
29	Halogenated 2-amino-4H-benzo[h]chromene derivatives as antitumor agents and the relationship between lipophilicity and antitumor activity. Medicinal Chemistry Research, 2017, 26, 691-700.	2.4	28
30	Crystal structure of 3-amino-8-methoxy-1-phenyl-1H-benzo[f]chromene-2-carbonitrile, C ₂₁ H ₁₆ N ₂ O ₂ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2017, 232, 497-499.	0.3	1
31	New bioactive compounds from the marine-derived actinomycete Nocardiosis lucentensis sp. ASMR2. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2017, 72, 351-360.	0.7	14
32	Synthesis, biological activity and molecular modeling study of new Schiff bases incorporated with indole moiety. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2017, 72, 467-475.	1.4	10
33	Crystal structure of 3-amino-8-methoxy-1-(4-methoxy) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 192 Td (phenyl)-1H-benzo[f]chromene-2-carbonitrile, C ₂₂ H ₁₈ N ₂ O ₃ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2017, 232, 567-569.	0.3	1
34	Synthesis and biological activities of new bis-indole derivatives via microwave irradiation. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2017, 72, 639-646.	0.7	5
35	Crystal structure of 3-amino-1-(4-bromophenyl)-9-methoxy-1H-benzo[f]chromene-2-carbonitrile, C ₂₁ H ₁₅ BrN ₂ O ₂ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2017, 232, 561-563.	0.3	4
36	Anticancer activities, molecular docking and structure-activity relationship of novel synthesized 4H-chromene, and 5H-chromeno[2,3-d]pyrimidine candidates. Medicinal Chemistry Research, 2017, 26, 2624-2638.	2.4	34

#	ARTICLE	IF	CITATIONS
37	Design of New Benzo[h]chromene Derivatives: Antitumor Activities and Structure-Activity Relationships of the 2,3-Positions and Fused Rings at the 2,3-Positions. <i>Molecules</i> , 2017, 22, 479.	3.8	42
38	Spectroscopic Data, Single X-ray and Antimicrobial Activity of Microwave Synthesized 3-Amino-8-Bromo-1-(2,5-dichlorophenyl)-1H-Benzo[f]Chromene-2-Carbonitrile. <i>Journal of Computational and Theoretical Nanoscience</i> , 2017, 14, 3831-3836.	0.4	1
39	X-ray Characterization and Antimicrobial Activity of Synthesized New 3-Amino-8-Bromo-1-(3,4-dimethoxyphenyl)-1H-Benzo[f] Chromene-2-Carbonitrile. <i>Journal of Computational and Theoretical Nanoscience</i> , 2017, 14, 3924-3929.	0.4	2
40	X-ray Characterizations of New Synthesized 3-Amino-1-(2,6-difluorophenyl)-8-Methoxy-1 <i>H</i> -Benzo[<i>f</i>]Chromene-2-Carbonitrile. <i>Journal of Computational and Theoretical Nanoscience</i> , 2017, 14, 3994-3999.	0.4	1
41	Synthesis, Molecular Properties and Evaluation of the Antitumor Activity of 2-Amino-6-Methoxy-4H-Benzo[h]Chromenes, 6-Methoxy-2-Oxo-2HBenzo[h]Chromene. <i>Current Bioactive Compounds</i> , 2017, 13, .	0.5	2
42	Synthesis, X-ray Characterization and Antimicrobial Activity of 3-Amino-1-(2,4-dichlorophenyl)-8-Methoxy-1 <i>H</i> -Benzo[<i>f</i>]Chromene-2-Carbonitrile. <i>Journal of Computational and Theoretical Nanoscience</i> , 2017, 14, 5717-5721.	0.4	2
43	Structural Characterization and Antimicrobial Activities of 7H-Benzo[h]chromeno[2,3-d]pyrimidine and 14H-Benzo[h]chromeno[3,2-e][1,2,4]triazolo[1,5-c] pyrimidine Derivatives. <i>Molecules</i> , 2016, 21, 1450.	3.8	27
44	Crystal structure of 3-amino-9-methoxy-1-phenyl-1H-benzo[f]chromene-2-carbonitrile, C ₂₁ H ₁₆ N ₂ O ₂ . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2016, 231, 1193-1195.	0.3	1
45	Synthesis, in-vitro cytotoxicity of 4H-benzo[h]chromene derivatives and structureâ€activity relationships of 4-aryl group and 3-, 7-positions. <i>Chemical Papers</i> , 2016, 70, .	2.2	22
46	Synthesis, Biological Evaluation and Molecular Docking Studies of 4Hbenzo[h]chromenes, 7H-benzo[h]chromeno[2,3-d]pyrimidines as Antitumor Agents. <i>Letters in Drug Design and Discovery</i> , 2015, 13, 77-88.	0.7	28
47	Microwave assisted synthesis of 2-amino-6-methoxy-4H-benzo[h]chromene derivatives. <i>European Journal of Chemistry</i> , 2014, 5, 133-137.	0.6	26
48	Studies on the synthesis, in vitro antitumor activity of 4H-benzo[h]chromene, 7H-benzo[h]chromene[2,3-d]pyrimidine derivatives and structureâ€activity relationships of the 2-,3- and 2,3-positions. <i>Medicinal Chemistry Research</i> , 2014, 23, 3187-3199.	2.4	55
49	The Reactivity of 8-Hydroxyquinoline and Its Derivatives Toward Î±-Cyanocinnamionitriles and Ethyl Î±-Cyanocinnamates: Synthesis, Reactions, and Applications of 4H-Pyrano[3,2-h]quinoline Derivatives. <i>Heterocycles</i> , 2014, 89, 1557.	0.7	11
50	Synthesis, Structure-Activity Relationship (SAR) Studies on some 4-Aryl-4Hchromenes and Relationship between Lipophilicity and Antitumor Activity. <i>Letters in Drug Design and Discovery</i> , 2014, 11, 1167-1176.	0.7	16
51	Synthesis, antitumor activity, and structureâ€activity relationship of some 4H-pyrano[3,2-h]quinoline and 7H-pyrimido[4â€2,5â€2:6,5]pyrano[3,2-h]quinoline derivatives. <i>Medicinal Chemistry Research</i> , 2013, 22, 1339-1355.	2.4	43
52	Synthesis, antitumor activity of 2-amino-4H-benzo[h]chromene derivatives, and structureâ€activity relationships of the 3- and 4-positions. <i>Medicinal Chemistry Research</i> , 2013, 22, 6105-6120.	2.4	31
53	Nâ€2-[3-Cyano-4-(4-fluorophenyl)-6-methoxy-4H-benzo[h]chromen-2-yl]-N,N-dimethylmethanimidamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o482-o483.	0.2	0
54	The chemical reactivity of naphthols and their derivatives toward Î±-cyanocinnamionitriles and ethyl Î±-cyanocinnamates: A review of synthesis, reactions and applications of naphthopyrano. <i>European Journal of Chemistry</i> , 2013, 4, 467-483.	0.6	14

#	ARTICLE	IF	CITATIONS
55	Synthesis, reactions and biological evaluation of benzyltriazolophthalazine derivatives. <i>European Journal of Chemistry</i> , 2013, 4, 10-19.	0.6	3
56	3-Amino-1-(4-fluorophenyl)-7-methoxy-1H-benzo[f]chromene-2-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o478-o479.	0.2	4
57	2-Amino-4-(4-bromophenyl)-6-methoxy-4H-benzo[h]chromene-3-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o480-o481.	0.2	1
58	2-(4-Fluorobenzylidene)propanedinitrile: monoclinic polymorph. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o515-o515.	0.2	4
59	3-Amino-1-(4-fluorophenyl)-8-methoxy-1H-benzo[f]chromene-2-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o476-o477.	0.2	4
60	Evaluation of the Antimicrobial Activity of Some 4H-Pyrano[3,2-h]-quinoline, 7H-Pyrimido[4,5-b]pyrano[3,2-h]quinoline Derivatives. <i>Letters in Drug Design and Discovery</i> , 2013, 10, 758-775.	0.7	3
61	Ethyl 2-amino-4-(4-bromophenyl)-6-methoxy-4H-benzo[h]chromene-3-carboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o435-o436.	0.2	1
62	2-Amino-4-(4-chlorophenyl)-4H-chromeno[8,7-b]pyridine-3-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o462-o463.	0.2	0
63	Synthesis and Antitumor Activities of 4H-Pyrano[3,2-h]quinoline-3-carbonitrile, 7H-Pyrimido[4',5':6,5]pyrano[3,2-h]quinoline, and 14HPyrimido[4',5':6,5]pyrano[3,2-h][1,2,4]triazolo[1,5-c]quinoline Derivatives. <i>Letters in Drug Design and Discovery</i> , 2012, 9, 459-470.	0.7	19
64	Synthesis and Reactions of Some New Benzylphthalazin-1-ylaminophenols, 2H-Chromene and 5H-Chromeno[2,3-d]pyrimidine Derivatives with Promising Antimicrobial Activities. <i>Letters in Organic Chemistry</i> , 2012, 9, 360-367.	0.5	5
65	Ethyl 2-amino-4-(4-fluorophenyl)-6-methoxy-4H-benzo[h]chromene-3-carboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o1803-o1804.	0.2	5
66	2-Amino-4-(4-fluorophenyl)-6-methoxy-4H-benzo[h]chromene-3-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o1934-o1935.	0.2	8
67	Synthesis and antitumor activities of certain novel 2-amino-9-(4-halostyryl)-4H-pyrano[3,2-h]quinoline derivatives. <i>Medicinal Chemistry Research</i> , 2012, 21, 4200-4213.	2.4	24
68	Synthesis, characterization and DFT study of 4H-benzo[h]chromene derivatives. <i>Journal of Molecular Structure</i> , 2012, 1018, 171-175.	3.6	37
69	Synthesis, Reactions and Antimicrobial Activities of 8-Ethoxycoumarin Derivatives. <i>Molecules</i> , 2012, 17, 971-988.	3.8	26
70	Synthesis and characterization of new diiodocoumarin derivatives with promising antimicrobial activities. <i>Beilstein Journal of Organic Chemistry</i> , 2011, 7, 1688-1696.	2.2	24
71	Synthesis of 4H-chromene, coumarin, 12H-chromeno[2,3-d]pyrimidine derivatives and some of their antimicrobial and cytotoxicity activities. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 765-772.	5.5	194
72	Synthesis and Biological Screening of 4-Benzyl-2H-phthalazine Derivatives. <i>Pharmaceuticals</i> , 2011, 4, 1158-1170.	3.8	24

#	ARTICLE	IF	CITATIONS
73	Synthesis and antimicrobial activities of 2-substituted 12 <i>H</i> -chromeno[3,2- <i>e</i>][1,2,4]triazolo[1,5- <i>c</i>]pyrimidines, 3-ethoxycarbonyl-12 <i>H</i> -chromeno[3,2- <i>e</i>][1,2,4]triazolo[1,5- <i>c</i>] pyrimidine-2-one and ethyl 2-formylamino- and 2-acetylamino-4 <i>H</i> -chromene-3-carboxylates. Journal of Chemical Research, 2011, 35, 77-83.	1.3	26
74	Synthesis of certain novel 4 <i>H</i> -pyrano[3,2- <i>h</i>]quinoline derivatives. Arkivoc, 2011, 2011, 134-146.	0.5	20
75	Benzo[<i>f</i>]- and Benzo[<i>h</i>]Coumarin-Containing Poly(methyl methacrylate)s and Poly(methyl Tj ETQq1 1 0.784314 rg 2.2 23 2008, 209, 84-103.	0.784314	23
76	Synthesis of novel coumarin and benzocoumarin derivatives and their biological and photophysical studies. Journal of Heterocyclic Chemistry, 2007, 44, 1287-1301.	2.6	20
77	Synthesis and Antimicrobial Activity of Thioxopyrimidines and Related Derivatives. Phosphorus, Sulfur and Silicon and the Related Elements, 2006, 181, 839-864.	1.6	15
78	Synthesis of Hydroxyquinoline Derivatives, Aminohydroxychromene, Aminocoumarin and Their Antibacterial Activities. Heterocycles, 2004, 63, 1793.	0.7	58
79	Synthesis of Halogen Derivatives of Benzo[<i>h</i>]chromene and Benzo[<i>a</i>]anthracene with Promising Antimicrobial Activities.. ChemInform, 2003, 34, no.	0.0	0
80	Synthesis of 9-Methoxy and 9-Acetoxy-3-amino-1-(4-methoxyphenyl)-1 <i>H</i> -benzo[<i>f</i>]chromene-2-carbonitriles via 2-(Imino-piperidin-1-yl-methyl)-3-(4-methoxyphenyl)acrylonitrile as Intermediate. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2002, 57, 579-585.	0.7	17
81	Synthesis of halogen derivatives of benzo[<i>h</i>]chromene and benzo[<i>a</i>]anthracene with promising antimicrobial activities. Il Farmaco, 2002, 57, 715-722.	0.9	420
82	Synthesis and antimicrobial activities of novel naphtho[2,1- <i>b</i>]pyran, pyrano[2,3- <i>d</i>]pyrimidine and pyrano[3,2- <i>e</i>][1,2,4]triazolo[2,3- <i>c</i>]pyrimidine derivatives. Il Farmaco, 2001, 56, 965-973.	0.9	115
83	4-Hydroxycoumarin in heterocyclic synthesis. Il Farmaco, 2000, 55, 708-714.	0.9	149
84	Activated Nitriles in Heterocyclic Synthesis: Synthesis ofPyrano[2,3- <i>d</i>]pyrimidine andPyrano[3,2- <i>e</i>][1,2,4]triazolo[1,5- <i>c</i>]pyrimidineDerivatives. Journal of Chemical Research Synopses, 1997, , 320-321.	0.3	25