

Jos C Rosa Neto

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/966608/jose-c-rosa-neto-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers

2,420
citations

31
h-index

44
g-index

112
ext. papers

2,856
ext. citations

4.7
avg, IF

4.96
L-index

#	Paper	IF	Citations
102	Costly immunometabolic remodeling in disused muscle buildup through physical exercise.. <i>Acta Physiologica</i> , 2022 , e13782	5.6	1
101	Exercise Training Protocols to Improve Obesity, Glucose Homeostasis, and Subclinical Inflammation. <i>Methods in Molecular Biology</i> , 2022 , 2343, 119-145	1.4	0
100	Immunometabolism-fit: How exercise and training can modify T cell and macrophage metabolism in health and disease.. <i>Exercise Immunology Review</i> , 2022 , 28, 29-46	8.6	
99	Levels of cardiorespiratory fitness in men exerts strong impact on lymphocyte function after mitogen stimulation. <i>Journal of Applied Physiology</i> , 2021 , 130, 1133-1142	3.7	1
98	Immunometabolic responses according to physical fitness status and lifelong exercise during aging: New roads for exercise immunology. <i>Ageing Research Reviews</i> , 2021 , 68, 101341	12	8
97	Aerobic training improves NAFLD markers and insulin resistance through AMPK-PPAR-β signaling in obese mice. <i>Life Sciences</i> , 2021 , 266, 118868	6.8	9
96	The Immunometabolic Roles of Various Fatty Acids in Macrophages and Lymphocytes. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
95	Activation of the Adipose Tissue NLRP3 Inflammasome Pathway in Cancer Cachexia. <i>Frontiers in Immunology</i> , 2021 , 12, 729182	8.4	0
94	Improvement in the anti-inflammatory profile with lifelong physical exercise is related to clock genes expression in effector-memory CD4+ T cells in master athletes. <i>Exercise Immunology Review</i> , 2021 , 27, 67-83	8.6	2
93	Probiotic supplementation in marathonists and its impact on lymphocyte population and function after a marathon: a randomized placebo-controlled double-blind study. <i>Scientific Reports</i> , 2020 , 10, 18777	4.9	4
92	Exercise intensity and physical fitness modulate lipoproteins profile during acute aerobic exercise session. <i>Scientific Reports</i> , 2020 , 10, 4160	4.9	5
91	Peptides from Natural or Rationally Designed Sources Can Be Used in Overweight, Obesity, and Type 2 Diabetes Therapies. <i>Molecules</i> , 2020 , 25,	4.8	5
90	The Relevance of Thimet Oligopeptidase in the Regulation of Energy Metabolism and Diet-Induced Obesity. <i>Biomolecules</i> , 2020 , 10,	5.9	7
89	PPAR-Dependent Modulation by Metformin of the Expression of OCT-2 and MATE-1 in the Kidney of Mice. <i>Molecules</i> , 2020 , 25,	4.8	6
88	Doxorubicin modulated clock genes and cytokines in macrophages extracted from tumor-bearing mice. <i>Cancer Biology and Therapy</i> , 2020 , 21, 344-353	4.6	6
87	Probiotic Supplementation In Marathonists: The Effects On T-cell Population. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 663-664	1.2	
86	Pharmacological Strategies for Insulin Sensitivity in Obesity and Cancer: Thiazolidinediones and Metformin. <i>Current Pharmaceutical Design</i> , 2020 , 26, 932-945	3.3	5

85	Endurance Exercise Mitigates Immunometabolic Adipose Tissue Disturbances in Cancer and Obesity. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
84	High- and moderate-intensity training modify LPS-induced ex-vivo interleukin-10 production in obese men in response to an acute exercise bout. <i>Cytokine</i> , 2020 , 136, 155249	4	8
83	Exercise Reduces the Resumption of Tumor Growth and Proteolytic Pathways in the Skeletal Muscle of Mice Following Chemotherapy. <i>Cancers</i> , 2020 , 12,	6.6	7
82	Moderate aerobic exercise-induced cytokines changes are disturbed in PPAR γ knockout mice. <i>Cytokine</i> , 2020 , 134, 155207	4	0
81	Palmitoleic acid reduces high fat diet-induced liver inflammation by promoting PPAR δ -Independent M2a polarization of myeloid cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020 , 1865, 158776	5	9
80	Aging with rhythmicity. Is it possible? Physical exercise as a pacemaker. <i>Life Sciences</i> , 2020 , 261, 118453	6.8	8
79	Physical fitness status modulates the inflammatory proteins in peripheral blood and circulating monocytes: role of PPAR-gamma. <i>Scientific Reports</i> , 2020 , 10, 14094	4.9	9
78	Thromboinflammation and COVID-19: The Role of Exercise in the Prevention and Treatment. <i>Frontiers in Cardiovascular Medicine</i> , 2020 , 7, 582824	5.4	1
77	Muscle regeneration in adiponectin knockout mice showed early activation of anti-inflammatory response with perturbations in myogenesis. <i>Journal of Cellular Physiology</i> , 2020 , 235, 6183-6193	7	2
76	Macrophage immunophenotype but not anti-inflammatory profile is modulated by peroxisome proliferator-activated receptor gamma (PPAR γ) in exercised obese mice. <i>Exercise Immunology Review</i> , 2020 , 26, 10-22	8.6	5
75	Exercise-induced AMPK activation and IL-6 muscle production are disturbed in adiponectin knockout mice. <i>Cytokine</i> , 2019 , 119, 71-80	4	11
74	Regulation of autophagy as a therapy for immunosenescence-driven cancer and neurodegenerative diseases: The role of exercise. <i>Journal of Cellular Physiology</i> , 2019 , 234, 14883	7	11
73	Tributylin in Inflammation: Does White Adipose Tissue Affect Colorectal Cancer?. <i>Nutrients</i> , 2019 , 11,	6.7	4
72	Nutrients, immune system, and exercise: Where will it take us?. <i>Nutrition</i> , 2019 , 61, 151-156	4.8	24
71	Anti-inflammatory response to acute exercise is related with intensity and physical fitness. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 5333-5342	4.7	22
70	Interleukin-10 responses from acute exercise in healthy subjects: A systematic review. <i>Journal of Cellular Physiology</i> , 2019 , 234, 9956-9965	7	31
69	Exercise rescues the immune response fine-tuned impaired by peroxisome proliferator-activated receptors γ deletion in macrophages. <i>Journal of Cellular Physiology</i> , 2019 , 234, 5241-5251	7	12
68	Inflammatory features of obesity and smoke exposure and the immunologic effects of exercise. <i>Exercise Immunology Review</i> , 2019 , 25, 96-111	8.6	13

67	Short-term treatment with metformin reduces hepatic lipid accumulation but induces liver inflammation in obese mice. <i>Inflammopharmacology</i> , 2018 , 26, 1103-1115	5.1	10
66	Is Palmitoleic Acid a Plausible Nonpharmacological Strategy to Prevent or Control Chronic Metabolic and Inflammatory Disorders?. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, 1700504	5.9	53
65	Metformin Mitigates Fibrosis and Glucose Intolerance Induced by Doxorubicin in Subcutaneous Adipose Tissue. <i>Frontiers in Pharmacology</i> , 2018 , 9, 452	5.6	13
64	Beta-Alanine Supplementation Improved 10-km Running Time Trial in Physically Active Adults. <i>Frontiers in Physiology</i> , 2018 , 9, 1105	4.6	9
63	Regulation of Metabolic Disease-Associated Inflammation by Nutrient Sensors. <i>Mediators of Inflammation</i> , 2018 , 2018, 8261432	4.3	17
62	Palmitoleic Acid has Stronger Anti-Inflammatory Potential in Human Endothelial Cells Compared to Oleic and Palmitic Acids. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800322	5.9	35
61	Aerobic exercise, but not metformin, prevents reduction of muscular performance by AMPk activation in mice on doxorubicin chemotherapy. <i>Journal of Cellular Physiology</i> , 2018 , 233, 9652-9662	7	16
60	White adipose tissue IFN- γ expression and signalling along the progression of rodent cancer cachexia. <i>Cytokine</i> , 2017 , 89, 122-126	4	10
59	Association Between Aerobic Exercise and Rosiglitazone Avoided the NAFLD and Liver Inflammation Exacerbated in PPAR- γ Knockout Mice. <i>Journal of Cellular Physiology</i> , 2017 , 232, 1008-1019	7	20
58	Palmitoleic acid reduces the inflammation in LPS-stimulated macrophages by inhibition of NF κ B, independently of PPARs. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2017 , 44, 566-575	3	34
57	Palmitoleic Acid Improves Metabolic Functions in Fatty Liver by PPAR- α Dependent AMPK Activation. <i>Journal of Cellular Physiology</i> , 2017 , 232, 2168-2177	7	37
56	Modulation of inflammatory response arising from high-intensity intermittent and concurrent strength training in physically active males. <i>Cytokine</i> , 2017 , 91, 104-109	4	13
55	Effect of an acute moderate-exercise session on metabolic and inflammatory profile of PPAR- α knockout mice. <i>Cell Biochemistry and Function</i> , 2017 , 35, 510-517	4.2	8
54	mTORC1 inhibition with rapamycin exacerbates adipose tissue inflammation in obese mice and dissociates macrophage phenotype from function. <i>Immunobiology</i> , 2017 , 222, 261-271	3.4	32
53	Aerobic Exercise Modulates the Free Fatty Acids and Inflammatory Response During Obesity and Cancer Cachexia. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2016 , 26, 187-98	1.3	20
52	Doxorubicin caused severe hyperglycaemia and insulin resistance, mediated by inhibition in AMPk signalling in skeletal muscle. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016 , 7, 615-625	10.3	53
51	White adipose tissue cells and the progression of cachexia: inflammatory pathways. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016 , 7, 193-203	10.3	37
50	Impact of long-term high-intensity interval and moderate-intensity continuous training on subclinical inflammation in overweight/obese adults. <i>Journal of Exercise Rehabilitation</i> , 2016 , 12, 575-580	1.8	33

49	Impact of Doxorubicin Treatment on the Physiological Functions of White Adipose Tissue. <i>PLoS ONE</i> , 2016 , 11, e0151548	3.7	24
48	Macrophage Polarization: Implications on Metabolic Diseases and the Role of Exercise. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2016 , 26, 115-32	1.3	28
47	Sleep pattern and locomotor activity are impaired by doxorubicin in non-tumor-bearing rats. <i>Sleep Science</i> , 2016 , 9, 232-235	1.8	6
46	Topiramate effects lipolysis in 3T3-L1 adipocytes. <i>Biomedical Reports</i> , 2015 , 3, 827-830	1.8	5
45	The therapeutic potential of exercise to treat cachexia. <i>Current Opinion in Supportive and Palliative Care</i> , 2015 , 9, 317-24	2.6	29
44	Hypothalamic energy metabolism is impaired by doxorubicin independently of inflammation in non-tumour-bearing rats. <i>Cell Biochemistry and Function</i> , 2015 , 33, 394-7	4.2	
43	Celecoxib and Ibuprofen Restore the ATP Content and the Gluconeogenesis Activity in the Liver of Walker-256 Tumor-Bearing Rats. <i>Cellular Physiology and Biochemistry</i> , 2015 , 36, 1659-69	3.9	12
42	Acerola (<i>Malpighia emarginata</i> DC.) juice intake protects against alterations to proteins involved in inflammatory and lipolysis pathways in the adipose tissue of obese mice fed a cafeteria diet. <i>Lipids in Health and Disease</i> , 2014 , 13, 24	4.4	20
41	Exercise training as treatment in cancer cachexia. <i>Applied Physiology, Nutrition and Metabolism</i> , 2014 , 39, 679-86	3	53
40	Doxorubicin leads to impaired insulin signaling in skeletal muscle. <i>Cancer & Metabolism</i> , 2014 , 2,	5.4	3
39	Palmitoleate attenuates diet induced insulin resistance and hepatic inflammation independently of PPAR- α . <i>Cancer & Metabolism</i> , 2014 , 2,	5.4	78
38	Palmitoleic acid (n-7) attenuates the immunometabolic disturbances caused by a high-fat diet independently of PPAR- α . <i>Mediators of Inflammation</i> , 2014 , 2014, 582197	4.3	39
37	Macadamia oil supplementation attenuates inflammation and adipocyte hypertrophy in obese mice. <i>Mediators of Inflammation</i> , 2014 , 2014, 870634	4.3	14
36	Neurolysin knockout mice generation and initial phenotype characterization. <i>Journal of Biological Chemistry</i> , 2014 , 289, 15426-40	5.4	30
35	Yerba mate extract (<i>Ilex paraguariensis</i>) attenuates both central and peripheral inflammatory effects of diet-induced obesity in rats. <i>Journal of Nutritional Biochemistry</i> , 2013 , 24, 809-18	6.3	45
34	Green tea extract supplementation induces the lipolytic pathway, attenuates obesity, and reduces low-grade inflammation in mice fed a high-fat diet. <i>Mediators of Inflammation</i> , 2013 , 2013, 635470	4.3	64
33	High-fat fish oil diet prevents hypothalamic inflammatory profile in rats. <i>ISRN Inflammation</i> , 2013 , 2013, 419823		22
32	Intake of trans fatty acids during gestation and lactation leads to hypothalamic inflammation via TLR4/NFBp65 signaling in adult offspring. <i>Journal of Nutritional Biochemistry</i> , 2012 , 23, 265-71	6.3	49

31	High-fat diets rich in soy or fish oil distinctly alter hypothalamic insulin signaling in rats. <i>Journal of Nutritional Biochemistry</i> , 2012 , 23, 822-8	6.3	24
30	Both adiponectin and interleukin-10 inhibit LPS-induced activation of the NF- κ B pathway in 3T3-L1 adipocytes. <i>Cytokine</i> , 2012 , 57, 98-106	4	65
29	Gut-central nervous system axis is a target for nutritional therapies. <i>Nutrition Journal</i> , 2012 , 11, 22	4.3	26
28	Dietary whey protein lessens several risk factors for metabolic diseases: a review. <i>Lipids in Health and Disease</i> , 2012 , 11, 67	4.4	107
27	Long-term interdisciplinary therapy reduces endotoxin level and insulin resistance in obese adolescents. <i>Nutrition Journal</i> , 2012 , 11, 74	4.3	22
26	Renewed avenues through exercise muscle contractility and inflammatory status. <i>Scientific World Journal, The</i> , 2012 , 2012, 584205	2.2	7
25	Sunflower oil supplementation has proinflammatory effects and does not reverse insulin resistance in obesity induced by high-fat diet in C57BL/6 mice. <i>Journal of Biomedicine and Biotechnology</i> , 2012 , 2012, 945131		18
24	Exercise training decreases adipose tissue inflammation in cachectic rats. <i>Hormone and Metabolic Research</i> , 2012 , 44, 91-8	3.1	38
23	Sugar intake is correlated with adiposity and obesity indicators and sedentary lifestyle in Brazilian individuals with morbid obesity. <i>Nutricion Hospitalaria</i> , 2012 , 27, 1547-53	1	1
22	Visceral fat decreased by long-term interdisciplinary lifestyle therapy correlated positively with interleukin-6 and tumor necrosis factor- α and negatively with adiponectin levels in obese adolescents. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 359-65	12.7	45
21	Importance of exercise immunology in health promotion. <i>Amino Acids</i> , 2011 , 41, 1165-72	3.5	28
20	Supplementing alpha-tocopherol (vitamin E) and vitamin D3 in high fat diet decrease IL-6 production in murine epididymal adipose tissue and 3T3-L1 adipocytes following LPS stimulation. <i>Lipids in Health and Disease</i> , 2011 , 10, 37	4.4	56
19	Acute exhaustive exercise regulates IL-2, IL-4 and MyoD in skeletal muscle but not adipose tissue in rats. <i>Lipids in Health and Disease</i> , 2011 , 10, 97	4.4	10
18	β -Hydroxy- β -methylbutyrate (HMB) supplementation stimulates skeletal muscle hypertrophy in rats via the mTOR pathway. <i>Nutrition and Metabolism</i> , 2011 , 8, 11	4.6	60
17	Hypothalamic inflammation is reversed by endurance training in anorectic-cachectic rats. <i>Nutrition and Metabolism</i> , 2011 , 8, 60	4.6	29
16	Exhaustive exercise increases inflammatory response via Toll like receptor-4 and NF- κ p65 pathway in rat adipose tissue. <i>Journal of Cellular Physiology</i> , 2011 , 226, 1604-7	7	20
15	Exercise training reduces PGE2 levels and induces recovery from steatosis in tumor-bearing rats. <i>Hormone and Metabolic Research</i> , 2010 , 42, 944-9	3.1	17
14	Conjugated Linoleic Acid: good or bad nutrient. <i>Diabetology and Metabolic Syndrome</i> , 2010 , 2, 62	5.6	9

13	Exercise training changes IL-10/TNF-alpha ratio in the skeletal muscle of post-MI rats. <i>Cytokine</i> , 2010 , 49, 102-8	4	90
12	Depot-specific modulation of adipokine levels in rat adipose tissue by diet-induced obesity: the effect of aerobic training and energy restriction. <i>Cytokine</i> , 2010 , 52, 168-74	4	33
11	Sleep deprivation affects inflammatory marker expression in adipose tissue. <i>Lipids in Health and Disease</i> , 2010 , 9, 125	4.4	25
10	Inflammation and adipose tissue: effects of progressive load training in rats. <i>Lipids in Health and Disease</i> , 2010 , 9, 109	4.4	40
9	Endotoxin levels correlate positively with a sedentary lifestyle and negatively with highly trained subjects. <i>Lipids in Health and Disease</i> , 2010 , 9, 82	4.4	66
8	Chronic low frequency/low volume resistance training reduces pro-inflammatory cytokine protein levels and TLR4 mRNA in rat skeletal muscle. <i>European Journal of Applied Physiology</i> , 2010 , 109, 1095-102	3.4	26
7	Sedentary subjects have higher PAI-1 and lipoproteins levels than highly trained athletes. <i>Diabetology and Metabolic Syndrome</i> , 2010 , 2, 7	5.6	34
6	Genetic damage in multiple organs of acutely exercised rats. <i>Cell Biochemistry and Function</i> , 2010 , 28, 632-6	4.2	5
5	Regulation of inflammation in the adipose tissue in cancer cachexia: effect of exercise. <i>Cell Biochemistry and Function</i> , 2009 , 27, 71-5	4.2	56
4	Chronic exercise decreases cytokine production in healthy rat skeletal muscle. <i>Cell Biochemistry and Function</i> , 2009 , 27, 458-61	4.2	55
3	Chronic resistance training decreases MuRF-1 and Atrogin-1 gene expression but does not modify Akt, GSK-3beta and p70S6K levels in rats. <i>European Journal of Applied Physiology</i> , 2009 , 106, 415-23	3.4	38
2	Exhaustive exercise causes an anti-inflammatory effect in skeletal muscle and a pro-inflammatory effect in adipose tissue in rats. <i>European Journal of Applied Physiology</i> , 2009 , 106, 697-704	3.4	61
1	Endurance training induces depot-specific changes in IL-10/TNF-alpha ratio in rat adipose tissue. <i>Cytokine</i> , 2009 , 45, 80-5	4	81