

# Tetsuji Kaneko

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9667725/publications.pdf>

Version: 2024-02-01

61  
papers

2,194  
citations

236833

25  
h-index

233338

45  
g-index

63  
all docs

63  
docs citations

63  
times ranked

3190  
citing authors

#	ARTICLE	IF	CITATIONS
1	Creatinine-based equation to estimate the glomerular filtration rate in Japanese children and adolescents with chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 626-633.	0.7	194
2	High-Dose Versus Low-Dose Pitavastatin in Japanese Patients With Stable Coronary Artery Disease (REAL-CAD). <i>Circulation</i> , 2018, 137, 1997-2009.	1.6	174
3	Inner Segment/Outer Segment Junction Assessed by Spectral-Domain Optical Coherence Tomography in Patients with Idiopathic Epiretinal Membrane. <i>American Journal of Ophthalmology</i> , 2010, 150, 834-839.	1.7	141
4	PREOPERATIVE INNER SEGMENT/OUTER SEGMENT JUNCTION IN SPECTRAL-DOMAIN OPTICAL COHERENCE TOMOGRAPHY AS A PROGNOSTIC FACTOR IN EPIRETINAL MEMBRANE SURGERY. <i>Retina</i> , 2011, 31, 1366-1372.	1.0	128
5	New clinical diagnostic criteria for eosinophilic chronic rhinosinusitis. <i>Auris Nasus Larynx</i> , 2011, 38, 583-588.	0.5	123
6	Association of Severity of Coronary Artery Aneurysms in Patients With Kawasaki Disease and Risk of Later Coronary Events. <i>JAMA Pediatrics</i> , 2018, 172, e180030.	3.3	83
7	Bezafibrate Improves GLOBE and UKâ€PBC Scores and Longâ€Term Outcomes in Patients With Primary Biliary Cholangitis. <i>Hepatology</i> , 2019, 70, 2035-2046.	3.6	83
8	Efficacy of Fusion Imaging Combining Sonography and Hepatobiliary Phase MRI With Gd-EOB-DTPA to Detect Small Hepatocellular Carcinoma. <i>American Journal of Roentgenology</i> , 2012, 198, 106-114.	1.0	80
9	Cyclosporine and steroid therapy in children with steroid-resistant nephrotic syndrome. <i>Pediatric Nephrology</i> , 2009, 24, 2177-2185.	0.9	66
10	Efficacy and safety of intravenous immunoglobulin plus prednisolone therapy in patients with Kawasaki disease (Post RAISE): a multicentre, prospective cohort study. <i>The Lancet Child and Adolescent Health</i> , 2018, 2, 855-862.	2.7	63
11	Pre-dialysis chronic kidney disease in children: results of a nationwide survey in Japan. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2345-2355.	0.4	52
12	Sustained pediatric antimicrobial stewardship program with consultation to infectious diseases reduced carbapenem resistance and infection-related mortality. <i>International Journal of Infectious Diseases</i> , 2017, 64, 69-73.	1.5	52
13	Henoch-SchÃ¶nlein purpura nephritis with nephrotic state in children: predictors of poor outcomes. <i>Pediatric Nephrology</i> , 2011, 26, 921-925.	0.9	48
14	Identification of candidate diagnostic serum biomarkers for Kawasaki disease using proteomic analysis. <i>Scientific Reports</i> , 2017, 7, 43732.	1.6	48
15	Association between low birth weight and childhood-onset chronic kidney disease in Japan: a combined analysis of a nationwide survey for paediatric chronic kidney disease and the National Vital Statistics Report. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1895-1900.	0.4	47
16	Influence of polymorphisms within the methotrexate pathway genes on the toxicity and efficacy of methotrexate in patients with juvenile idiopathic arthritis. <i>British Journal of Clinical Pharmacology</i> , 2011, 71, 237-243.	1.1	46
17	End-stage renal disease in Japanese children: a nationwide survey during 2006â€“2011. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 933-938.	0.7	46
18	Cystatin C-based equation for estimating glomerular filtration rate in Japanese children and adolescents. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 718-725.	0.7	45

#	ARTICLE	IF	CITATIONS
19	Influence of outdoor NO <sub>2</sub> exposure on asthma in childhood: Meta-analysis. <i>Pediatrics International</i> , 2012, 54, 762-769.	0.2	43
20	Factors associated with lower Mini Mental State Examination scores in elderly Japanese diabetes mellitus patients. <i>Neurobiology of Aging</i> , 2008, 29, 1022-1026.	1.5	41
21	Prospective 5-year follow-up of cyclosporine treatment in children with steroid-resistant nephrosis. <i>Pediatric Nephrology</i> , 2013, 28, 765-771.	0.9	37
22	Progression to end-stage kidney disease in Japanese children with chronic kidney disease: results of a nationwide prospective cohort study. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 878-884.	0.4	36
23	Long-term outcome of idiopathic steroid-resistant nephrotic syndrome in children. <i>Pediatric Nephrology</i> , 2016, 31, 425-434.	0.9	33
24	Creatinine-based equations to estimate glomerular filtration rate in Japanese children aged between 2 and 11 years old with chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 877-881.	0.7	28
25	Association of IRF5 Polymorphisms with Susceptibility to Hemophagocytic Lymphohistiocytosis in Children. <i>Journal of Clinical Immunology</i> , 2011, 31, 946-951.	2.0	27
26	Influence of pre-hydration and pharmacogenetics on plasma methotrexate concentration and renal dysfunction following high-dose methotrexate therapy. <i>International Journal of Hematology</i> , 2013, 98, 702-707.	0.7	26
27	Beta-2 microglobulin-based equation for estimating glomerular filtration rates in Japanese children and adolescents. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 450-457.	0.7	25
28	Rectal Content and Intrafractional Prostate Gland Motion Assessed by Magnetic Resonance Imaging. <i>Journal of Radiation Research</i> , 2011, 52, 199-207.	0.8	24
29	Association of HLA-A*02:06 and HLA-DRB1*04:05 with clinical subtypes of juvenile idiopathic arthritis. <i>Journal of Human Genetics</i> , 2011, 56, 196-199.	1.1	23
30	Analysis of Gender Differences in Genetic Risk: Association of TNFAIP3 Polymorphism with Male Childhood-Onset Systemic Lupus Erythematosus in the Japanese Population. <i>PLoS ONE</i> , 2013, 8, e72551.	1.1	23
31	Reference glomerular filtration rate levels in Japanese children: using the creatinine and cystatin C based estimated glomerular filtration rate. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 683-687.	0.7	23
32	Randomized Comparison of Subcuticular Sutures Versus Staples for Skin Closure After Open Abdominal Surgery: a Multicenter Open-Label Randomized Controlled Trial. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 2083-2092.	0.9	22
33	The North Wind and the Sun: Pediatric Antimicrobial Stewardship Program Combining Restrictive and Persuasive Approaches in Hematology-Oncology Ward and Hematopoietic Stem Cell Transplant Unit. <i>Pediatric Infectious Disease Journal</i> , 2018, 37, 164-168.	1.1	22
34	Risk Factors of Coronary Artery Abnormalities and Resistance to Intravenous Immunoglobulin Plus Corticosteroid Therapy in Severe Kawasaki Disease. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021, 14, e007191.	0.9	21
35	Antimicrobial Stewardship Program in a Pediatric Intensive Care Unit. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2018, 7, e156-e159.	0.6	19
36	A simple scoring system to assess the need for an endoscopic intervention in suspected upper gastrointestinal bleeding: A prospective cohort study. <i>Digestive and Liver Disease</i> , 2016, 48, 1180-1186.	0.4	18

#	ARTICLE	IF	CITATIONS
37	Nebulized hypertonic saline in infants hospitalized with moderately severe bronchiolitis due to RSV infection: A multicenter randomized controlled trial. <i>Pediatric Pulmonology</i> , 2018, 53, 358-365.	1.0	18
38	Horibe GI bleeding prediction score: a simple score for triage decision-making in patients with suspected upper GI bleeding. <i>Gastrointestinal Endoscopy</i> , 2020, 92, 578-588.e4.	0.5	18
39	Establishment of a normal reference value for serum $\text{Ig}^2$ microglobulin in Japanese children: reevaluation of its clinical usefulness. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 99-105.	0.7	17
40	Growth impairment in children with pre-dialysis chronic kidney disease in Japan. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 1142-1148.	0.7	15
41	Insignificant impact of VUR on the progression of CKD in children with CAKUT. <i>Pediatric Nephrology</i> , 2016, 31, 105-112.	0.9	15
42	Perinatal factors contributing to chronic kidney disease in a cohort of Japanese children with very low birth weight. <i>Pediatric Nephrology</i> , 2021, 36, 953-960.	0.9	11
43	Risk Factors of Coronary Artery Aneurysms in Kawasaki Disease with a Low Risk of Intravenous Immunoglobulin Resistance: An Analysis of Post-RAISE. <i>Journal of Pediatrics</i> , 2022, 240, 158-163.e4.	0.9	10
44	Assessment of kidney function in children by enzymatic determination of 2- or 24-h creatinine clearance: comparison with inulin clearance. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 462-468.	0.7	9
45	Validation of RAPID3 using a Japanese version of Multidimensional Health Assessment Questionnaire with Japanese rheumatoid arthritis patients: Characteristics of RAPID3 compared to DAS28 and CDAL. <i>Modern Rheumatology</i> , 2015, 25, 264-269.	0.9	8
46	Absence of high-risk stigmata predicts good prognosis even in severely anemic patients with suspected acute upper gastrointestinal bleeding. <i>United European Gastroenterology Journal</i> , 2018, 6, 684-690.	1.6	7
47	Analysis of 2897 hospitalization events for patients with chronic kidney disease: results from CKD-JAC study. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 956-968.	0.7	7
48	Attitudes toward cervical cancer screening among women receiving human papillomavirus vaccination in a university-hospital-based community: Interim 2-year follow-up results. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 1105-1113.	0.6	5
49	Magnesium supplementation therapy to prevent cisplatin-induced acute nephrotoxicity in pediatric cancer: A protocol for a randomized phase 2 trial. <i>Contemporary Clinical Trials Communications</i> , 2019, 16, 100440.	0.5	5
50	Evaluation of a Kawasaki Disease Risk Model for Predicting Coronary Artery Aneurysms in a Japanese Population: An Analysis of Post-RAISE. <i>Journal of Pediatrics</i> , 2021, 237, 96-101.e3.	0.9	5
51	Follow-Up Duration of Echocardiography in Patients with Kawasaki Disease with No Initial Coronary Aneurysms. <i>Journal of Pediatrics</i> , 2022, 244, 133-138.e1.	0.9	5
52	Urine alpha 1-microglobulin-to-creatinine ratio and beta 2-microglobulin-to-creatinine ratio for detecting CAKUT with kidney dysfunction in children. <i>Pediatric Nephrology</i> , 2023, 38, 479-487.	0.9	5
53	Superior mesenteric artery syndrome: Risk factor for duodenal involvement in Henoch-Schönlein purpura. <i>Pediatrics International</i> , 2011, 53, 630-633.	0.2	4
54	Children's Perceived Competence Scale: reevaluation in a population of Japanese elementary and junior high school students. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2018, 12, 36.	1.2	4

#	ARTICLE	IF	CITATIONS
55	Favorable Kidney Function in Pediatric Liver Transplant Recipients: Results of a Single-center Cohort Study. <i>Transplantation</i> , 2019, 103, 1655-1662.	0.5	4
56	Superiority of urgent vs early endoscopic hemostasis in patients with upper gastrointestinal bleeding with high-risk stigmata. <i>Gastroenterology Report</i> , 2021, 9, 543-551.	0.6	4
57	Ensuring safe drug administration to pediatric patients with renal dysfunction: a multicenter study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 938-946.	0.7	3
58	A cross-sectional nationwide survey of congenital and infantile nephrotic syndrome in Japan. <i>BMC Nephrology</i> , 2020, 21, 363.	0.8	2
59	Self-perception of children with autism spectrum disorders. <i>Minerva Pediatrics</i> , 2018, 70, 12-19.	0.2	2
60	Long-term outcome of idiopathic steroid-resistant nephrotic syndrome in children: response to comments. <i>Pediatric Nephrology</i> , 2016, 31, 511-512.	0.9	1
61	Factors affecting enrollment in randomized controlled trials conducted for patients with metastatic breast cancer. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 873-881.	0.6	0