## Tetsuji Kaneko

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9667725/publications.pdf

Version: 2024-02-01

236833 233338 2,194 61 25 45 citations h-index g-index papers 63 63 63 3190 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Urine alpha 1-microglobulin-to-creatinine ratio and beta 2-microglobulin-to-creatinine ratio for detecting CAKUT with kidney dysfunction in children. Pediatric Nephrology, 2023, 38, 479-487.	0.9	5
2	Risk Factors of Coronary Artery Aneurysms in Kawasaki Disease with a Low Risk of Intravenous Immunoglobulin Resistance: An Analysis of PostÂRAISE. Journal of Pediatrics, 2022, 240, 158-163.e4.	0.9	10
3	Follow-Up Duration of Echocardiography in Patients with Kawasaki Disease with No Initial Coronary Aneurysms. Journal of Pediatrics, 2022, 244, 133-138.e1.	0.9	5
4	Perinatal factors contributing to chronic kidney disease in a cohort of Japanese children with very low birth weight. Pediatric Nephrology, 2021, 36, 953-960.	0.9	11
5	Risk Factors of Coronary Artery Abnormalities and Resistance to Intravenous Immunoglobulin Plus Corticosteroid Therapy in Severe Kawasaki Disease. Circulation: Cardiovascular Quality and Outcomes, 2021, 14, e007191.	0.9	21
6	Evaluation of a Kawasaki Disease Risk Model for Predicting Coronary Artery Aneurysms in a Japanese Population: An Analysis of Post RAISE. Journal of Pediatrics, 2021, 237, 96-101.e3.	0.9	5
7	Superiority of urgent vs early endoscopic hemostasis in patients with upper gastrointestinal bleeding with high-risk stigmata. Gastroenterology Report, 2021, 9, 543-551.	0.6	4
8	A cross-sectional nationwide survey of congenital and infantile nephrotic syndrome in Japan. BMC Nephrology, 2020, 21, 363.	0.8	2
9	Factors affecting enrollment in randomized controlled trials conducted for patients with metastatic breast cancer. Japanese Journal of Clinical Oncology, 2020, 50, 873-881.	0.6	O
10	Horibe GI bleeding prediction score: a simple score for triageÂdecision-making in patients with suspected upperAGIAbleeding. Gastrointestinal Endoscopy, 2020, 92, 578-588.e4.	0.5	18
11	Magnesium supplementation therapy to prevent cisplatin-induced acute nephrotoxicity in pediatric cancer: A protocol for a randomized phase 2 trial. Contemporary Clinical Trials Communications, 2019, 16, 100440.	0.5	5
12	Favorable Kidney Function in Pediatric Liver Transplant Recipients: Results of a Single-center Cohort Study. Transplantation, 2019, 103, 1655-1662.	0.5	4
13	Analysis of 2897 hospitalization events for patients with chronic kidney disease: results from CKD-JAC study. Clinical and Experimental Nephrology, 2019, 23, 956-968.	0.7	7
14	Bezafibrate Improves GLOBE and UKâ€PBC Scores and Longâ€Term Outcomes in Patients With Primary Biliary Cholangitis. Hepatology, 2019, 70, 2035-2046.	3.6	83
15	Association of Severity of Coronary Artery Aneurysms in Patients With Kawasaki Disease and Risk of Later Coronary Events. JAMA Pediatrics, 2018, 172, e180030.	3.3	83
16	Antimicrobial Stewardship Program in a Pediatric Intensive Care Unit. Journal of the Pediatric Infectious Diseases Society, 2018, 7, e156-e159.	0.6	19
17	Ensuring safe drug administration to pediatric patients with renal dysfunction: a multicenter study. Clinical and Experimental Nephrology, 2018, 22, 938-946.	0.7	3
18	The North Wind and the Sun: Pediatric Antimicrobial Stewardship Program Combining Restrictive and Persuasive Approaches in Hematology-Oncology Ward and Hematopoietic Stem Cell Transplant Unit. Pediatric Infectious Disease Journal, 2018, 37, 164-168.	1.1	22

#	Article	IF	Citations
19	Nebulized hypertonic saline in infants hospitalized with moderately severe bronchiolitis due to RSV infection: A multicenter randomized controlled trial. Pediatric Pulmonology, 2018, 53, 358-365.	1.0	18
20	Efficacy and safety of intravenous immunoglobulin plus prednisolone therapy in patients with Kawasaki disease (Post RAISE): a multicentre, prospective cohort study. The Lancet Child and Adolescent Health, 2018, 2, 855-862.	2.7	63
21	Children's Perceived Competence Scale: reevaluation in a population of Japanese elementary and junior high school students. Child and Adolescent Psychiatry and Mental Health, 2018, 12, 36.	1.2	4
22	High-Dose Versus Low-Dose Pitavastatin in Japanese Patients With Stable Coronary Artery Disease (REAL-CAD). Circulation, 2018, 137, 1997-2009.	1.6	174
23	Absence of highâ€risk stigmata predicts good prognosis even in severely anemic patients with suspected acute upper gastrointestinal bleeding. United European Gastroenterology Journal, 2018, 6, 684-690.	1.6	7
24	Self-perception of children with autism spectrum disorders. Minerva Pediatrics, 2018, 70, 12-19.	0.2	2
25	Identification of candidate diagnostic serum biomarkers for Kawasaki disease using proteomic analysis. Scientific Reports, 2017, 7, 43732.	1.6	48
26	Sustained pediatric antimicrobial stewardship program with consultation to infectious diseases reduced carbapenem resistance and infection-related mortality. International Journal of Infectious Diseases, 2017, 64, 69-73.	1.5	52
27	Randomized Comparison of Subcuticular Sutures Versus Staples for Skin Closure After Open Abdominal Surgery: a Multicenter Open-Label Randomized Controlled Trial. Journal of Gastrointestinal Surgery, 2016, 20, 2083-2092.	0.9	22
28	A simple scoring system to assess the need for an endoscopic intervention in suspected upper gastrointestinal bleeding: A prospective cohort study. Digestive and Liver Disease, 2016, 48, 1180-1186.	0.4	18
29	Association between low birth weight and childhood-onset chronic kidney disease in Japan: a combined analysis of a nationwide survey for paediatric chronic kidney disease and the National Vital Statistics Report. Nephrology Dialysis Transplantation, 2016, 31, 1895-1900.	0.4	47
30	Long-term outcome of idiopathic steroid-resistant nephrotic syndrome in children: response to comments. Pediatric Nephrology, 2016, 31, 511-512.	0.9	1
31	Insignificant impact of VUR on the progression of CKD in children with CAKUT. Pediatric Nephrology, 2016, 31, 105-112.	0.9	15
32	Assessment of kidney function in children by enzymatic determination of 2- or 24-h creatinine clearance: comparison with inulin clearance. Clinical and Experimental Nephrology, 2016, 20, 462-468.	0.7	9
33	Long-term outcome of idiopathic steroid-resistant nephrotic syndrome in children. Pediatric Nephrology, 2016, 31, 425-434.	0.9	33
34	Validation of RAPID3 using a Japanese version of Multidimensional Health Assessment Questionnaire with Japanese rheumatoid arthritis patients: Characteristics of RAPID3 compared to DAS28 and CDAI. Modern Rheumatology, 2015, 25, 264-269.	0.9	8
35	Reference glomerular filtration rate levels in Japanese children: using the creatinine and cystatin C based estimated glomerular filtration rate. Clinical and Experimental Nephrology, 2015, 19, 683-687.	0.7	23
36	End-stage renal disease in Japanese children: a nationwide survey during 2006–2011. Clinical and Experimental Nephrology, 2015, 19, 933-938.	0.7	46

#	Article	IF	CITATIONS
37	Growth impairment in children with pre-dialysis chronic kidney disease in Japan. Clinical and Experimental Nephrology, 2015, 19, 1142-1148.	0.7	15
38	Beta-2 microglobulin-based equation for estimating glomerular filtration rates in Japanese children and adolescents. Clinical and Experimental Nephrology, 2015, 19, 450-457.	0.7	25
39	Attitudes toward cervical cancer screening among women receiving human papillomavirus vaccination in a universityâ€hospitalâ€based community: Interim 2â€year followâ€up results. Journal of Obstetrics and Gynaecology Research, 2014, 40, 1105-1113.	0.6	5
40	Cystatin C-based equation for estimating glomerular filtration rate in Japanese children and adolescents. Clinical and Experimental Nephrology, 2014, 18, 718-725.	0.7	45
41	Creatinine-based equation to estimate the glomerular filtration rate in Japanese children and adolescents with chronic kidney disease. Clinical and Experimental Nephrology, 2014, 18, 626-633.	0.7	194
42	Progression to end-stage kidney disease in Japanese children with chronic kidney disease: results of a nationwide prospective cohort study. Nephrology Dialysis Transplantation, 2014, 29, 878-884.	0.4	36
43	Prospective 5-year follow-up of cyclosporine treatment in children with steroid-resistant nephrosis. Pediatric Nephrology, 2013, 28, 765-771.	0.9	37
44	Creatinine-based equations to estimate glomerular filtration rate in Japanese children aged between 2 and 11Âyears old with chronic kidney disease. Clinical and Experimental Nephrology, 2013, 17, 877-881.	0.7	28
45	Influence of pre-hydration and pharmacogenetics on plasma methotrexate concentration and renal dysfunction following high-dose methotrexate therapy. International Journal of Hematology, 2013, 98, 702-707.	0.7	26
46	Establishment of a normal reference value for serum $\hat{I}^2$ 2 microglobulin in Japanese children: reevaluation of its clinical usefulness. Clinical and Experimental Nephrology, 2013, 17, 99-105.	0.7	17
47	Pre-dialysis chronic kidney disease in children: results of a nationwide survey in Japan. Nephrology Dialysis Transplantation, 2013, 28, 2345-2355.	0.4	52
48	Analysis of Gender Differences in Genetic Risk: Association of TNFAIP3 Polymorphism with Male Childhood-Onset Systemic Lupus Erythematosus in the Japanese Population. PLoS ONE, 2013, 8, e72551.	1.1	23
49	Efficacy of Fusion Imaging Combining Sonography and Hepatobiliary Phase MRI With Gd-EOB-DTPA to Detect Small Hepatocellular Carcinoma. American Journal of Roentgenology, 2012, 198, 106-114.	1.0	80
50	Influence of outdoor NO <sub>2</sub> exposure on asthma in childhood: Metaâ€analysis. Pediatrics International, 2012, 54, 762-769.	0.2	43
51	New clinical diagnostic criteria for eosinophilic chronic rhinosinusitis. Auris Nasus Larynx, 2011, 38, 583-588.	0.5	123
52	Rectal Content and Intrafractional Prostate Gland Motion Assessed by Magnetic Resonance Imaging. Journal of Radiation Research, 2011, 52, 199-207.	0.8	24
53	PREOPERATIVE INNER SEGMENT/OUTER SEGMENT JUNCTION IN SPECTRAL-DOMAIN OPTICAL COHERENCE TOMOGRAPHY AS A PROGNOSTIC FACTOR IN EPIRETINAL MEMBRANE SURGERY. Retina, 2011, 31, 1366-1372.	1.0	128
54	Superior mesenteric artery syndrome: Risk factor for duodenal involvement in Henoch–Schönlein purpura. Pediatrics International, 2011, 53, 630-633.	0.2	4

## TETSUJI KANEKO

#	Article	IF	CITATION
55	Influence of polymorphisms within the methotrexate pathway genes on the toxicity and efficacy of methotrexate in patients with juvenile idiopathic arthritis. British Journal of Clinical Pharmacology, 2011, 71, 237-243.	1.1	46
56	Association of IRF5 Polymorphisms with Susceptibility to Hemophagocytic Lymphohistiocytosis in Children. Journal of Clinical Immunology, 2011, 31, 946-951.	2.0	27
57	Henoch-Schönlein purpura nephritis with nephrotic state in children: predictors of poor outcomes. Pediatric Nephrology, 2011, 26, 921-925.	0.9	48
58	Association of HLA-A*02:06 and HLA-DRB1*04:05 with clinical subtypes of juvenile idiopathic arthritis. Journal of Human Genetics, 2011, 56, 196-199.	1.1	23
59	Inner Segment/Outer Segment Junction Assessed by Spectral-Domain Optical Coherence Tomography in Patients with Idiopathic Epiretinal Membrane. American Journal of Ophthalmology, 2010, 150, 834-839.	1.7	141
60	Cyclosporine and steroid therapy in children with steroid-resistant nephrotic syndrome. Pediatric Nephrology, 2009, 24, 2177-2185.	0.9	66
61	Factors associated with lower Mini Mental State Examination scores in elderly Japanese diabetes mellitus patients. Neurobiology of Aging, 2008, 29, 1022-1026.	1.5	41