

Mike Slade

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/966773/mike-slade-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

268
papers

12,801
citations

59
h-index

107
g-index

299
ext. papers

14,983
ext. citations

4.6
avg, IF

6.81
L-index

#	Paper	IF	Citations
268	The utility of patient-reported outcome measures in mental health.. <i>World Psychiatry</i> , 2022 , 21, 56-57	14.4	3
267	How do recorded mental health recovery narratives create connection and improve hopefulness?. <i>Journal of Mental Health</i> , 2022 , 1-8	2.7	0
266	Associations between personal recovery and service user-rated versus clinician-rated clinical recovery, a cross-sectional study.. <i>BMC Psychiatry</i> , 2022 , 22, 42	4.2	0
265	Impact of receiving recorded mental health recovery narratives on quality of life in people experiencing non-psychosis mental health problems (NEON-O Trial): updated randomised controlled trial protocol.. <i>Trials</i> , 2022 , 23, 90	2.8	0
264	Proportionate translation of study materials and measures in a multinational global health trial: methodology development and implementation.. <i>BMJ Open</i> , 2022 , 12, e058083	3	1
263	Positive psychotherapy for psychosis in Hong Kong: A randomized controlled trial.. <i>Schizophrenia Research</i> , 2022 , 240, 175-183	3.6	
262	Character Strength-Focused Positive Psychotherapy on Acute Psychiatric Wards: A Feasibility and Acceptability Study.. <i>Psychiatric Services</i> , 2022 , appips202100316	3.3	0
261	Posttraumatic growth and recovery among a sample of Egyptian mental health service users: a phenomenological study.. <i>BMC Psychiatry</i> , 2022 , 22, 255	4.2	0
260	Typology of content warnings and trigger warnings: Systematic review.. <i>PLoS ONE</i> , 2022 , 17, e0266722	3.7	0
259	Post-traumatic growth in psychosis: a systematic review and narrative synthesis. <i>BMC Psychiatry</i> , 2021 , 21, 607	4.2	5
258	REFOCUS-PULSAR Recovery-Oriented Practice Training in Adult Primary Mental Health Care: Exploratory Findings Including From a Pretest-Posttest Evaluation. <i>Frontiers in Psychiatry</i> , 2021 , 12, 625408	5.08	2
257	CANDID Reliability and Validity 2021 , 81-89		
256	Perspectives on mental health recovery from Egyptian mental health professionals: A qualitative study. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2021 ,	2.4	2
255	Institutional injustice: Implications for system transformation emerging from the mental health recovery narratives of people experiencing marginalisation. <i>PLoS ONE</i> , 2021 , 16, e0250367	3.7	7
254	Management of a High-Performing Mental Health Recovery Research Group. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
253	Initial Training for Mental Health Peer Support Workers: Systematized Review and International Delphi Consultation. <i>JMIR Mental Health</i> , 2021 , 8, e25528	6	2
252	Discrepancy between experience and importance of recovery components in the symptomatic and recovery perceptions of people with severe mental disorders. <i>BMC Psychiatry</i> , 2021 , 21, 277	4.2	

251	Relationship between satisfaction with mental health services, personal recovery and quality of life among service users with psychosis: a cross-sectional study. <i>BMC Health Services Research</i> , 2021 , 21, 439	2.9	3
250	Recorded Mental Health Recovery Narratives as a Resource for People Affected by Mental Health Problems: Development of the Narrative Experiences Online (NEON) Intervention. <i>JMIR Formative Research</i> , 2021 , 5, e24417	2.5	7
249	The Importance of Personal Recovery and Perceived Recovery Support Among Service Users With Psychosis. <i>Psychiatric Services</i> , 2021 , 72, 661-668	3.3	2
248	Measuring recovery in Arabic countries: Translation of the self-efficacy for personal recovery scale. <i>International Journal of Social Psychiatry</i> , 2021 , 207640211028604	8.5	
247	Personal Recovery in People With a Psychotic Disorder: A Systematic Review and Meta-Analysis of Associated Factors. <i>Frontiers in Psychiatry</i> , 2021 , 12, 622628	5	12
246	Social connectedness in adults with mental disorders: ecological validation of a conceptual framework for novel complex interventions. <i>Journal of Mental Health</i> , 2021 , 30, 333-340	2.7	0
245	Living with Psychosis without Mental Health Services: A Narrative Interview Study. <i>BMJ Open</i> , 2021 , 11, e045661	3	0
244	Uses and Misuses of Recorded Mental Health Lived Experience Narratives in Healthcare and Community Settings: Systematic Review. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	1
243	Conceptual Framework for Personal Recovery in Patients With Acute Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2021 , 10, e022354	6	2
242	The Influence of Curator Goals on Collections of Lived Experience Narratives: A Qualitative Study. 2021 , 4, 16-28		1
241	Introduction to the Camberwell Assessment of Need (CAN), 2nd Edition 2020 , 1-3		
240	Camberwell Assessment of Need Short Appraisal Schedule [Patient (CANSAS-P), 2nd Edition 2020 , 60-62		
239	Frequently Asked Questions About the Camberwell Assessment of Need (CAN) 2020 , 39-45		
238	Opportunities, Enablers, and Barriers to the Use of Recorded Recovery Narratives in Clinical Settings. <i>Frontiers in Psychiatry</i> , 2020 , 11, 589731	5	5
237	Camberwell Assessment of Need [Research (CAN-R), 2nd Edition 2020 , 90-112		
236	Camberwell Assessment of Need [Clinical (CAN-C), 2nd Edition 2020 , 63-85		
235	Peer support for people with severe mental illness versus usual care in high-, middle- and low-income countries: study protocol for a pragmatic, multicentre, randomised controlled trial (UPSIDES-RCT). <i>Trials</i> , 2020 , 21, 371	2.8	16
234	Camberwell Assessment of Need Short Appraisal Schedule (CANSAS), 2nd Edition 2020 , 14-17		

233 Research and Practice Using the CAN: Evidence Review **2020**, 6-13

232 Typology of modifications to peer support work for adults with mental health problems: systematic review. *British Journal of Psychiatry*, **2020**, 216, 301-307 5.4 9

231 Mental health recovery for survivors of modern slavery: grounded theory study protocol. *BMJ Open*, **2020**, 10, e038583 3 2

230 Original CAN reliability and validity study Phelan M, Slade M, Thornicroft G, Dunn G, Holloway F, Wykes T, Strathdee G, Loftus L, McCrone P & Hayward P (1995) The Camberwell Assessment of Need: the validity and reliability of an instrument to assess the needs of people with severe mental illness. *British Journal of Psychiatry*, 167, 589-595. **2020**, 117-125 0

229 Mental health recovery for survivors of modern slavery: grounded theory study protocol. *BMJ Open*, **2020**, 10, e038583 3

228 The VOICES Typology of Curatorial Decisions in Narrative Collections of the Lived Experiences of Mental Health Service Use, Recovery, or Madness: Qualitative Study. *JMIR Mental Health*, **2020**, 7, e16296 6

227 Camberwell Assessment of Need (CAN) **2020**, 2 2

226 Not the story you want? Assessing the fit of a conceptual framework characterising mental health recovery narratives. *Social Psychiatry and Psychiatric Epidemiology*, **2020**, 55, 295-308 4.5 15

225 Development of the Camberwell Assessment of Need (CAN) **2020**, 4-5

224 Camberwell Assessment of Need [Clinical (CAN-C), 2nd Edition **2020**, 22-26

223 Camberwell Assessment of Need [Research (CAN-R), 2nd Edition **2020**, 27-32

222 Training Programme for the Camberwell Assessment of Need (CAN) **2020**, 33-38

221 Training Vignettes **2020**, 46-57

220 Camberwell Assessment of Need Short Appraisal Schedule (CANSAS), 2nd Edition **2020**, 58-59

219 CAN-C Summary Score Sheets, 2nd Edition **2020**, 86-89

218 CAN-R Summary Score Sheets, 2nd Edition **2020**, 113-116

217 Impact of receiving recorded mental health recovery narratives on quality of life in people experiencing psychosis, people experiencing other mental health problems and for informal carers: Narrative Experiences Online (NEON) study protocol for three randomised controlled trials. *Trials*, **2020**, 21, 661 2.8 13

216 Camberwell Assessment of Need Short Appraisal Schedule [Patient (CANSAS-P), 2nd Edition **2020**, 18-21

215	Rethinking the concept of insight. <i>World Psychiatry</i> , 2020 , 19, 389-390	14.4	9
214	When does shared decision making is adopted in psychiatric clinical practice? Results from a European multicentric study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 645-653 ⁵¹	5.1	4
213	A systematic review of influences on implementation of peer support work for adults with mental health problems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 285-293	4.5	50
212	A feasibility study of the effects of implementing a staff-level recovery-oriented training intervention in older people's mental health services. <i>Aging and Mental Health</i> , 2020 , 24, 1926-1934	3.5	2
211	INCREASE: Development of an Inventory to Characterize Recorded Mental Health Recovery Narratives. 2020 , 3, 25-44		
210	Recovery colleges as a mental health innovation. <i>World Psychiatry</i> , 2019 , 18, 141-142	14.4	23
209	Mental Health Recovery Narratives and Their Impact on Recipients: Systematic Review and Narrative Synthesis. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 669-679	4.8	25
208	Peer support and skills training through an eating club for people with psychotic disorders: A feasibility study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2019 , 64, 80-86	2.6	5
207	Characteristics of mental health recovery narratives: Systematic review and narrative synthesis. <i>PLoS ONE</i> , 2019 , 14, e0214678	3.7	72
206	Post-traumatic growth in mental health recovery: qualitative study of narratives. <i>BMJ Open</i> , 2019 , 9, e029342	3	34
205	Curation of Mental Health Recovery Narrative Collections: Systematic Review and Qualitative Synthesis. <i>JMIR Mental Health</i> , 2019 , 6, e14233	6	9
204	Using Peer Support in Developing Empowering Mental Health Services (UPSIDES): Background, Rationale and Methodology. <i>Annals of Global Health</i> , 2019 , 85,	3.3	30
203	Personal growth in psychosis. <i>World Psychiatry</i> , 2019 , 18, 29-30	14.4	20
202	Conceptual framework for personal recovery in mental health among children and adolescents: a systematic review and narrative synthesis protocol. <i>BMJ Open</i> , 2019 , 9, e029300	3	5
201	The mechanisms and processes of connection: developing a causal chain model capturing impacts of receiving recorded mental health recovery narratives. <i>BMC Psychiatry</i> , 2019 , 19, 413	4.2	9
200	The impact of mental health recovery narratives on recipients experiencing mental health problems: Qualitative analysis and change model. <i>PLoS ONE</i> , 2019 , 14, e0226201	3.7	16
199	Development and Evaluation of a Recovery College Fidelity Measure. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 405-414	4.8	14
198	REFOCUS-PULSAR recovery-oriented practice training in specialist mental health care: a stepped-wedge cluster randomised controlled trial. <i>Lancet Psychiatry</i> , 2019 , 6, 103-114	23.3	27

197	The impact of Recovery Colleges on mental health staff, services and society. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 481-488	5.1	12
196	Conceptual framework for social connectedness in mental disorders: Systematic review and narrative synthesis. <i>Journal of Affective Disorders</i> , 2019 , 245, 188-199	6.6	27
195	The experiences of spirituality among adults with mental health difficulties: a qualitative systematic review. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e34	5.1	24
194	The art of recovery: outcomes from participatory arts activities for people using mental health services. <i>Journal of Mental Health</i> , 2018 , 27, 367-373	2.7	36
193	The development of an occupational therapy intervention for adults with a diagnosed psychotic disorder following discharge from hospital. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 81	1.9	5
192	Best practice framework for Patient and Public Involvement (PPI) in collaborative data analysis of qualitative mental health research: methodology development and refinement. <i>BMC Psychiatry</i> , 2018 , 18, 213	4.2	54
191	Web-Based Decision Aid to Assist Help-Seeking Choices for Young People Who Self-Harm: Outcomes From a Randomized Controlled Feasibility Trial. <i>JMIR Mental Health</i> , 2018 , 5, e10	6	6
190	Mechanisms of Action and Outcomes for Students in Recovery Colleges. <i>Psychiatric Services</i> , 2018 , 69, 1222-1229	3.3	18
189	Need for information in a representative sample of outpatients with schizophrenia disorders. <i>International Journal of Social Psychiatry</i> , 2018 , 64, 476-481	8.5	20
188	The PULSAR Specialist Care protocol: a stepped-wedge cluster randomized control trial of a training intervention for community mental health teams in recovery-oriented practice. <i>BMC Psychiatry</i> , 2017 , 17, 172	4.2	6
187	Clinical Decision Making and Mental Health Service Use Among Persons With Severe Mental Illness Across Europe. <i>Psychiatric Services</i> , 2017 , 68, 970-974	3.3	7
186	Implementing shared decision making in routine mental health care. <i>World Psychiatry</i> , 2017 , 16, 146-153	14.4	187
185	Helping Alliance and Unmet Needs in Routine Care of People With Severe Mental Illness Across Europe: A Prospective Longitudinal Multicenter Study. <i>Journal of Nervous and Mental Disease</i> , 2017 , 205, 329-333	1.8	2
184	Recovery and decision-making involvement in people with severe mental illness from six countries: a prospective observational study. <i>BMC Psychiatry</i> , 2017 , 17, 38	4.2	17
183	Subjective distress in a representative sample of outpatients with psychotic disorders. <i>Journal of Affective Disorders</i> , 2016 , 189, 220-3	6.6	6
182	WELLFOCUS PPT: Modifying positive psychotherapy for psychosis. <i>Psychotherapy</i> , 2016 , 53, 68-77	2.5	20
181	Service user experiences of REFOCUS: a process evaluation of a pro-recovery complex intervention. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 1275-84	4.5	16
180	Decisional support for young people who self-harm: protocol for a feasibility trial. <i>BMJ Open</i> , 2016 , 6, e012161	3	2

179	Clinical decision making and outcome in the routine care of people with severe mental illness across Europe (CEDAR). <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 69-79	5.1	39
178	Effects of Clinical Decision Topic on Patients Involvement in and Satisfaction With Decisions and Their Subsequent Implementation. <i>Psychiatric Services</i> , 2016 , 67, 658-63	3.3	9
177	The relationship between clinical and recovery dimensions of outcome in mental health. <i>Schizophrenia Research</i> , 2016 , 175, 142-147	3.6	49
176	Evaluation of a positive psychotherapy group intervention for people with psychosis: pilot randomised controlled trial. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 235-46	5.1	65
175	Developing involvement during a programme of recovery research. <i>Journal of Mental Health Training, Education and Practice</i> , 2016 , 11, 244-255	0.9	3
174	Recovery practice in community mental health teams: national survey. <i>British Journal of Psychiatry</i> , 2016 , 209, 340-346	5.4	31
173	Uses of strength-based interventions for people with serious mental illness: A critical review. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 281-91	8.5	59
172	Participation in medical decision-making across Europe: An international longitudinal multicenter study. <i>European Psychiatry</i> , 2016 , 35, 39-46	6	22
171	Courses of helping alliance in the treatment of people with severe mental illness in Europe: a latent class analytic approach. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 363-70	4.5	5
170	Content and implementation of clinical decisions in the routine care of people with severe mental illness. <i>Journal of Mental Health</i> , 2015 , 24, 15-9	2.7	4
169	Supporting recovery in patients with psychosis through care by community-based adult mental health teams (REFOCUS): a multisite, cluster, randomised, controlled trial. <i>Lancet Psychiatry</i> , 2015 , 2, 503-14	23.3	77
168	Staff views on wellbeing for themselves and for service users. <i>Journal of Mental Health</i> , 2015 , 24, 48-53	2.7	6
167	Empowerment and satisfaction in a multinational study of routine clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 369-78	6.5	21
166	Empirical evidence about recovery and mental health. <i>BMC Psychiatry</i> , 2015 , 15, 285	4.2	119
165	The feasibility of implementing recovery, psychosocial and pharmacological interventions for psychosis: comparison study. <i>Implementation Science</i> , 2015 , 10, 73	8.4	9
164	Staff understanding of recovery-orientated mental health practice: a systematic review and narrative synthesis. <i>Implementation Science</i> , 2015 , 10, 87	8.4	72
163	Mental health service user experience of positive psychotherapy. <i>Journal of Clinical Psychology</i> , 2015 , 71, 85-92	2.8	14
162	Development and evaluation of an Individualized Outcome Measure (IOM) for randomized controlled trials in mental health. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 257-63	4.3	6

161	Development of the REFOCUS intervention to increase mental health team support for personal recovery. <i>British Journal of Psychiatry</i> , 2015 , 207, 544-50	5.4	29
160	Psychometric evaluation of the Questionnaire about the Process of Recovery (QPR). <i>British Journal of Psychiatry</i> , 2015 , 207, 551-5	5.4	31
159	Competing priorities: staff perspectives on supporting recovery. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2015 , 42, 429-38	3.1	55
158	Development and evaluation of the INSPIRE measure of staff support for personal recovery. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 777-86	4.5	56
157	Fit for purpose? Validation of a conceptual framework for personal recovery with current mental health consumers. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 644-53	2.6	132
156	Resource-oriented therapeutic models in psychiatry: conceptual review. <i>British Journal of Psychiatry</i> , 2014 , 204, 256-61	5.4	81
155	The development and evaluation of a five-language multi-perspective standardised measure: clinical decision-making involvement and satisfaction (CDIS). <i>BMC Health Services Research</i> , 2014 , 14, 323	2.9	16
154	Desire for information of people with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1883-91	4.5	14
153	WELLFOCUS PPT - modified positive psychotherapy to improve well-being in psychosis: study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2014 , 15, 203	2.8	20
152	The relationship between therapeutic alliance and service user satisfaction in mental health inpatient wards and crisis house alternatives: a cross-sectional study. <i>PLoS ONE</i> , 2014 , 9, e100153	3.7	48
151	Arm Activity measure (ArMA) application for recording functional gain following focal spasticity treatment. <i>International Journal of Therapy and Rehabilitation</i> , 2014 , 21, 10-17	0.4	11
150	Evaluating the feasibility of complex interventions in mental health services: standardised measure and reporting guidelines. <i>British Journal of Psychiatry</i> , 2014 , 204, 316-21	5.4	38
149	A conceptual framework for improving well-being in people with a diagnosis of psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 377-87	5.1	28
148	Uses and abuses of recovery: implementing recovery-oriented practices in mental health systems. <i>World Psychiatry</i> , 2014 , 13, 12-20	14.4	446
147	New trends in assessing the outcomes of mental health interventions. <i>World Psychiatry</i> , 2014 , 13, 118-24	14.4	66
146	Global priorities of civil society for mental health services: findings from a 53 country survey. <i>World Psychiatry</i> , 2014 , 13, 198-200	14.4	7
145	Disclosure of a mental health problem in the employment context: qualitative study of beliefs and experiences. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 289-300	5.1	47
144	Help-seeking behaviour and adolescent self-harm: a systematic review. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 1083-95	2.6	107

143	Development and preliminary evaluation of a decision aid for disclosure of mental illness to employers. <i>Patient Education and Counseling</i> , 2014 , 94, 238-42	3.1	19
142	Implementing a complex intervention to support personal recovery: a qualitative study nested within a cluster randomised controlled trial. <i>PLoS ONE</i> , 2014 , 9, e97091	3.7	23
141	Positive psychology: an approach to supporting recovery in mental illness. <i>East Asian Archives of Psychiatry</i> , 2014 , 24, 95-103	1.1	26
140	Development of a framework for recovery in older people with mental disorder. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 522-9	3.9	60
139	Promoting recovery-oriented practice in mental health services: a quasi-experimental mixed-methods study. <i>BMC Psychiatry</i> , 2013 , 13, 167	4.2	63
138	Development and psychometric properties of a five-language multiperspective instrument to assess clinical decision making style in the treatment of people with severe mental illness (CDMS). <i>BMC Psychiatry</i> , 2013 , 13, 48	4.2	24
137	Mass media interventions for reducing mental health-related stigma. <i>The Cochrane Library</i> , 2013 , CD009453	4.53	101
136	Development and psychometric evaluation of the Discrimination and Stigma Scale (DISC). <i>Psychiatry Research</i> , 2013 , 208, 33-40	9.9	100
135	Conceptualisation and development of the arm activity measure (ArMA) for assessment of activity in the hemiparetic arm. <i>Disability and Rehabilitation</i> , 2013 , 35, 1513-8	2.4	28
134	Conceptualising and measuring the well-being of people with psychosis: systematic review and narrative synthesis. <i>Social Science and Medicine</i> , 2013 , 92, 9-21	5.1	50
133	The validity of patient- and clinician-rated measures of needs and the therapeutic relationship in psychosis: a pooled analysis. <i>Psychiatry Research</i> , 2013 , 209, 711-20	9.9	7
132	From objectivity to subjectivity: conceptualization and measurement of well-being in mental health. <i>Neuropsychiatry</i> , 2013 , 3, 525-534	1.8	21
131	Initial psychometric evaluation of the Arm Activity Measure (ArMA): a measure of activity in the hemiparetic arm. <i>Clinical Rehabilitation</i> , 2013 , 27, 728-40	3.3	41
130	Measures of personal recovery: a systematic review. <i>Psychiatric Services</i> , 2013 , 64, 974-80	3.3	131
129	Joint crisis plans for people with borderline personality disorder: feasibility and outcomes in a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2013 , 202, 357-64	5.4	37
128	Decision aid on disclosure of mental health status to an employer: feasibility and outcomes of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2013 , 203, 350-7	5.4	43
127	Determinants, self-management strategies and interventions for hope in people with mental disorders: systematic search and narrative review. <i>Social Science and Medicine</i> , 2012 , 74, 554-64	5.1	94
126	Systematic review of beliefs, behaviours and influencing factors associated with disclosure of a mental health problem in the workplace. <i>BMC Psychiatry</i> , 2012 , 12, 11	4.2	189

125	Everyday solutions for everyday problems: how mental health systems can support recovery. <i>Psychiatric Services</i> , 2012 , 63, 702-4	3.3	53
124	Measures of the recovery orientation of mental health services: systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1827-35	4.5	88
123	Recovery grows up. <i>Journal of Mental Health</i> , 2012 , 21, 99-103	2.7	71
122	A decision aid to assist decisions on disclosure of mental health status to an employer: protocol for the CORAL exploratory randomised controlled trial. <i>BMC Psychiatry</i> , 2012 , 12, 133	4.2	15
121	An evidence-based approach to routine outcome assessment: Commentary on Use of Health of the Nation Outcome Scales in Psychiatry. <i>Advances in Psychiatric Treatment</i> , 2012 , 18, 180-182		23
120	Assessing the strengths of mental health consumers: a systematic review. <i>Psychological Assessment</i> , 2012 , 24, 1024-33	5.3	40
119	Social Factors and Recovery from Mental Health Difficulties: A Review of the Evidence. <i>British Journal of Social Work</i> , 2012 , 42, 443-460	1.2	303
118	International differences in understanding recovery: systematic review. <i>Epidemiology and Psychiatric Sciences</i> , 2012 , 21, 353-64	5.1	190
117	Recovery research: the empirical evidence from England. <i>World Psychiatry</i> , 2012 , 11, 162-3	14.4	4
116	Implementing successful residential alternatives to acute in-patient psychiatric services: lessons from a multi-centre study of alternatives in England. <i>Epidemiology and Psychiatric Sciences</i> , 2012 , 21, 175-85	5.1	8
115	Recovery in England: transforming statutory services?. <i>International Review of Psychiatry</i> , 2012 , 24, 29-39.6		67
114	The development and psychometric properties of the Humanitarian Emergency Settings Perceived Needs (HESPER) Scale. <i>American Journal of Public Health</i> , 2012 , 102, e55-63	5.1	48
113	Association between symptoms and quality of life in patients with schizophrenia: a pooled analysis of changes over time. <i>Schizophrenia Research</i> , 2011 , 133, 17-21	3.6	61
112	Conceptual framework for personal recovery in mental health: systematic review and narrative synthesis. <i>British Journal of Psychiatry</i> , 2011 , 199, 445-52	5.4	1335
111	Mass media interventions for reducing mental health-related stigma 2011 ,		11
110	Developing and comparing methods for measuring the content of care in mental health services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 219-29	4.5	4
109	REFOCUS Trial: protocol for a cluster randomised controlled trial of a pro-recovery intervention within community based mental health teams. <i>BMC Psychiatry</i> , 2011 , 11, 185	4.2	56
108	A UK validation of the Stages of Recovery Instrument. <i>International Journal of Social Psychiatry</i> , 2011 , 57, 446-54	8.5	32

107	What does recovery mean in practice? A qualitative analysis of international recovery-oriented practice guidance. <i>Psychiatric Services</i> , 2011 , 62, 1470-6	3.3	268
106	Outcome, costs and patient engagement for group and individual CBT for depression: a naturalistic clinical study. <i>Behavioural and Cognitive Psychotherapy</i> , 2011 , 39, 355-8	2.1	19
105	Clinical and economic outcomes from the UK pilot psychiatric services for personality-disordered offenders. <i>International Review of Psychiatry</i> , 2011 , 23, 61-9	3.6	8
104	Further development and psychometric validation of the discrimination and stigma scale (DISC-12). <i>Psychiatrische Praxis</i> , 2011 , 38,	0.1	2
103	Implementing successful residential alternatives to acute in-patient psychiatric services: what can we learn from professional stakeholders? Perspectives?. <i>Psychiatrische Praxis</i> , 2011 , 38,	0.1	2
102	An evaluation of new services for personality-disordered offenders: staff and service user perspectives. <i>International Journal of Social Psychiatry</i> , 2010 , 56, 186-95	8.5	14
101	Residential alternatives to acute in-patient care in England: satisfaction, ward atmosphere and service user experiences. <i>British Journal of Psychiatry</i> , 2010 , 53, s41-5	5.4	24
100	Factors influencing subjective quality of life in patients with schizophrenia and other mental disorders: a pooled analysis. <i>Schizophrenia Research</i> , 2010 , 121, 251-8	3.6	71
99	Alternatives to standard acute in-patient care in England: roles and populations served. <i>British Journal of Psychiatry</i> , 2010 , 53, s6-s13	5.4	14
98	Alternatives to standard acute in-patient care in England: short-term clinical outcomes and cost-effectiveness. <i>British Journal of Psychiatry</i> , 2010 , 53, s14-9	5.4	25
97	Alternatives to standard acute in-patient care in England: differences in content of care and staff-patient contact. <i>British Journal of Psychiatry</i> , 2010 , 53, s46-51	5.4	19
96	Service users' experiences of residential alternatives to standard acute wards: qualitative study of similarities and differences. <i>British Journal of Psychiatry</i> , 2010 , 53, s26-31	5.4	36
95	Alternatives to standard acute in-patient care in England: readmissions, service use and cost after discharge. <i>British Journal of Psychiatry</i> , 2010 , 53, s20-5	5.4	17
94	How should we implement psychiatric advance directives? Views of consumers, caregivers, mental health providers and researchers. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2010 , 37, 447-58	3.1	26
93	Mental illness and well-being: the central importance of positive psychology and recovery approaches. <i>BMC Health Services Research</i> , 2010 , 10, 26	2.9	302
92	The contribution of advisory committees and public involvement to large studies: case study. <i>BMC Health Services Research</i> , 2010 , 10, 323	2.9	24
91	Experiences of mental illness stigma, prejudice and discrimination: a review of measures. <i>BMC Health Services Research</i> , 2010 , 10, 80	2.9	225
90	Clinical decision making and outcome in routine care for people with severe mental illness (CEDAR): study protocol. <i>BMC Psychiatry</i> , 2010 , 10, 90	4.2	28

89	The effectiveness of joint crisis plans for people with borderline personality disorder: protocol for an exploratory randomised controlled trial. <i>Trials</i> , 2010 , 11, 18	2.8	14
88	Measuring recovery in mental health services. <i>Israel Journal of Psychiatry</i> , 2010 , 47, 206-12		15
87	Residential alternatives to acute psychiatric hospital admission: systematic review. <i>British Journal of Psychiatry</i> , 2009 , 195, 109-17	5.4	52
86	A national survey of psychiatric mother and baby units in England. <i>Psychiatric Services</i> , 2009 , 60, 629-33	3.3	19
85	In-patient and residential alternatives to standard acute psychiatric wards in England. <i>British Journal of Psychiatry</i> , 2009 , 194, 456-63	5.4	46
84	Personal Recovery and Mental Illness: A Guide for Mental Health Professionals 2009 ,		484
83	The importance of relationships in mental health care: a qualitative study of service users' experiences of psychiatric hospital admission in the UK. <i>BMC Health Services Research</i> , 2008 , 8, 92	2.9	208
82	The relationships between user, carer and staff perceptions of need in an assertive outreach team. <i>Journal of Mental Health</i> , 2008 , 17, 452-461	2.7	9
81	Loss of doctor-to-doctor communication: lessons from the reconfiguration of mental health services in England. <i>Journal of Health Services Research and Policy</i> , 2008 , 13, 6-12	2.4	19
80	Evaluation of functional outcome measures for the hemiparetic upper limb: a systematic review. <i>Journal of Rehabilitation Medicine</i> , 2008 , 40, 787-95	3.4	82
79	Failure to improve appropriateness of referrals to adult community mental health services--lessons from a multi-site cluster randomized controlled trial. <i>Family Practice</i> , 2008 , 25, 181-90	1.9	23
78	Recovery: an international perspective. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 128-37		234
77	Development and evaluation of a patient-rated version of the Camberwell Assessment of Need short appraisal schedule (CANSAS-P). <i>Community Mental Health Journal</i> , 2008 , 44, 113-24	2.1	63
76	The reliability and validity of the forensic Camberwell Assessment of Need (CANFOR): a needs assessment for forensic mental health service users. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 111-20	4.3	56
75	Hope in psychiatry: a review of the literature. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 421-33	6.5	122
74	Acute in-patient psychiatry: residential alternatives to hospital admission. <i>Psychiatric Bulletin</i> , 2007 , 31, 262-264		13
73	Staff and patient perspectives on unmet need and therapeutic alliance in community mental health services. <i>British Journal of Psychiatry</i> , 2007 , 191, 543-7	5.4	65
72	Assessing the needs of pregnant women and mothers with severe mental illness: the psychometric properties of the Camberwell Assessment of Need - Mothers (CAN-M). <i>International Journal of Methods in Psychiatric Research</i> , 2007 , 16, 177-85	4.3	27

71	A qualitative study of referral to community mental health teams in the UK: exploring the rhetoric and the reality. <i>BMC Health Services Research</i> , 2007 , 7, 117	2.9	24
70	Assessing the content of mental health services: a review of measures. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 673-82	4.5	25
69	Factors associated with changing patient needs in an assertive outreach team. <i>International Journal of Social Psychiatry</i> , 2007 , 53, 389-96	8.5	11
68	Best practice when service users do not consent to sharing information with carers. National multimethod study. <i>British Journal of Psychiatry</i> , 2007 , 190, 148-55	5.4	31
67	Recovery in psychiatry. <i>Psychiatric Bulletin</i> , 2007 , 31, 321-325		106
66	Use of standardised outcome measures in adult mental health services: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2006 , 189, 330-6	5.4	107
65	Personality disorders and unmet needs among psychiatric inpatients. <i>Psychiatric Services</i> , 2006 , 57, 538-43	4.3	37
64	Commissioning Outcome-focused Mental Health Services. <i>Mental Health Review Journal</i> , 2006 , 11, 31-36	0.9	5
63	Pre-morbid IQ and response to routine outcome assessment. <i>Psychological Medicine</i> , 2006 , 36, 1183-91	6.9	25
62	Who decides what evidence is? Developing a multiple perspectives paradigm in mental health. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 109-14	6.5	96
61	Reliability of the Camberwell assessment of need (Chinese version) for patients with schizophrenia at a daycare center of Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 75-80	4.5	29
60	Routine use of mental health outcome assessments: choosing the measure. <i>British Journal of Psychiatry</i> , 2005 , 186, 146-52	5.4	76
59	An exploratory study of assertive community treatment for people with intellectual disability and psychiatric disorders: conceptual, clinical, and service issues. <i>Journal of Intellectual Disability Research</i> , 2005 , 49, 516-24	3.2	45
58	Assessing violence risk in general adult psychiatry. <i>Psychiatric Bulletin</i> , 2005 , 29, 131-133		45
57	The use of carers and users' expectations of services (CUES) in an epidemiological survey of need. <i>International Journal of Social Psychiatry</i> , 2005 , 51, 35-43	8.5	4
56	Patient-rated mental health needs and quality of life improvement. <i>British Journal of Psychiatry</i> , 2005 , 187, 256-61	5.4	148
55	Clinical characteristics of community forensic mental health services. <i>Psychiatric Services</i> , 2004 , 55, 1294-8	3.3	24
54	Does meeting needs improve quality of life?. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 183-9	9.4	105

53	Clinical assessment of risk decision support (CARDS): The development and evaluation of a feasible violence risk assessment for routine psychiatric practice. <i>Journal of Mental Health</i> , 2004 , 13, 569-581	2.7	17
52	Demographic, clinical, social and service variables associated with higher needs for care in community psychiatric service patients. The South Verona Outcome Project 8. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 60-8	4.5	38
51	Using Process and Outcome Information to Inform Mental Health Care. <i>Clinical Science</i> , 2003 , 104, 42P-43P		
50	From research to practice: a local mental health services needs assessment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 276-81	4.5	22
49	Staff and patient assessments of need in an epidemiologically representative sample of patients with psychosis--staff and patient assessments of need. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 662-7	4.5	38
48	Skills development and family interventions in an early psychosis service. <i>Journal of Mental Health</i> , 2003 , 12, 405-415	2.7	12
47	Threshold 2: the reliability, validity and sensitivity to change of the Threshold Assessment Grid (TAG). <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 453-60	6.5	10
46	What outcomes to measure in routine mental health services, and how to assess them: a systematic review. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002 , 36, 743-53	2.6	75
45	Mental health services research methodology. <i>International Review of Psychiatry</i> , 2002 , 14, 12-18	3.6	6
44	The use of patient-level outcomes to inform treatment. <i>Epidemiologia E Psichiatria Sociale</i> , 2002 , 11, 20-7		8
43	Comparing needs assessed by staff and by service users: paternalism or partnership in mental health?. <i>Epidemiologia E Psichiatria Sociale</i> , 2002 , 11, 186-91		15
42	Cognitive-behavioural techniques in practice. <i>British Journal of Psychiatry</i> , 2001 , 178, 180	5.4	
41	Threshold 3: the feasibility of the Threshold Assessment Grid (TAG) for routine assessment of the severity of mental health problems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 516-21	4.5	15
40	Physical health care for people with severe mental illness: The role of the general practitioner (GP). <i>Journal of Mental Health</i> , 2001 , 10, 53-61	2.7	19
39	Threshold Assessment Grid (TAG): the development of a valid and brief scale to assess the severity of mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000 , 35, 78-85	4.5	82
38	Reliability and validity of the CANDID--a needs assessment instrument for adults with learning disabilities and mental health problems. <i>British Journal of Psychiatry</i> , 2000 , 176, 473-8	5.4	69
37	The unmet needs of people suffering from schizophrenia 2000 , 197-217		3
36	Assessment: from theory to practice. <i>British Journal of Psychiatry</i> , 2000 , 176, 394-395	5.4	1

35	Routine clinical outcome measures for patients with severe mental illness: CANSAS and HoNOS. <i>British Journal of Psychiatry</i> , 1999 , 174, 404-8	5.4	90
34	The feasibility of routine outcome measures in mental health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999 , 34, 243-9	4.5	130
33	The association between needs and quality of life in an epidemiologically representative sample of people with psychosis. <i>Acta Psychiatrica Scandinavica</i> , 1999 , 100, 149-57	6.5	91
32	Risk factors for tenancy breakdown for mentally ill people. <i>Journal of Mental Health</i> , 1999 , 8, 361-371	2.7	3
31	User-friendly assessment of need. <i>Nursing Times</i> , 1999 , 95, 52-3		
30	User perspective on needs and satisfaction with mental health services. PRISM Psychosis Study. 8. <i>British Journal of Psychiatry</i> , 1998 , 173, 409-15	5.4	85
29	A comparison of needs assessed by staff and by an epidemiologically representative sample of patients with psychosis. <i>Psychological Medicine</i> , 1998 , 28, 543-50	6.9	144
28	Current approaches to identifying the severely mentally ill. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1997 , 32, 177-84	4.5	44
27	Assessing the needs of the severely mentally ill: cultural and professional differences. <i>International Journal of Social Psychiatry</i> , 1996 , 42, 1-9	8.5	17
26	The Camberwell Assessment of Need (CAN): comparison of assessments by staff and patients of the needs of the severely mentally ill. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996 , 31, 109-13	4.5	155
25	The Camberwell Assessment of Need: the validity and reliability of an instrument to assess the needs of people with severe mental illness. <i>British Journal of Psychiatry</i> , 1995 , 167, 589-95	5.4	633
24	Multidisciplinary mental health teams. <i>International Journal of Social Psychiatry</i> , 1995 , 41, 180-9	8.5	10
23	Mental health services on Lower North Shore, Sydney. <i>Psychiatric Bulletin</i> , 1995 , 19, 108-110		2
22	Uptake of welfare benefits by psychiatric patients. <i>Psychiatric Bulletin</i> , 1995 , 19, 411-413		8
21	Health and social needs of the long-term mentally ill. <i>Current Opinion in Psychiatry</i> , 1995 , 8, 126-129	4.9	7
20	Dimensions of Community Mental Health Care. Edited by M. P. I. Weller and M. Muijen London: Saunders. 1993. 338 pp. £15.95.. <i>British Journal of Psychiatry</i> , 1995 , 166, 271-271	5.4	
19	A self-report Insight Scale for psychosis: reliability, validity and sensitivity to change. <i>Acta Psychiatrica Scandinavica</i> , 1994 , 89, 62-7	6.5	483
18	The Samaritans: 40 years of listening. <i>Psychiatric Bulletin</i> , 1994 , 18, 49-49		

17	Wellbeing in Non-Western Cultures194-206	3
16	Meaning in Life and Wellbeing75-85	15
15	Conceptual Framework for Wellbeing in Psychosis59-74	
14	WELLFOCUS PPT for Psychosis133-146	
13	Why Wellbeing and Recovery?1-6	1
12	Recovery and Mental Health24-34	8
11	Recovery Colleges and Co-production181-193	2
10	Collaborative Recovery Model99-110	12
9	Outcome measurement in England32-39	2
8	A multi-national peer support intervention: the UPSIDES pilot phase. <i>Advances in Mental Health</i> ,1-13	1.2 0
7	The VOICES Typology of Curatorial Decisions in Narrative Collections of the Lived Experiences of Mental Health Service Use, Recovery, or Madness: Qualitative Study (Preprint)	1
6	Evidence in Mental Health Care	4
5	Positive Psychotherapy for Psychosis	12
4	Curation of Mental Health Recovery Narrative Collections: Systematic Review and Qualitative Synthesis (Preprint)	1
3	Module 1: What is mental health recovery and how does it relate to person-centered care planning?1-22	
2	Module 7: So you have a person-centered care plan, now what? Plan implementation and quality monitoring147-179	
1	Mental health services and recovery40-56	3