## Tomohiro Takatani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9671925/publications.pdf

Version: 2024-02-01

471509 477307 34 885 17 29 citations h-index g-index papers 35 35 35 454 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Tetrodotoxin Retention in the Toxic Goby Yongeichthys criniger. Journal of Marine Science and Engineering, 2022, 10, 191.	2.6	1
2	Local Differences in the Toxin Amount and Composition of Tetrodotoxin and Related Compounds in Pufferfish (Chelonodon patoca) and Toxic Goby (Yongeichthys criniger) Juveniles. Toxins, 2022, 14, 150.	3.4	10
3	Myrindole A, an Antimicrobial Bis-indole from a Marine Sponge <i>Myrmekioderma</i> sp Organic Letters, 2021, 23, 3477-3480.	4.6	10
4	Homophymamide A, Heterodetic Cyclic Tetrapeptide from a <i>Homophymia</i> sp. Marine Sponge: A Cautionary Note on Configurational Assignment of Peptides That Contain a Ureido Linkage. Journal of Natural Products, 2021, 84, 1848-1853.	3.0	9
5	The role of toxic planocerid flatworm larvae on tetrodotoxin accumulation in marine bivalves. Aquatic Toxicology, 2021, 237, 105908.	4.0	15
6	Tetrodotoxin/Saxitoxins Selectivity of the Euryhaline Freshwater Pufferfish Dichotomyctere fluviatilis. Toxins, 2021, 13, 731.	3.4	3
7	Geographic Variations in the Toxin Profile of the Xanthid Crab Zosimus aeneus in a Single Reef on Ishigaki Island, Okinawa, Japan. Marine Drugs, 2021, 19, 670.	4.6	5
8	Evaluation of the tetrodotoxin uptake ability of pufferfish Takifugu rubripes tissues according to age using an in vitro tissue slice incubation method. Toxicon, 2020, 174, 8-12.	1.6	8
9	Co-Occurrence of Tetrodotoxin and Saxitoxins and Their Intra-Body Distribution in the Pufferfish Canthigaster valentini. Toxins, 2020, 12, 436.	3.4	13
10	Phylogeny and Toxin Profile of Freshwater Pufferfish (Genus Pao) Collected from 2 Different Regions in Cambodia. Toxins, 2020, 12, 689.	3 <b>.</b> 4	6
11	The planocerid flatworm is a main supplier of toxin to tetrodotoxin-bearing fish juveniles. Chemosphere, 2020, 249, 126217.	8.2	28
12	Contrasting Toxin Selectivity between the Marine Pufferfish Takifugu pardalis and the Freshwater Pufferfish Pao suvattii. Toxins, 2019, 11, 470.	3.4	23
13	Role of maternal tetrodotoxin in survival of larval pufferfish. Toxicon, 2018, 148, 95-100.	1.6	30
14	Maturation-associated changes in internal distribution and intra-ovarian microdistribution of tetrodotoxin in the pufferfish Takifugu pardalis. Fisheries Science, 2018, 84, 723-732.	1.6	16
15	Profile differences in tetrodotoxin transfer to skin and liver in the pufferfish Takifugu rubripes. Toxicon, 2017, 130, 73-78.	1.6	19
16	Toxins of Pufferfishâ€"Distribution, Accumulation Mechanism, and Physiologic Functions. Aqua-BioScience Monographs, 2017, 10, 41-80.	1.1	7
17	III-1. Transfer/accumulation profile of tetrodotoxin and expression of TTX-binding proteins in pufferfish. Nippon Suisan Gakkaishi, 2015, 81, 734-734.	0.1	O
18	Cytotoxic Glycosylated Fatty Acid Amides from a Stelletta sp. Marine Sponge. Journal of Natural Products, 2015, 78, 2808-2813.	3.0	10

#	Article	IF	CITATIONS
19	Draft Genome Sequences of Vibrio sp. Strains Isolated from Tetrodotoxin-Bearing Scavenging Gastropod. Genome Announcements, 2014, 2, .	0.8	0
20	Production of domoic acid by laboratory culture of the red alga Chondria armata. Toxicon, 2014, 92, 1-5.	1.6	6
21	Larval pufferfish protected by maternal tetrodotoxin. Toxicon, 2014, 78, 35-40.	1.6	70
22	Puffer smells tetrodotoxin. Ichthyological Research, 2013, 60, 386-389.	0.8	30
23	RT-PCR- and MALDI-TOF Mass Spectrometry-Based Identification and Discrimination of Isoforms Homologous to Pufferfish Saxitoxin- and Tetrodotoxin-Binding Protein in the Plasma of Non-Toxic Cultured Pufferfish ( <i>Takifugu rubripes</i> ). Bioscience, Biotechnology and Biochemistry, 2013, 77, 208-212.	1.3	22
24	Maturation-associated changes in the internal distribution of tetrodotoxin in the female goby Yongeichthys criniger. Toxicon, 2013, 63, 64-69.	1.6	12
25	Change in the transfer profile of orally administered tetrodotoxin to non-toxic cultured pufferfish Takifugu rubripes depending of its development stage. Toxicon, 2013, 65, 76-80.	1.6	32
26	Transfer Profile of Orally and Intramuscularly Administered Tetrodotoxin to Artificial Hybrid Specimens of the Pufferfish <i>Takifugu rubripes</i> and <i>Takifugu porphyreus</i> . Shokuhin Eiseigaku Zasshi Journal of the Food Hygienic Society of Japan, 2012, 53, 33-38.	0.2	21
27	Transfer profile of intramuscularly administered tetrodotoxin to artificial hybrid specimens of pufferfish, Takifugu rubripes and Takifugu niphobles. Toxicon, 2011, 58, 565-569.	1.6	29
28	Maturation-associated changes in toxicity of the pufferfish Takifugu poecilonotus. Toxicon, 2010, 55, 289-297.	1.6	55
29	Transfer profile of intramuscularly administered tetrodotoxin to non-toxic cultured specimens of the pufferfish Takifugu rubripes. Toxicon, 2009, 53, 99-103.	1.6	50
30	Occurrence of paralytic shellfish toxins in Cambodian Mekong pufferfish Tetraodon turgidus: Selective toxin accumulation in the skin. Toxicon, 2008, 51, 280-288.	1.6	38
31	TTX accumulation in pufferfish. Comparative Biochemistry and Physiology Part D: Genomics and Proteomics, 2006, 1, 145-152.	1.0	95
32	Toxicity of pufferfish Takifugu rubripes cultured in netcages at sea or aquaria on land. Comparative Biochemistry and Physiology Part D: Genomics and Proteomics, 2006, 1, 153-157.	1.0	54
33	Toxification of cultured puffer fish Takifugu rubripes by feeding on tetrodotoxin-containing diet. Nippon Suisan Gakkaishi, 2005, 71, 815-820.	0.1	64
34	Occurrence of saxitoxins as a major toxin in the ovary of a marine puffer Arothron firmamentum. Toxicon, 2004, 43, 207-212.	1.6	87