

Roland Reitsamer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9672033/publications.pdf>

Version: 2024-02-01

36
papers

1,287
citations

331670

21
h-index

361022

35
g-index

37
all docs

37
docs citations

37
times ranked

1189
citing authors

#	ARTICLE	IF	CITATIONS
1	Transferring MINDACT to Daily Routine: Implementation of the 70-Gene Signature in Luminal Early Breast Cancer – Results from a Prospective Registry of the Austrian Group Medical Tumor Therapy (AGMT). <i>Breast Care</i> , 2022, 17, 1-9.	1.4	3
2	Hypofractionated Whole Breast Irradiation and Boost-IOERT in Early Stage Breast Cancer (HIOB): First Clinical Results of a Prospective Multicenter Trial (NCT01343459). <i>Cancers</i> , 2022, 14, 1396.	3.7	3
3	Oncoplastic breast consortium recommendations for mastectomy and whole breast reconstruction in the setting of post-mastectomy radiation therapy. <i>Breast</i> , 2022, 63, 123-139.	2.2	22
4	The iBAG study – a milestone?. <i>Journal of Surgical Oncology</i> , 2021, 123, 1845-1845.	1.7	1
5	Partial breast irradiation with intraoperative radiotherapy in the ELIOT trial. <i>Lancet Oncology</i> , The, 2021, 22, e293.	10.7	2
6	Prepectoral versus subpectoral implant-based breast reconstruction after skin-sparing mastectomy or nipple-sparing mastectomy (OPBC-02/ PREPEC): a pragmatic, multicentre, randomised, superiority trial. <i>BMJ Open</i> , 2021, 11, e045239.	1.9	1
7	A novel humanized mouse model to study the function of human cutaneous memory T cells in vivo in human skin. <i>Scientific Reports</i> , 2020, 10, 11164.	3.3	11
8	Hsa-miR-375/RASD1 Signaling May Predict Local Control in Early Breast Cancer. <i>Genes</i> , 2020, 11, 1404.	2.4	7
9	Toxicity and cosmetic outcome after hypofractionated whole breast irradiation and boost-IOERT in early stage breast cancer (HIOB): First results of a prospective multicenter trial (NCT01343459). <i>Radiotherapy and Oncology</i> , 2020, 146, 136-142.	0.6	28
10	Prepectoral implant-based breast reconstruction: a joint consensus guide from UK, European and USA breast and plastic reconstructive surgeons. <i>Ecancermedicalscience</i> , 2019, 13, 927.	1.1	40
11	Prepectoral direct-to-implant breast reconstruction with complete ADM or synthetic mesh coverage – 36-Months follow-up in 200 reconstructed breasts. <i>Breast</i> , 2019, 48, 32-37.	2.2	39
12	Radiologic complete response (rCR) in contrast-enhanced magnetic resonance imaging (CE-MRI) after neoadjuvant chemotherapy for early breast cancer predicts recurrence-free survival but not pathologic complete response (pCR). <i>Breast Cancer Research</i> , 2019, 21, 19.	5.0	44
13	A gap analysis of opportunities and priorities for breast surgical research. <i>Lancet Oncology</i> , The, 2019, 20, e1.	10.7	1
14	Lymph Nodes in Breast Cancer - What Can We Learn from Translational Research. <i>Breast Care</i> , 2018, 13, 342-347.	1.4	4
15	Oncoplastic Breast Consortium consensus conference on nipple-sparing mastectomy. <i>Breast Cancer Research and Treatment</i> , 2018, 172, 523-537.	2.5	84
16	Intraoperative Electron Radiotherapy (IOERT) in the Treatment of Primary Breast Cancer. <i>Breast Care</i> , 2018, 13, 162-167.	1.4	28
17	Intraoperative Tumor Bed Boost With Electrons in Breast Cancer of Clinical Stages I Through III: Updated 10-Year Results. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, 92-101.	0.8	23
18	First international consensus conference on standardization of oncoplastic breast conserving surgery. <i>Breast Cancer Research and Treatment</i> , 2017, 165, 139-149.	2.5	99

#	ARTICLE	IF	CITATIONS
19	Hsa-miR-375 is a predictor of local control in early stage breast cancer. <i>Clinical Epigenetics</i> , 2016, 8, 28.	4.1	44
20	Survival and local control rates of triple-negative breast cancer patients treated with boost-IOERT during breast-conserving surgery. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 1-7.	2.0	33
21	Prepectoral implant placement and complete coverage with porcine acellular dermal matrix: A new technique for direct-to-implant breast reconstruction after nipple-sparing mastectomy. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2015, 68, 162-167.	1.0	181
22	Boost IORT in Breast Cancer: Body of Evidence. <i>International Journal of Breast Cancer</i> , 2014, 2014, 1-6.	1.2	32
23	IORT with electrons as boost strategy during breast conserving therapy in limited stage breast cancer: Long term results of an ISiORT pooled analysis. <i>Radiotherapy and Oncology</i> , 2013, 108, 279-286.	0.6	84
24	Axillary Lymph Node Status in Early-Stage Breast Cancer Patients with Sentinel Node Micrometastases (0.2-2 mm). <i>Breast Care</i> , 2013, 8, 187-191.	1.4	1
25	New radiation therapy technique for breast cancer: should the IOERT boost be a standard technique?. <i>Therapy: Open Access in Clinical Medicine</i> , 2010, 7, 77-80.	0.2	1
26	Sentinel Lymph Node Biopsy is Precise After Primary Systemic Therapy in Stage II-III Breast Cancer Patients. <i>Annals of Surgical Oncology</i> , 2010, 17, 286-290.	1.5	7
27	Concepts and techniques of intraoperative radiotherapy (IORT) for breast cancer. <i>Breast Cancer</i> , 2008, 15, 40-46.	2.9	30
28	Sentinel Lymph Node Biopsy After Preoperative Chemotherapy for Breast Cancer: Findings from the Austrian Sentinel Node Study Group. <i>Annals of Surgical Oncology</i> , 2008, 15, 3378-3383.	1.5	48
29	Predictors of Mastectomy in a Certified Breast Center The Surgeon is an Independent Risk Factor. <i>Breast Journal</i> , 2008, 14, 324-329.	1.0	15
30	IORT with Electrons as Boost Strategy during Breast Conserving Therapy in Limited Stage Breast Cancer: Results of an ISiORT Pooled Analysis. <i>Strahlentherapie Und Onkologie</i> , 2007, 183, 32-34.	2.0	50
31	A Dosimetric Comparison of IORT Techniques in Limited-Stage Breast Cancer. <i>Strahlentherapie Und Onkologie</i> , 2006, 182, 342-348.	2.0	62
32	The Salzburg concept of intraoperative radiotherapy for breast cancer: Results and considerations. <i>International Journal of Cancer</i> , 2006, 118, 2882-2887.	5.1	55
33	Pathological complete response rates comparing 3 versus 6 cycles of epirubicin and docetaxel in the neoadjuvant setting of patients with stage II and III breast cancer. <i>Anti-Cancer Drugs</i> , 2005, 16, 867-870.	1.4	30
34	Local Recurrence Rates in Breast Cancer Patients Treated with Intraoperative Electron-Boost Radiotherapy Versus Postoperative External-Beam Electron-Boost Irradiation. <i>Strahlentherapie Und Onkologie</i> , 2004, 180, 38-44.	2.0	77
35	Subareolar Subcutaneous Injection of Blue Dye versus Peritumoral Injection of Technetium-labeled Human Albumin to Identify Sentinel Lymph Nodes in Breast Cancer Patients. <i>World Journal of Surgery</i> , 2003, 27, 1291-1294.	1.6	27
36	Sentinel lymph node biopsy in breast cancer patients after neoadjuvant chemotherapy. <i>Journal of Surgical Oncology</i> , 2003, 84, 63-67.	1.7	69