

Radovan PipiÄ-k

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9676706/publications.pdf>

Version: 2024-02-01

25
papers

233
citations

1040056

9
h-index

1058476

14
g-index

27
all docs

27
docs citations

27
times ranked

293
citing authors

#	ARTICLE	IF	CITATIONS
1	Life in the sublittoral zone of long-lived Lake Pannon: paleontological analysis of the Upper Miocene Szék Formation, Hungary. <i>International Journal of Earth Sciences</i> , 2009, 98, 1741-1766.	1.8	44
2	Neogene and Quaternary development of the Turiec Basin and landscape in its catchment: a tentative mass balance model. <i>Geologica Carpathica</i> , 2011, 62, 361-379.	0.7	24
3	Morphological variability among European populations of <i>Vestalenula cylindrica</i> (Straub) (Crustacea, Tj ETQq1 1 0.784314 rgBT /Over	2.3	20
4	Paleofloristic and paleofaunistic analysis of Dudvňh River oxbow and implication for Late Holocene paleoenvironmental development of the Ā½itnĀ½ ostrov Island (SW Slovakia). <i>Geologica Carpathica</i> , 2010, 61, 513-533.	0.7	12
5	Tracking human impact in a mining landscape using lake sediments: A multi-proxy palaeolimnological study. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 504, 23-33.	2.3	12
6	Physical and biological properties of the late Miocene, long-lived Turiec Basin, Western Carpathians (Slovakia) and its paleobiotopes. <i>Journal of Paleolimnology</i> , 2012, 47, 233-249.	1.6	11
7	Abundant assemblage of Ostracoda (Crustacea) in Mexican Miocene amber sheds light on the evolution of the brackish-water tribe Thalassocypridini. <i>Historical Biology</i> , 2019, 31, 65-101.	1.4	10
8	Euxinocythere (Ostracoda, Cytheridae, Leptocytherinae) du Miocēne supĀrieur du Bassin de Turiec (Slovaquie): taxonomie et palĀoĀcologie. <i>Revue De Micropaleontologie</i> , 2004, 47, 36-52.	0.4	9
9	Cyprididae (Ostracoda) du Miocēne supĀrieur du Bassin de Turiec (Slovaquie) : Taxonomie et PalĀoĀcologie. <i>Revue De Micropaleontologie</i> , 2004, 47, 225-242.	0.4	9
10	A new phytal limnic ostracod <i>Rosacythere carpathica</i> sp. nov. from the Upper Cretaceous of the Western Carpathians: implications for evolution of the Timiriaseviinae. <i>Cretaceous Research</i> , 2009, 30, 465-476.	1.4	8
11	The Neogene Mediterranean origin of <i>Cyprideis torosa</i> (Jones, 1850). <i>Journal of Micropalaeontology</i> , 2017, 36, 80-93.	3.6	8
12	Upper Miocene endemic lacustrine gastropod fauna of the Turiec Basin: addressing taxonomic, paleobiogeographic and stratigraphic issues. <i>Geologica Carpathica</i> , 2015, 66, 139-156.	0.7	7
13	Groupe de <i>Candona</i> <i>clivosa</i> , nouveau groupe de <i>Candoninae</i> (Crustacea, Ostracoda) et <i>sa</i> diversification dans le Bassin de Turiec (Slovaquie) au Miocēne supĀrieur. <i>Geobios</i> , 2006, 39, 394-414.	1.4	6
14	Early Badenian ostracod assemblage of the Ā½idlochovice stratotype (Carpathian Foredeep, Czech) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.7	5
15	Sub-bottom and bathymetry sonar inspection of postglacial lacustrine infill of the alpine lakes (Tatra) Tj ETQq1 1 0.784314 rgBT /Overlo	5.0	5
16	Miocene <i>œHungarocypris</i> species of Lake Pannon (Central and South-Eastern Europe) transferred to <i>Herpetocyprilla</i> Daday, 1909 (Ostracoda, Cyprididae). <i>Senckenbergiana Lethaea</i> , 2008, 88, 147-160.	0.3	4
17	Identifying white spots on the roadmap of Late Pleistocene and Holocene palaeolimnology in Slovakia: Review and future directions. <i>Biologia (Poland)</i> , 2017, 72, 1229-1239.	1.5	4
18	Glacial and postglacial sedimentary infill in Slovakian High Tatra Mts. lakes: Acoustic survey and lithological data. <i>Data in Brief</i> , 2022, 40, 107644.	1.0	4

#	ARTICLE	IF	CITATIONS
19	Stratigraphic and taxonomic significance of siliceous microfossils collected from the Turiec Basin, Western Carpathians (Slovakia). <i>Acta Botanica Croatica</i> , 2015, 74, 345-361.	0.7	3
20	Geological evolution of Central and South-Eastern Europe in Neogene. <i>Open Geosciences</i> , 2012, 4, 1-2.	1.7	2
21	New freshwater ostracod Fauna from the Upper Miocene of the Carpatho-Pannonian region with description of the species of genera <i>Pseudocandona</i> , <i>Fabaeformiscandona</i> , and <i>Candonopsis</i> . <i>Palaeontographica, Abteilung A: Palaozoologie - Stratigraphie</i> , 2008, 286, 89-121.	2.1	2
22	Pannonian ostracods from the southwestern Transylvanian basin. <i>Geologia Croatica</i> , 2016, 69, 213-229.	0.8	2
23	Late Turonian ostracod assemblages record a shift from mesotrophic to oligotrophic hemipelagic deposits in the Bohemian Cretaceous Basin (Czech Republic). <i>Cretaceous Research</i> , 2019, 104, 104160.	1.4	1
24	Historical development of three man-made reservoirs in a mining region: A story told by subfossil chironomids. <i>Journal of Limnology</i> , 2018, , .	1.1	0
25	Dehydration and stabilization of unconsolidated laminated lake sediments using gypsum for the preparation of thin sections. <i>Open Geosciences</i> , 2020, 12, 1486-1496.	1.7	0