

# Tina Dalianis

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/967693/tina-dalianis-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176  
papers

6,982  
citations

42  
h-index

78  
g-index

181  
ext. papers

7,918  
ext. citations

5.1  
avg, IF

5.76  
L-index

#	Paper	IF	Citations
176	Analysis of Human Papillomavirus (HPV) and Polyomaviruses (HPyVs) in Adenoid Cystic Carcinoma (AdCC) of the Head and Neck Region Reveals Three HPV-Positive Cases with Adenoid Cystic-like Features. <i>Viruses</i> , <b>2022</b> , 14, 1040	6.2	2
175	New Approaches in Targeted Therapy for Medulloblastoma in Children. <i>Anticancer Research</i> , <b>2021</b> , 41, 1715-1726	2.3	6
174	Targeted Therapy With PI3K and FGFR Inhibitors on Human Papillomavirus Positive and Negative Tonsillar and Base of Tongue Cancer Lines With and Without Corresponding Mutations. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 640490	5.3	7
173	Long-Term Survival and Recurrence in Oropharyngeal Squamous Cell Carcinoma in Relation to Subsites, HPV, and p16-Status. <i>Cancers</i> , <b>2021</b> , 13,	6.6	4
172	Prognostic Markers and Driver Genes and Options for Targeted Therapy in Human-Papillomavirus-Positive Tonsillar and Base-of-Tongue Squamous Cell Carcinoma. <i>Viruses</i> , <b>2021</b> , 13,	6.2	2
171	Oropharyngeal Squamous Cell Carcinoma Treatment in the Era of Immune Checkpoint Inhibitors. <i>Viruses</i> , <b>2021</b> , 13,	6.2	5
170	Human papilloma virus (HPV) prevalence upon HPV vaccination in Swedish youth: a review based on our findings 2008-2018, and perspectives on cancer prevention. <i>Archives of Gynecology and Obstetrics</i> , <b>2021</b> , 303, 329-335	2.5	6
169	The value of p16 and HPV DNA in non-tonsillar, non-base of tongue oropharyngeal cancer. <i>Acta Oto-Laryngologica</i> , <b>2021</b> , 141, 89-94	1.6	5
168	Tumour inflammation signature and expression of S100A12 and HLA class I improve survival in HPV-negative hypopharyngeal cancer. <i>Scientific Reports</i> , <b>2021</b> , 11, 1782	4.9	1
167	Effects of PI3K and FGFR inhibitors alone and in combination, and with/without cytostatics in childhood neuroblastoma cell lines. <i>International Journal of Oncology</i> , <b>2021</b> , 58, 211-225	4.4	8
166	Psoriasin expression is associated with survival in patients with human papillomavirus-positive base of tongue squamous cell carcinoma. <i>Oncology Letters</i> , <b>2021</b> , 21, 277	2.6	1
165	Targeting PI3K, FGFR, CDK4/6 Signaling Pathways Together With Cytostatics and Radiotherapy in Two Medulloblastoma Cell Lines. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 748657	5.3	2
164	Immune related proteins and tumor infiltrating CD8+ lymphocytes in hypopharyngeal cancer in relation to human papillomavirus (HPV) and clinical outcome. <i>Head and Neck</i> , <b>2020</b> , 42, 3206-3217	4.2	4
163	A global epidemic increase of an HPV-induced tonsil and tongue base cancer - potential benefit from a pan-gender use of HPV vaccine. <i>Journal of Internal Medicine</i> , <b>2020</b> , 287, 134-152	10.8	39
162	Targeting Fibroblast Growth Factor Receptor (FGFR) and Phosphoinositide 3-kinase (PI3K) Signaling Pathways in Medulloblastoma Cell Lines. <i>Anticancer Research</i> , <b>2020</b> , 40, 53-66	2.3	13
161	Survival of patients with oropharyngeal squamous cell carcinomas (OPSCC) in relation to TNM 8 - Risk of incorrect downstaging of HPV-mediated non-tonsillar, non-base of tongue carcinomas. <i>European Journal of Cancer</i> , <b>2020</b> , 139, 192-200	7.5	9
160	Analysis of human papillomaviruses and human polyomaviruses in lung cancer from Swedish never-smokers. <i>Acta Oncologica</i> , <b>2020</b> , 59, 28-32	3.2	2

159	Paediatric virology and human papillomaviruses: An update. <i>Experimental and Therapeutic Medicine</i> , <b>2019</b> , 17, 4337-4343	2.1	14
158	Population-level impact and herd effects following the introduction of human papillomavirus vaccination programmes: updated systematic review and meta-analysis. <i>Lancet, The</i> , <b>2019</b> , 394, 497-509 <sup>40</sup>		33 <sup>8</sup>
157	A paediatric influenza update 100 years after the Skyros island Spanish flu outbreak. <i>Experimental and Therapeutic Medicine</i> , <b>2019</b> , 17, 4327-4336	2.1	12
156	Management of BK-virus infection - Swedish recommendations. <i>Infectious Diseases</i> , <b>2019</b> , 51, 479-484	3.1	6
155	Changes in Cervical Human Papillomavirus (HPV) Prevalence at a Youth Clinic in Stockholm, Sweden, a Decade After the Introduction of the HPV Vaccine. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2019</b> , 9, 59	5.9	19
154	TLR5 and TLR7 are differentially expressed in human papillomavirus-positive and negative base of tongue squamous cell carcinoma, and TLR7 may have an independent prognostic influence. <i>Acta Oto-Laryngologica</i> , <b>2019</b> , 139, 206-210	1.6	5
153	Analyses of FGFR3 and PIK3CA mutations in neuroblastomas and the effects of the corresponding inhibitors on neuroblastoma cell lines. <i>International Journal of Oncology</i> , <b>2019</b> , 55, 1372-1384	4.4	6
152	antitumor effects of FGFR and PI3K inhibitors on human papillomavirus positive and negative tonsillar and base of tongue cancer cell lines. <i>Oncology Letters</i> , <b>2019</b> , 18, 6249-6260	2.6	5
151	Changes in incidence and prevalence of human papillomavirus in tonsillar and base of tongue cancer during 2000-2016 in the Stockholm region and Sweden. <i>Head and Neck</i> , <b>2019</b> , 41, 1583-1590	4.2	33
150	¶ also want to be vaccinated!P- adolescent boysPawareness and thoughts, perceived benefits, information sources, and intention to be vaccinated against Human papillomavirus (HPV). <i>Human Vaccines and Immunotherapeutics</i> , <b>2019</b> , 15, 1794-1802	4.4	13
149	Protein Expression in Tonsillar and Base of Tongue Cancer and in Relation to Human Papillomavirus (HPV) and Clinical Outcome. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	8
148	MicroRNA-155, -185 and -193b as biomarkers in human papillomavirus positive and negative tonsillar and base of tongue squamous cell carcinoma. <i>Oral Oncology</i> , <b>2018</b> , 82, 8-16	4.4	10
147	Overexpression of FGFR3 in HPV-positive Tonsillar and Base of Tongue Cancer Is Correlated to Outcome. <i>Anticancer Research</i> , <b>2018</b> , 38, 4683-4690	2.3	15
146	ECIL guidelines for the prevention, diagnosis and treatment of BK polyomavirus-associated haemorrhagic cystitis in haematopoietic stem cell transplant recipients. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2018</b> , 73, 12-21	5.1	60
145	Human Polyomaviruses Are Not Frequently Present in Cancer of the Salivary Glands. <i>Anticancer Research</i> , <b>2018</b> , 38, 2871-2874	2.3	3
144	Human papillomavirus (HPV) is absent in branchial cleft cysts of the neck distinguishing them from HPV positive cystic metastasis. <i>Acta Oto-Laryngologica</i> , <b>2018</b> , 138, 855-858	1.6	5
143	Development and external validation of nomograms in oropharyngeal cancer patients with known HPV-DNA status: a European Multicentre Study (OroGrams). <i>British Journal of Cancer</i> , <b>2018</b> , 118, 1672-1681	8.7	22
142	Human papillomavirus DNA detection in fine-needle aspirates as indicator of human papillomavirus-positive oropharyngeal squamous cell carcinoma: A prospective study. <i>Head and Neck</i> , <b>2017</b> , 39, 419-426	4.2	15

141	Time to change perspectives on HPV in oropharyngeal cancer. A systematic review of HPV prevalence per oropharyngeal sub-site the last 3 years. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , <b>2017</b> , 4, 1-11	4.6	60
140	A model using concomitant markers for predicting outcome in human papillomavirus positive oropharyngeal cancer. <i>Oral Oncology</i> , <b>2017</b> , 68, 53-59	4.4	20
139	Human papillomavirus prevalence in mouthwashes of patients undergoing tonsillectomy shows dominance of HPV69, without the corresponding finding in the tonsils. <i>Infectious Diseases</i> , <b>2017</b> , 49, 588-593	3.1	6
138	Systemic matrix metalloproteinase-8 response in chronic tonsillitis. <i>Infectious Diseases</i> , <b>2017</b> , 49, 302-307	3.1	3
137	Effects of irradiation on human leukocyte antigen class I expression in human papillomavirus positive and negative base of tongue and mobile tongue squamous cell carcinoma cell lines. <i>International Journal of Oncology</i> , <b>2017</b> , 50, 1423-1430	4.4	4
136	Catch-up HPV vaccination status of adolescents in relation to socioeconomic factors, individual beliefs and sexual behaviour. <i>PLoS ONE</i> , <b>2017</b> , 12, e0187193	3.7	20
135	Targeted sequencing of tonsillar and base of tongue cancer and human papillomavirus positive unknown primary of the head and neck reveals prognostic effects of mutated FGFR3. <i>Oncotarget</i> , <b>2017</b> , 8, 35339-35350	3.3	23
134	Validation of Human Papillomavirus as a Favourable Prognostic Marker and Analysis of CD8 Tumour-infiltrating Lymphocytes and Other Biomarkers in Cancer of Unknown Primary in the Head and Neck Region. <i>Anticancer Research</i> , <b>2017</b> , 37, 665-673	2.3	11
133	Human Papillomavirus and Potentially Relevant Biomarkers in Tonsillar and Base of Tongue Squamous Cell Carcinoma. <i>Anticancer Research</i> , <b>2017</b> , 37, 5319-5328	2.3	14
132	Follow-up on oral and cervical human papillomavirus prevalence 2013-2015 in youth at a youth clinic in Stockholm, Sweden. <i>Infectious Diseases</i> , <b>2016</b> , 48, 169-70	3.1	7
131	Studies of human polyomaviruses, with HPyV7, BKPyV, and JCPyV present in urine of allogeneic hematopoietic stem cell transplanted patients with or without hemorrhagic cystitis. <i>Transplant Infectious Disease</i> , <b>2016</b> , 18, 240-6	2.7	10
130	Human papillomavirus is a favourable prognostic factor in cancer of unknown primary in the head and neck region and in hypopharyngeal cancer. <i>Molecular and Clinical Oncology</i> , <b>2016</b> , 5, 671-674	1.6	15
129	School-based intervention for the prevention of HPV among adolescents: a cluster randomised controlled study. <i>BMJ Open</i> , <b>2016</b> , 6, e009875	3	45
128	Tonsillectomy and Incidence of Oropharyngeal Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2016</b> , 25, 944-50	4	17
127	Immune cells and prognosis in HPV-associated oropharyngeal squamous cell carcinomas: Review of the literature. <i>Oral Oncology</i> , <b>2016</b> , 58, 8-13	4.4	29
126	Human Papillomavirus as a Diagnostic and Prognostic Tool in Cancer of Unknown Primary in the Head and Neck Region. <i>Anticancer Research</i> , <b>2016</b> , 36, 487-93	2.3	20
125	Human papillomavirus DNA and p16(INK4a) expression in hypopharyngeal cancer and in relation to clinical outcome, in Stockholm, Sweden. <i>Oral Oncology</i> , <b>2015</b> , 51, 857-61	4.4	28
124	Human papillomavirus and tonsillar and base of tongue cancer. <i>Viruses</i> , <b>2015</b> , 7, 1332-43	6.2	41

123	Mature results from a Swedish comparison study of conventional versus accelerated radiotherapy in head and neck squamous cell carcinoma - The ARTSCAN trial. <i>Radiotherapy and Oncology</i> , <b>2015</b> , 117, 99-105	5.3	18
122	Studies on human papillomavirus (HPV) 16 E2, E5 and E7 mRNA in HPV-positive tonsillar and base of tongue cancer in relation to clinical outcome and immunological parameters. <i>Oral Oncology</i> , <b>2015</b> , 51, 1126-31	4.4	24
121	Oral human papillomavirus (HPV) prevalence in youth and cervical HPV prevalence in women attending a youth clinic in Sweden, a follow up-study 2013-2014 after gradual introduction of public HPV vaccination. <i>Infectious Diseases</i> , <b>2015</b> , 47, 57-61	3.1	22
120	Incidence of human papillomavirus positive tonsillar and base of tongue carcinoma: a stabilisation of an epidemic of viral induced carcinoma?. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 55-61	7.5	52
119	Regional recurrence of oropharyngeal cancer after definitive radiotherapy: a case control study. <i>Radiation Oncology</i> , <b>2015</b> , 10, 117	4.2	2
118	A model for predicting clinical outcome in patients with human papillomavirus-positive tonsillar and base of tongue cancer. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 1580-7	7.5	17
117	Reduced Expression of the Antigen Processing Machinery Components TAP2, LMP2, and LMP7 in Tonsillar and Base of Tongue Cancer and Implications for Clinical Outcome. <i>Translational Oncology</i> , <b>2015</b> , 8, 10-7	4.9	10
116	Expression of LRIG1 is associated with good prognosis and human papillomavirus status in oropharyngeal cancer. <i>British Journal of Cancer</i> , <b>2014</b> , 110, 1793-800	8.7	34
115	Human papillomavirus prevalence is high in oral samples of patients with tonsillar and base of tongue cancer. <i>Oral Oncology</i> , <b>2014</b> , 50, 491-7	4.4	50
114	Presence of human papillomaviruses and p16 expression in hypopharyngeal cancer. <i>Head and Neck</i> , <b>2014</b> , 36, 107-12	4.2	32
113	No association between Birt-Hogg-Dubé syndrome skin fibrofolliculomas and the first 10 described human polyomaviruses or human papillomaviruses. <i>Virology</i> , <b>2014</b> , 468-470, 244-247	3.6	1
112	A novel approach for HLA-A typing in formalin-fixed paraffin-embedded-derived DNA. <i>Modern Pathology</i> , <b>2014</b> , 27, 1296-305	9.8	3
111	Correlation of LMP10 expression and clinical outcome in Human Papillomavirus (HPV) positive and HPV-Negative tonsillar and base of tongue cancer. <i>PLoS ONE</i> , <b>2014</b> , 9, e95624	3.7	14
110	Human papillomavirus and oropharyngeal cancer, the epidemics, and significance of additional clinical biomarkers for prediction of response to therapy (Review). <i>International Journal of Oncology</i> , <b>2014</b> , 44, 1799-805	4.4	60
109	Human papillomavirus (HPV) and oropharyngeal squamous cell carcinoma. <i>Presse Medicale</i> , <b>2014</b> , 43, e429-34	2.2	9
108	Human papillomavirus and p53 expression in cancer of unknown primary in the head and neck region in relation to clinical outcome. <i>Cancer Medicine</i> , <b>2014</b> , 3, 376-84	4.8	45
107	Sexual experiences in relation to HPV vaccination status in female high school students in Sweden. <i>European Journal of Contraception and Reproductive Health Care</i> , <b>2014</b> , 19, 86-92	1.8	17
106	DNA from human polyomaviruses, TSPyV, MWPyV, HPyV6, 7 and 9 was not detected in primary mucosal melanomas. <i>Anticancer Research</i> , <b>2014</b> , 34, 639-43	2.3	12

105	HLA-A*02 in relation to outcome in human papillomavirus positive tonsillar and base of tongue cancer. <i>Anticancer Research</i> , <b>2014</b> , 34, 2369-75	2.3	20
104	MHC class I expression in HPV positive and negative tonsillar squamous cell carcinoma in correlation to clinical outcome. <i>International Journal of Cancer</i> , <b>2013</b> , 132, 72-81	7.5	43
103	Oral human papillomavirus prevalence in high school students of one municipality in Sweden. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2013</b> , 45, 878-81		18
102	CD8+ and CD4+ tumour infiltrating lymphocytes in relation to human papillomavirus status and clinical outcome in tonsillar and base of tongue squamous cell carcinoma. <i>European Journal of Cancer</i> , <b>2013</b> , 49, 2522-30	7.5	128
101	Human polyomaviruses in disease and cancer. <i>Virology</i> , <b>2013</b> , 437, 63-72	3.6	217
100	Absent/weak CD44 intensity and positive human papillomavirus (HPV) status in oropharyngeal squamous cell carcinoma indicates a very high survival. <i>Cancer Medicine</i> , <b>2013</b> , 2, 507-18	4.8	42
99	Human polyomaviruses were not detected in cerebrospinal fluid of patients with neurological complications after hematopoietic stem cell transplantation. <i>Future Virology</i> , <b>2013</b> , 8, 809-814	2.4	7
98	HLA class I and II expression in oropharyngeal squamous cell carcinoma in relation to tumor HPV status and clinical outcome. <i>PLoS ONE</i> , <b>2013</b> , 8, e77025	3.7	55
97	Immunotherapy for polyomaviruses: opportunities and challenges. <i>Immunotherapy</i> , <b>2012</b> , 4, 617-28	3.8	6
96	Human papillomavirus (HPV) 16 E6 variants in tonsillar cancer in comparison to those in cervical cancer in Stockholm, Sweden. <i>PLoS ONE</i> , <b>2012</b> , 7, e36239	3.7	17
95	Tumor infiltrating CD8+ and Foxp3+ lymphocytes correlate to clinical outcome and human papillomavirus (HPV) status in tonsillar cancer. <i>PLoS ONE</i> , <b>2012</b> , 7, e38711	3.7	138
94	Prevalence of oral human papillomavirus infection among youth, Sweden. <i>Emerging Infectious Diseases</i> , <b>2012</b> , 18, 1468-71	10.2	49
93	Survival in patients with human papillomavirus positive tonsillar cancer in relation to treatment. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 1124-30	7.5	17
92	Prevalence of human papillomavirus and survival in oropharyngeal cancer other than tonsil or base of tongue cancer. <i>Cancer Medicine</i> , <b>2012</b> , 1, 82-8	4.8	62
91	KI, WU, and Merkel cell polyomavirus DNA was not detected in Guthrie cards of children who later developed acute lymphoblastic leukemia. <i>Journal of Pediatric Hematology/Oncology</i> , <b>2012</b> , 34, 364-7	1.2	13
90	Human Polyomaviruses Were Not Detected in Cerebrospinal Fluid of Patients with Neurological Complications After Hematopoietic Stem Cell Transplantation. <i>Blood</i> , <b>2012</b> , 120, 4503-4503	2.2	
89	BK Polyomavirus and Transformation <b>2012</b> , 419-432		9
88	Intense CD44 expression is a negative prognostic factor in tonsillar and base of tongue cancer. <i>Anticancer Research</i> , <b>2012</b> , 32, 153-61	2.3	42

87	Differential survival trends for patients with tonsillar, base of tongue and tongue cancer in Sweden. <i>Oral Oncology</i> , <b>2011</b> , 47, 636-41	4.4	19
86	Prevalence of human papillomavirus (HPV) types in cervical cancer 2003-2008 in Stockholm, Sweden, before public HPV vaccination. <i>Acta Oncologica</i> , <b>2011</b> , 50, 1215-9	3.2	19
85	Human papillomavirus and survival in patients with base of tongue cancer. <i>International Journal of Cancer</i> , <b>2011</b> , 128, 2892-7	7.5	71
84	Pre-vaccination prevalence of human papillomavirus types in the genital tract of 15-23-year-old women attending a youth health clinic in Stockholm, Sweden. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2011</b> , 43, 115-21		24
83	Murine polyomavirus virus-like particles carrying full-length human PSA protect BALB/c mice from outgrowth of a PSA expressing tumor. <i>PLoS ONE</i> , <b>2011</b> , 6, e23828	3.7	25
82	Full myeloablative conditioning and an unrelated HLA mismatched donor increase the risk for BK virus-positive hemorrhagic cystitis in allogeneic hematopoietic stem cell transplanted patients. <i>Anticancer Research</i> , <b>2011</b> , 31, 939-44	2.3	22
81	An epidemic of oropharyngeal squamous cell carcinoma (OSCC) due to human papillomavirus (HPV) infection and aspects of treatment and prevention. <i>Anticancer Research</i> , <b>2011</b> , 31, 1515-9	2.3	64
80	No detection of BK virus, JC virus, KI, WU and Merkel cell polyomaviruses in cerebrospinal fluid of patients with neurological complications after hematopoietic stem cell transplantation. <i>Anticancer Research</i> , <b>2011</b> , 31, 3489-92	2.3	6
79	Oropharyngeal cancer epidemic and human papillomavirus. <i>Emerging Infectious Diseases</i> , <b>2010</b> , 16, 1671-70.2	10.2	155
78	Presence of human papillomavirus (HPV) in vulvar squamous cell carcinoma (VSCC) and sentinel node. <i>Gynecologic Oncology</i> , <b>2010</b> , 117, 312-6	4.9	43
77	The role of human papillomavirus in the increased incidence of base of tongue cancer. <i>International Journal of Cancer</i> , <b>2010</b> , 126, 2879-84	7.5	150
76	CD4+ and CD8+ T cells can act separately in tumour rejection after immunization with murine pneumotropic virus chimeric Her2/neu virus-like particles. <i>PLoS ONE</i> , <b>2010</b> , 5, e11580	3.7	13
75	Lessons from immune responses and vaccines against murine polyomavirus infection and polyomavirus-induced tumours potentially useful for studies on human polyomaviruses. <i>Anticancer Research</i> , <b>2010</b> , 30, 279-84	2.3	5
74	DNA from BK Virus and JC Virus and from KI, WU, and MC Polyomaviruses as Well as from Simian Virus 40 Is Not Detected in Non-UV-Light-Associated Primary Malignant Melanomas of Mucous Membranes. <i>Journal of Clinical Microbiology</i> , <b>2009</b> , 47, 3072-3072	9.7	78
73	Murine polyomavirus tumour specific transplantation antigens and viral persistence in relation to the immune response, and tumour development. <i>Seminars in Cancer Biology</i> , <b>2009</b> , 19, 236-43	12.7	10
72	KI, WU and Merkel cell polyomaviruses: a new era for human polyomavirus research. <i>Seminars in Cancer Biology</i> , <b>2009</b> , 19, 270-5	12.7	48
71	Murine pneumotropic virus chimeric Her2/neu virus-like particles as prophylactic and therapeutic vaccines against Her2/neu expressing tumors. <i>International Journal of Cancer</i> , <b>2009</b> , 124, 150-6	7.5	23
70	Incidence of human papillomavirus (HPV) positive tonsillar carcinoma in Stockholm, Sweden: an epidemic of viral-induced carcinoma?. <i>International Journal of Cancer</i> , <b>2009</b> , 125, 362-6	7.5	547

69	Immunotherapeutic polyoma and human papilloma virus-like particles. <i>Immunotherapy</i> , <b>2009</b> , 1, 303-12	3.8	4
68	DNA from KI, WU and Merkel cell polyomaviruses is not detected in childhood central nervous system tumours or neuroblastomas. <i>PLoS ONE</i> , <b>2009</b> , 4, e8239	3.7	20
67	Frequency of HPV-associated tonsillar cancer in Sweden. <i>Journal of Clinical Oncology</i> , <b>2009</b> , 27, 6030-6032		
66	BK-viruria and haemorrhagic cystitis are more frequent in allogeneic haematopoietic stem cell transplant patients receiving full conditioning and unrelated-HLA-mismatched grafts. <i>Bone Marrow Transplantation</i> , <b>2008</b> , 41, 737-42	4.4	65
65	DNA from BK virus and JC virus and from KI, WU, and MC polyomaviruses as well as from simian virus 40 is not detected in non-UV-light-associated primary malignant melanomas of mucous membranes. <i>Journal of Clinical Microbiology</i> , <b>2008</b> , 46, 3595-8	9.7	47
64	Human papillomavirus accounts both for increased incidence and better prognosis in tonsillar cancer. <i>Anticancer Research</i> , <b>2008</b> , 28, 1133-8	2.3	35
63	Human papillomavirus frequency in oral and oropharyngeal cancer in Greece. <i>Anticancer Research</i> , <b>2008</b> , 28, 2077-80	2.3	29
62	Identification of a third human polyomavirus. <i>Journal of Virology</i> , <b>2007</b> , 81, 4130-6	6.6	506
61	Human papillomavirus is a favourable prognostic factor in tonsillar cancer and its oncogenic role is supported by the expression of E6 and E7. <i>Molecular Oncology</i> , <b>2007</b> , 1, 350-5	7.9	145
60	Dendritic cells loaded with polyomavirus VP1/VP2Her2 virus-like particles efficiently prevent outgrowth of a Her2/neu expressing tumor. <i>Cancer Immunology, Immunotherapy</i> , <b>2007</b> , 56, 1335-44	7.4	27
59	The incidence of tonsillar cancer in Sweden is increasing. <i>Acta Oto-Laryngologica</i> , <b>2007</b> , 127, 988-92	1.6	113
58	Murine polyomavirus virus-like particles as vectors for gene and immune therapy and as vaccines. <i>Future Virology</i> , <b>2007</b> , 2, 247-253	2.4	1
57	Vaccination, immune and gene therapy based on virus-like particles against viral infections and cancer. <i>Expert Opinion on Biological Therapy</i> , <b>2007</b> , 7, 997-1007	5.4	73
56	Human papillomavirus as a risk factor for the increase in incidence of tonsillar cancer. <i>International Journal of Cancer</i> , <b>2006</b> , 119, 2620-3	7.5	355
55	The incidence of hemorrhagic cystitis and BK-viruria in allogeneic hematopoietic stem cell recipients according to intensity of the conditioning regimen. <i>Haematologica</i> , <b>2006</b> , 91, 401-4	6.6	79
54	Differences in human papillomavirus type may influence clinical outcome in early stage cervical cancer. <i>Anticancer Research</i> , <b>2006</b> , 26, 829-32	2.3	7
53	Human papilloma virus (HPV) is rarely detected in malignant melanomas of sun sheltered mucosal membranes. <i>Acta Oncologica</i> , <b>2005</b> , 44, 694-9	3.2	29
52	Presence and influence of human papillomaviruses (HPV) in Tonsillar cancer. <i>Advances in Cancer Research</i> , <b>2005</b> , 93, 59-89	5.9	44



51	A single vaccination with polyomavirus VP1/VP2Her2 virus-like particles prevents outgrowth of HER-2/neu-expressing tumors. <i>Cancer Research</i> , <b>2005</b> , 65, 5953-7	10.1	60
50	Human papillomavirus, viral load and proliferation rate in recurrent respiratory papillomatosis in response to alpha interferon treatment. <i>Journal of General Virology</i> , <b>2005</b> , 86, 1695-1702	4.9	21
49	Murine polyomavirus-VP1 virus-like particles immunize against some polyomavirus-induced tumours. <i>In Vivo</i> , <b>2005</b> , 19, 323-6	2.3	6
48	P16(INK4a) correlates to human papillomavirus presence, response to radiotherapy and clinical outcome in tonsillar carcinoma. <i>Anticancer Research</i> , <b>2005</b> , 25, 4375-83	2.3	76
47	Association between a high BK virus load in urine samples of patients with graft-versus-host disease and development of hemorrhagic cystitis after hematopoietic stem cell transplantation. <i>Journal of Clinical Microbiology</i> , <b>2004</b> , 42, 5394-6	9.7	96
46	Human papillomavirus is more common in base of tongue than in mobile tongue cancer and is a favorable prognostic factor in base of tongue cancer patients. <i>International Journal of Cancer</i> , <b>2004</b> , 112, 1015-9	7.5	141
45	Presence of human papillomavirus in tonsillar cancer is a favourable prognostic factor for clinical outcome. <i>Anticancer Research</i> , <b>2004</b> , 24, 1829-35	2.3	26
44	Comparative genomic hybridization analysis of tonsillar cancer reveals a different pattern of genomic imbalances in human papillomavirus-positive and -negative tumors. <i>International Journal of Cancer</i> , <b>2003</b> , 107, 244-9	7.5	79
43	VP1 pseudocapsids, but not a glutathione-S-transferase VP1 fusion protein, prevent polyomavirus infection in a T-cell immune deficient experimental mouse model. <i>Journal of Medical Virology</i> , <b>2003</b> , 70, 293-300	19.7	21
42	Human polyomavirus DNA is not detected in Guthrie cards (dried blood spots) from children who developed acute lymphoblastic leukemia. <i>Medical and Pediatric Oncology</i> , <b>2003</b> , 40, 219-23		27
41	BK virus (BKV) quantification in urine samples of bone marrow transplanted patients is helpful for diagnosis of hemorrhagic cystitis, although wide individual variations exist. <i>Journal of Clinical Virology</i> , <b>2003</b> , 26, 71-7	14.5	46
40	Murine pneumotropic virus VP1 virus-like particles (VLPs) bind to several cell types independent of sialic acid residues and do not serologically cross react with murine polyomavirus VP1 VLPs. <i>Journal of General Virology</i> , <b>2003</b> , 84, 3443-3452	4.9	21
39	Human papillomavirus and DNA ploidy in tonsillar cancer--correlation to prognosis. <i>Anticancer Research</i> , <b>2003</b> , 23, 2821-8	2.3	23
38	Human papillomavirus type 16 is episomal and a high viral load may be correlated to better prognosis in tonsillar cancer. <i>International Journal of Cancer</i> , <b>2002</b> , 102, 152-8	7.5	180
37	Immunization of T-cell deficient mice against polyomavirus infection using viral pseudocapsids or temperature sensitive mutants. <i>Vaccine</i> , <b>2002</b> , 20, 1571-8	4.1	10
36	Overrepresentation of point mutations in the Sp1 site of the non-coding control region of BK virus in bone marrow transplanted patients with haemorrhagic cystitis. <i>Journal of Clinical Virology</i> , <b>2001</b> , 21, 1-7	14.5	17
35	Human papilloma virus (HPV) and p53 immunostaining in advanced tonsillar carcinoma--relation to radiotherapy response and survival. <i>Anticancer Research</i> , <b>2001</b> , 21, 529-34	2.3	32
34	Human papillomavirus (HPV) DNA in tonsillar cancer: Clinical correlates, risk of relapse, and survival. <i>International Journal of Cancer</i> , <b>2000</b> , 89, 300-304	7.5	314

33	Follow-up of chimerism, including T- and B-lymphocytes and granulocytes in children more than one year after allogeneic bone marrow transplantation. <i>Pediatric Transplantation</i> , <b>2000</b> , 4, 132-9	1.8	16
32	Studies on polyomavirus persistence and polyomavirus-induced tumor development in relation to the immune system. <i>Advances in Cancer Research</i> , <b>2000</b> , 79, 249-76	5.9	16
31	Persistence and tissue distribution of DNA in normal and immunodeficient mice inoculated with polyomavirus VP1 pseudocapsid complexes or polyomavirus. <i>Journal of Virology</i> , <b>2000</b> , 74, 11963-5	6.6	19
30	Human papillomavirus (HPV) DNA in tonsillar cancer: clinical correlates, risk of relapse, and survival. <i>International Journal of Cancer</i> , <b>2000</b> , 89, 300-4	7.5	101
29	Susceptibility to polyoma virus tumorigenesis in X-linked immunodeficient (XID) and B-cell deficient (microMT) mice is not increased. <i>In Vivo</i> , <b>1999</b> , 13, 439-44	2.3	4
28	Adult X-linked immunodeficiency (XID) mice, IGM <sup>-/-</sup> single knockout and IGM <sup>-/-</sup> CD8 <sup>-/-</sup> double knockout mice do not clear polyomavirus infection. <i>In Vivo</i> , <b>1998</b> , 12, 143-8	2.3	5
27	Primary BK virus (BKV) infection due to possible BKV transmission during bone marrow transplantation is not the major cause of hemorrhagic cystitis in transplanted children. <i>Pediatric Transplantation</i> , <b>1998</b> , 2, 288-93	1.8	31
26	Polyoma tumor development in neonatally polyoma-virus-infected CD4 <sup>-/-</sup> and CD8 <sup>-/-</sup> single knockout and CD4 <sup>-/-</sup> 8 <sup>-/-</sup> double knockout mice. <i>International Journal of Cancer</i> , <b>1996</b> , 67, 405-8	7.5	12
25	A short peptide eluted from the H-2Kb molecule of a polyomavirus-positive tumor corresponds to polyomavirus large T antigen peptide at amino acids 578 to 585 and induces polyomavirus-specific immunity. <i>Journal of Virology</i> , <b>1996</b> , 70, 3093-7	6.6	19
24	Presence of human polyomavirus DNA in the peripheral circulation of bone marrow transplant patients with and without hemorrhagic cystitis. <i>Bone Marrow Transplantation</i> , <b>1996</b> , 17, 573-6	4.4	33
23	Polyomavirus persists in CD4/8 double-knockout, but not in CD4 or CD8 single-knockout mice. <i>Virology</i> , <b>1995</b> , 212, 268-71	3.6	9
22	T cell subsets involved in immunity against polyoma virus-induced tumors. <i>Virology</i> , <b>1994</b> , 198, 714-6	3.6	22
21	Persistence of polyomavirus in adult SCID C.B-17 mice. <i>In Vivo</i> , <b>1994</b> , 8, 339-42	2.3	8
20	Identification of H-2Kb-, Db- and Dd-binding peptides derived from amino acid sequences of polyoma virus T antigens. <i>International Journal of Cancer</i> , <b>1993</b> , 54, 992-5	7.5	4
19	Serological responses to human papillomavirus type 16 antigens in women before and after renal transplantation. <i>Journal of Medical Virology</i> , <b>1993</b> , 40, 188-92	19.7	4
18	Persistence of polyomavirus in mice infected as adults differs from that observed in mice infected as newborns. <i>Journal of Virology</i> , <b>1993</b> , 67, 4369-71	6.6	17
17	Immunization against polyoma tumors with synthetic peptides derived from the sequences of middle- and large-T antigens. <i>International Journal of Cancer</i> , <b>1992</b> , 50, 142-6	7.5	27
16	Modifications of an immunodominant peptide antigen induce different anti-polyoma tumor responses in two separate mouse strains. <i>International Journal of Cancer</i> , <b>1992</b> , 51, 968-72	7.5	4

15	Studies on the polyoma virus tumor-specific transplantation antigen (TSTA). <i>Advances in Cancer Research</i> , <b>1990</b> , 55, 57-85	5.9	13
14	A single peptide derived from the sequence common to polyoma small and middle T-antigen induces immunity against polyoma tumors. <i>Virology</i> , <b>1989</b> , 172, 359-62	3.6	13
13	Polyoma T-antigen-derived synthetic peptides induce polyoma-virus-specific macrophage migration inhibition. <i>International Journal of Cancer</i> , <b>1989</b> , 43, 1165-8	7.5	3
12	Immunization against the polyoma tumor-specific transplantation antigen (TSTA) with polyoma T-antigens. <i>International Journal of Cancer</i> , <b>1988</b> , 42, 123-8	7.5	24
11	A polyomavirus tumor-specific transplantation antigen (TSTA) epitope is situated within the N-terminal amino acid sequence common to middle and small T-antigens. <i>Virology</i> , <b>1988</b> , 166, 616-9	3.6	6
10	Studies on the polyoma tumor-specific transplantation antigen (TSTA): selection and characterization of TSTA-negative segregants from somatic hybrids. <i>International Journal of Cancer</i> , <b>1987</b> , 40, 74-80	7.5	8
9	Studies on the polyoma-virus-induced tumor-specific transplantation antigen (TSTA)--does middle or large T-antigen play a role?. <i>International Journal of Cancer</i> , <b>1984</b> , 34, 403-6	7.5	16
8	Polyoma virus-induced tumor-specific transplantation antigen (TSTA) is a mouse and rat cross-species-reacting antigen. <i>European Journal of Cancer &amp; Clinical Oncology</i> , <b>1984</b> , 20, 1557-60		2
7	Detection of polyoma-virus-induced tumor antigen(s) by macrophage migration inhibition. <i>International Journal of Cancer</i> , <b>1982</b> , 30, 69-74	7.5	8
6	Immunization against the polyoma virus-induced tumor-specific transplantation antigen by early region mutants of the virus. <i>Journal of Virology</i> , <b>1982</b> , 43, 772-7	6.6	17
5	Implantation of mouse histocompatibility antigens into membranes of cultured tumor cells. <i>European Journal of Immunology</i> , <b>1981</b> , 11, 341-4	6.1	6
4	Reduced humoral and cellular cytotoxic sensitivity in histocompatibility variants of the YAC (Moloney) lymphoma. <i>Immunogenetics</i> , <b>1981</b> , 12, 371-80	3.2	15
3	Separation of cells with different histocompatibility (H-2) antigens by passage through cellular immunoadsorbent columns. <i>European Journal of Immunology</i> , <b>1977</b> , 7, 154-8	6.1	2
2	Column separation of viral capsid antigen (VCA)-positive cells from VCA-negative cells in an Epstein-Barr virus (EBV)-producing lymphoid line,. <i>International Journal of Cancer</i> , <b>1977</b> , 19, 460-7	7.5	2
1	Cytogenetic studies on H-2 alloantigenic loss variants selected from heterozygous tumors. <i>Immunogenetics</i> , <b>1975</b> , 2, 63-72	3.2	8