

Laura C Collins

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9678272/laura-c-collins-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

3,979
citations

31
h-index

62
g-index

89
ext. papers

4,743
ext. citations

6.4
avg, IF

4.95
L-index

#	Paper	IF	Citations
81	Clinicopathological features and BRCA1 and BRCA2 mutation status in a prospective cohort of young women with breast cancer. <i>British Journal of Cancer</i> , 2021 ,	8.7	3
80	Early-Life and Adult Adiposity, Adult Height, and Benign Breast Tissue Composition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 608-615	4	1
79	The impact of mammographic screening on the subsequent breast cancer risk associated with biopsy-proven benign breast disease. <i>Npj Breast Cancer</i> , 2021 , 7, 23	7.8	1
78	TDLU Involution and Breast Cancer Risk-Reply. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 798	4	
77	Sugar-Sweetened Beverages, Artificially Sweetened Beverages, and Breast Cancer Risk: Results From 2 Prospective US Cohorts. <i>Journal of Nutrition</i> , 2021 , 151, 2768-2779	4.1	2
76	Sugar-Sweetened Beverages, Artificially Sweetened Beverages, and Breast Cancer Risk: Results From Two Prospective US Cohorts. <i>Current Developments in Nutrition</i> , 2021 , 5, 276-276	0.4	1
75	Response to neoadjuvant chemotherapy and the 21-gene Breast Recurrence Score test in young women with estrogen receptor-positive early breast cancer. <i>Breast Cancer Research and Treatment</i> , 2021 , 186, 157-165	4.4	4
74	Precision pathology as applied to breast core needle biopsy evaluation: implications for management. <i>Modern Pathology</i> , 2021 , 34, 48-61	9.8	0
73	Testosterone therapy and breast histopathological features in transgender individuals. <i>Modern Pathology</i> , 2021 , 34, 85-94	9.8	3
72	Deep Learning Image Analysis of Benign Breast Disease to Identify Subsequent Risk of Breast Cancer. <i>JNCI Cancer Spectrum</i> , 2021 , 5, pkaa119	4.6	4
71	Associations of reproductive breast cancer risk factors with breast tissue composition. <i>Breast Cancer Research</i> , 2021 , 23, 70	8.3	0
70	Retinoblastoma protein expression and its predictors in triple-negative breast cancer. <i>Npj Breast Cancer</i> , 2020 , 6, 19	7.8	9
69	Abstract P4-07-02: Clinicopathological features and BRCA 1/2 status in a large prospective cohort of young women with breast cancer 2020 ,		2
68	Prognostic Impact of the 21-Gene Recurrence Score Assay Among Young Women With Node-Negative and Node-Positive ER-Positive/HER2-Negative Breast Cancer. <i>Journal of Clinical Oncology</i> , 2020 , 38, 725-733	2.2	34
67	Sexual orientation and benign breast disease in a cohort of U.S. women. <i>Cancer Causes and Control</i> , 2020 , 31, 173-179	2.8	1
66	Immunohistochemical analysis of IDH2 R172 hotspot mutations in breast papillary neoplasms: applications in the diagnosis of tall cell carcinoma with reverse polarity. <i>Modern Pathology</i> , 2020 , 33, 1056-1064	9.8	21
65	Automated Quantitative Measures of Terminal Duct Lobular Unit Involution and Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2358-2368	4	6

64	Deep learning assessment of breast terminal duct lobular unit involution: Towards automated prediction of breast cancer risk. <i>PLoS ONE</i> , 2020 , 15, e0231653	3.7	8
63	Premenopausal Plasma Osteoprotegerin and Breast Cancer Risk: A Case-Control Analysis Nested within the NursesTHealth Study II. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1264-1270	4	4
62	Evaluation of significant genome-wide association studies risk - SNPs in young breast cancer patients. <i>PLoS ONE</i> , 2019 , 14, e0216997	3.7	1
61	Parity, breastfeeding, and breast cancer risk by hormone receptor status and molecular phenotype: results from the NursesTHealth Studies. <i>Breast Cancer Research</i> , 2019 , 21, 40	8.3	28
60	PAM50 Molecular Intrinsic Subtypes in the NursesTHealth Study Cohorts. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 798-806	4	8
59	Androgen Receptor Expression and Breast Cancer Survival: Results From the NursesTHealth Studies. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 700-708	9.7	23
58	Does mammographic density mediate risk factor associations with breast cancer? An analysis by tumor characteristics. <i>Breast Cancer Research and Treatment</i> , 2018 , 170, 129-141	4.4	7
57	Precursor Lesions of the Low-Grade Breast Neoplasia Pathway. <i>Surgical Pathology Clinics</i> , 2018 , 11, 177-197	3.7	10
56	Epidemiology, Biology, Treatment, and Prevention of Ductal Carcinoma In Situ (DCIS). <i>JNCI Cancer Spectrum</i> , 2018 , 2, pky063	4.6	12
55	Benign breast lesions that mimic malignancy. <i>Pathology</i> , 2017 , 49, 181-196	1.6	12
54	Crowdsourcing scoring of immunohistochemistry images: Evaluating Performance of the Crowd and an Automated Computational Method. <i>Scientific Reports</i> , 2017 , 7, 43286	4.9	20
53	Continuous measurement of breast tumour hormone receptor expression: a comparison of two computational pathology platforms. <i>Journal of Clinical Pathology</i> , 2017 , 70, 428-434	3.9	10
52	Breast cancer risk factors in relation to estrogen receptor, progesterone receptor, insulin-like growth factor-1 receptor, and Ki67 expression in normal breast tissue. <i>Npj Breast Cancer</i> , 2017 , 3, 39	7.8	17
51	Assessment of Ki67 expression for breast cancer subtype classification and prognosis in the NursesT Health Study. <i>Breast Cancer Research and Treatment</i> , 2017 , 166, 613-622	4.4	20
50	Plasma 25-Hydroxyvitamin D and Risk of Breast Cancer in Women Followed over 20 Years. <i>Cancer Research</i> , 2016 , 76, 5423-30	10.1	28
49	Triple-Negative/Basal-Like Breast Carcinomas 2016 , 431-443		
48	Reproductive risk factors in relation to molecular subtypes of breast cancer: Results from the nursesThealth studies. <i>International Journal of Cancer</i> , 2016 , 138, 2346-56	7.5	70
47	Breast cancer risk by extent and type of atypical hyperplasia: An update from the NursesTHealth Studies. <i>Cancer</i> , 2016 , 122, 515-20	6.4	42

46	Prevalence and predictors of androgen receptor and programmed death-ligand 1 in -associated and sporadic triple-negative breast cancer. <i>Npj Breast Cancer</i> , 2016 , 2, 16002	7.8	22
45	Height and Body Size in Childhood, Adolescence, and Young Adulthood and Breast Cancer Risk According to Molecular Subtype in the NursesTHealth Studies. <i>Cancer Prevention Research</i> , 2016 , 9, 732-8 ^{3.2}	8.2	24
44	A prospective study of endometriosis and risk of benign breast disease. <i>Breast Cancer Research and Treatment</i> , 2016 , 159, 545-52	4.4	6
43	Reply to breast cancer risk by the extent and type of atypical hyperplasia. <i>Cancer</i> , 2016 , 122, 3088-9	6.4	3
42	Recommendations for excision following core needle biopsy of the breast: a contemporary evaluation of the literature. <i>Histopathology</i> , 2016 , 68, 138-51	7.3	34
41	Predictive markers in breast cancer: An update on ER and HER2 testing and reporting. <i>Seminars in Diagnostic Pathology</i> , 2015 , 32, 362-9	4.3	42
40	Molecular Phenotype of Breast Cancer According to Time Since Last Pregnancy in a Large Cohort of Young Women. <i>Oncologist</i> , 2015 , 20, 713-8	5.7	11
39	Adult body size and physical activity in relation to risk of breast cancer according to tumor androgen receptor status. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 962-8	4	14
38	Comprehensive Molecular Portraits of Invasive Lobular Breast Cancer. <i>Cell</i> , 2015 , 163, 506-19	56.2	1055
37	Risk Prediction for Local Breast Cancer Recurrence Among Women with DCIS Treated in a Community Practice: A Nested, Case-Control Study. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S502-8 ^{3.1}	8.1	23
36	Postmenopausal mammographic breast density and subsequent breast cancer risk according to selected tissue markers. <i>British Journal of Cancer</i> , 2015 , 113, 1104-13	8.7	15
35	Accuracy of screening mammography in women with a history of lobular carcinoma in situ or atypical hyperplasia of the breast. <i>Breast Cancer Research and Treatment</i> , 2014 , 145, 765-73	4.4	13
34	Association of H3K9me3 and H3K27me3 repressive histone marks with breast cancer subtypes in the NursesTHealth Study. <i>Breast Cancer Research and Treatment</i> , 2014 , 147, 639-51	4.4	37
33	Alcohol intake between menarche and first pregnancy: a prospective study of breast cancer risk. <i>Journal of the National Cancer Institute</i> , 2013 , 105, 1571-8	9.7	55
32	Risk factors for non-invasive and invasive local recurrence in patients with ductal carcinoma in situ. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 453-60	4.4	43
31	Radial scars and subsequent breast cancer risk: results from the NursesTHealth Studies. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 277-85	4.4	34
30	Traditional breast cancer risk factors in relation to molecular subtypes of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012 , 131, 159-67	4.4	146
29	Less Common Variants and Mimics of DCIS. <i>Surgical Pathology Clinics</i> , 2012 , 5, 529-44	3.9	1

28	Ten-year risk of diagnostic mammograms and invasive breast procedures after breast-conserving surgery for DCIS. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 614-21	9.7	13
27	Intakes of alcohol and folate during adolescence and risk of proliferative benign breast disease. <i>Pediatrics</i> , 2012 , 129, e1192-8	7.4	30
26	Expression of IGF1R in normal breast tissue and subsequent risk of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2011 , 128, 243-50	4.4	39
25	Androgen receptor expression in breast cancer in relation to molecular phenotype: results from the NursesTHealth Study. <i>Modern Pathology</i> , 2011 , 24, 924-31	9.8	207
24	Columnar cell lesions and subsequent breast cancer risk: a nested case-control study. <i>Breast Cancer Research</i> , 2010 , 12, R61	8.3	36
23	Phenotypic alterations in myoepithelial cells associated with benign sclerosing lesions of the breast. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 896-900	6.7	53
22	Treatment of ductal carcinoma in situ among patients cared for in large integrated health plans. <i>American Journal of Managed Care</i> , 2010 , 16, 351-60	2.1	11
21	Relationship between clinical and pathologic features of ductal carcinoma in situ and patient age: an analysis of 657 patients. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 1802-8	6.7	21
20	Lobule type and subsequent breast cancer risk: results from the NursesTHealth Studies. <i>Cancer</i> , 2009 , 115, 1404-11	6.4	45
19	Declining recurrence among ductal carcinoma in situ patients treated with breast-conserving surgery in the community setting. <i>Breast Cancer Research</i> , 2009 , 11, R85	8.3	21
18	Flat Epithelial Atypia of the Breast. <i>Surgical Pathology Clinics</i> , 2009 , 2, 263-72	3.9	1
17	Potential role of tissue microarrays for the study of biomarker expression in benign breast disease and normal breast tissue. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2009 , 17, 438-41	1.9	5
16	Basal cytokeratin and epidermal growth factor receptor expression are not predictive of BRCA1 mutation status in women with triple-negative breast cancers. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 1093-7	6.7	59
15	Comparison of molecular phenotypes of ductal carcinoma in situ and invasive breast cancer. <i>Breast Cancer Research</i> , 2008 , 10, R67	8.3	230
14	Comparison of estrogen receptor results from pathology reports with results from central laboratory testing. <i>Journal of the National Cancer Institute</i> , 2008 , 100, 218-21	9.7	59
13	Magnitude and laterality of breast cancer risk according to histologic type of atypical hyperplasia: results from the NursesTHealth Study. <i>Cancer</i> , 2007 , 109, 180-7	6.4	111
12	Clinical and pathologic features of ductal carcinoma in situ associated with the presence of flat epithelial atypia: an analysis of 543 patients. <i>Modern Pathology</i> , 2007 , 20, 1149-55	9.8	52
11	The influence of family history on breast cancer risk in women with biopsy-confirmed benign breast disease: results from the NursesTHealth Study. <i>Cancer</i> , 2006 , 107, 1240-7	6.4	61

10	Intracystic papillary carcinomas of the breast: a reevaluation using a panel of myoepithelial cell markers. <i>American Journal of Surgical Pathology</i> , 2006 , 30, 1002-7	6.7	153
9	Interobserver reproducibility in the diagnosis of flat epithelial atypia of the breast. <i>Modern Pathology</i> , 2006 , 19, 172-9	9.8	72
8	Ductal carcinoma in situ with basal-like phenotype: a possible precursor to invasive basal-like breast cancer. <i>Modern Pathology</i> , 2006 , 19, 617-21	9.8	175
7	Columnar Cell Lesions and Flat Epithelial Atypia of the Breast. <i>Seminars in Breast Disease</i> , 2005 , 8, 100-111		10
6	HER2 protein overexpression in estrogen receptor-positive ductal carcinoma in situ of the breast: frequency and implications for tamoxifen therapy. <i>Modern Pathology</i> , 2005 , 18, 615-20	9.8	41
5	Outcome of patients with ductal carcinoma in situ untreated after diagnostic biopsy: results from the NursesHealth Study. <i>Cancer</i> , 2005 , 103, 1778-84	6.4	197
4	Bimodal frequency distribution of estrogen receptor immunohistochemical staining results in breast cancer: an analysis of 825 cases. <i>American Journal of Clinical Pathology</i> , 2005 , 123, 16-20	1.9	139
3	Diagnostic agreement in the evaluation of image-guided breast core needle biopsies: results from a randomized clinical trial. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 126-31	6.7	51
2	Predictors of local recurrence following excision alone for ductal carcinoma in situ 1999 , 85, 427-431		31
1	Correlation of tumor size and axillary lymph node involvement with prognosis in patients with T1 breast carcinoma. <i>Cancer</i> , 1998 , 83, 2502-2508	6.4	62