

Jijian Lian

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9679383/jjian-lian-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

895
citations

17
h-index

26
g-index

85
ext. papers

1,193
ext. citations

3.3
avg, IF

4.66
L-index

#	Paper	IF	Citations
80	Evaluation of ammonia and nitrate distribution and reduction within stormwater green infrastructure with different woody plants under multiple influencing factors. <i>Journal of Environmental Management</i> , 2022 , 302, 114086	7.9	0
79	Development of Method for Assessing Water Footprint Sustainability. <i>Water (Switzerland)</i> , 2022 , 14, 694	3	
78	Numerical Investigation on Air-Water Two-Phase Flow of Jinping-I Spillway Tunnel. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 4311	2.6	
77	The influence of wave-current on the motion response of air-floating structure. <i>Journal of Renewable and Sustainable Energy</i> , 2021 , 13, 063305	2.5	1
76	Applicability Study of Hydrological Period Identification Methods: Application to Huayuankou and Lijin in the Yellow River Basin, China. <i>Water (Switzerland)</i> , 2021 , 13, 1265	3	1
75	Experimental study of one-step overall transportation of composite bucket foundation for offshore wind turbine under the coupled dynamic action of wave and current. <i>Journal of Renewable and Sustainable Energy</i> , 2021 , 13, 035701	2.5	5
74	Air demand prediction and air duct design optimization method for spillway tunnel. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2021 , 59, 448-461	1.9	2
73	Ground vibration characteristics induced by flood discharge of a high dam: An experimental investigation. <i>Journal of Renewable and Sustainable Energy</i> , 2021 , 13, 014502	2.5	
72	Predicting Dam Flood Discharge Induced Ground Vibration with Modified Frequency Response Function. <i>Water (Switzerland)</i> , 2021 , 13, 144	3	
71	Complementary Optimization of Hydropower with Pumped Hydro Storage-Photovoltaic Plant for All-Day Peak Electricity Demand in Malawi. <i>Energies</i> , 2021 , 14, 4948	3.1	1
70	Investigating and optimizing the water footprint in a typical coal energy and chemical base of China. <i>Science of the Total Environment</i> , 2020 , 727, 138781	10.2	6
69	Analysis of the Cause and Mechanism of Hydraulic Gate Vibration during Flood Discharging from the Perspective of Structural Dynamics. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 629	2.6	3
68	Simulation and Experimental Analysis on the Load Characteristics of a Temperature-Control Curtain in a Thermally-Stratified Reservoir. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 1461	2.6	1
67	Effects of Outlet Shrinkage on Hydraulics in Hyper-Concentrated Sediment-Laden Flow. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 1332	2.6	
66	Reliability Analysis on One-Step Overall Transportation of Composite Bucket Foundation for Offshore Wind Turbine. <i>Energies</i> , 2020 , 13, 23	3.1	10
65	An Experimental Study on the Effects of Atomized Rain of a High Velocity Waterjet to Downstream Area in Low Ambient Pressure Environment. <i>Water (Switzerland)</i> , 2020 , 12, 397	3	0
64	Presentation and Verification of an Optimal Operating Scheme Aiming at Reducing the Ground Vibration Induced by High Dam Flood Discharge. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4

63	Theoretical and Numerical Approach for Simulating Spatially Variable Seismic Underground Motions in Layered Saturated Media. <i>Journal of Earthquake Engineering</i> , 2020 , 24, 601-627	1.8	1
62	A comparison of the bearing capacity between shallow bucket foundations and solid foundations in clay. <i>Ships and Offshore Structures</i> , 2020 , 15, 722-736	1.4	4
61	Development and Application of a Pre-Corrected Fast Fourier Transform Accelerated Multi-Layer Boundary Element Method for the Simulation of Shallow Water Acoustic Propagation. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 2393	2.6	2
60	Impact of intra-annual runoff uniformity and global warming on the thermal regime of a large reservoir. <i>Science of the Total Environment</i> , 2019 , 658, 1085-1097	10.2	15
59	An Improved Empirical Model for Flood Discharge Atomization and Its Application to Optimize the Flip Bucket of the Nazixia Project. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
58	Water Price Prediction for Increasing Market Efficiency Using Random Forest Regression: A Case Study in the Western United States. <i>Water (Switzerland)</i> , 2019 , 11, 228	3	8
57	A Fundamental Investigation of the Tensile Failure of Rock Using the Three-Dimensional Lattice Spring Model. <i>Rock Mechanics and Rock Engineering</i> , 2019 , 52, 2319-2334	5.7	5
56	Compound effects of rainfall and storm tides on coastal flooding risk. <i>Stochastic Environmental Research and Risk Assessment</i> , 2019 , 33, 1249-1261	3.5	19
55	Analysis for the Vibration Mechanism of the Spillway Guide Wall Considering the Associated-Forced Coupled Vibration. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 2572	2.6	3
54	Coupled Motion Characteristics of Offshore Wind Turbines during the Integrated Transportation Process. <i>Energies</i> , 2019 , 12, 2023	3.1	3
53	Effects of Bucket Type and Angle on Downstream Nappe Wind Caused by a Turbulent Jet. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
52	Health Monitoring and Safety Evaluation of the Offshore Wind Turbine Structure: A Review and Discussion of Future Development. <i>Sustainability</i> , 2019 , 11, 494	3.6	29
51	A Brief Theoretical Analysis on the Ventilation Characteristics of the Multi-Intake-Well Air Supply System in a Spillway Tunnel. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 2793	2.6	1
50	Self-Healing Concrete Using Rubber Particles to Immobilize Bacterial Spores. <i>Materials</i> , 2019 , 12,	3.5	24
49	Water Hammer Control Analysis of an Intelligent Surge Tank with Spring Self-Adaptive Auxiliary Control System. <i>Energies</i> , 2019 , 12, 2527	3.1	11
48	A Lagrangian Particle Algorithm (SPH) for an Autocatalytic Reaction Model with Multicomponent Reactants. <i>Processes</i> , 2019 , 7, 421	2.9	
47	Increase and Spatial Variation in Soil Infiltration Rates Associated with Fibrous and Tap Tree Roots. <i>Water (Switzerland)</i> , 2019 , 11, 1700	3	7
46	Stochastic Dynamic Analysis of an Offshore Wind Turbine Structure by the Path Integration Method. <i>Energies</i> , 2019 , 12, 3051	3.1	2

45	Multi-Objective Sizing of Hybrid Energy Storage System for Large-Scale Photovoltaic Power Generation System. <i>Sustainability</i> , 2019 , 11, 5441	3.6	10
44	An Importance AnalysisBased Weight Evaluation Framework for Identifying Key Components of Multi-Configuration Off-Grid Wind Power Generation Systems under Stochastic Data Inputs. <i>Energies</i> , 2019 , 12, 4372	3.1	3
43	Experimental and Numerical Study on the Effect of the Temperature-Control Curtain in Thermal Stratified Reservoirs. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 5354	2.6	6
42	Biogrouting of hydraulic fill fine sands for reclamation projects. <i>Marine Georesources and Geotechnology</i> , 2019 , 37, 212-222	2.2	11
41	Multiple flood vulnerability assessment approach based on fuzzy comprehensive evaluation method and coordinated development degree model. <i>Journal of Environmental Management</i> , 2018 , 213, 440-450	7.9	59
40	Staged Optimization Design for Updating Urban Drainage Systems in a City of China. <i>Water (Switzerland)</i> , 2018 , 10, 66	3	3
39	Application of an Eddy Current-Tuned Mass Damper to Vibration Mitigation of Offshore Wind Turbines. <i>Energies</i> , 2018 , 11, 3319	3.1	11
38	Study on Vibration Transmission among Units in Underground Powerhouse of a Hydropower Station. <i>Energies</i> , 2018 , 11, 3015	3.1	5
37	Effect of Sediment Concentration on Hydraulic Characteristics of Energy Dissipation in a Falling Turbulent Jet. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 1672	2.6	6
36	Experimental Investigation of Flow-Induced Motion and Energy Conversion of a T-Section Prism. <i>Energies</i> , 2018 , 11, 2035	3.1	10
35	Joint Risk of Rainfall and Storm Surges during Typhoons in a Coastal City of Haidian Island, China. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	16
34	An Efficient Approach for Seismic Analysis of Multi-Support Structures Equipped with Coupled Dampers using Spectral Moments Instead of Cross-Correlation Coefficients. <i>Journal of Earthquake Engineering</i> , 2017 , 21, 701-725	1.8	
33	Flash flood vulnerability assessment for small catchments with a material flow approach. <i>Natural Hazards</i> , 2017 , 88, 699-719	3	17
32	An effective approach for simulating multi-support earthquake underground motions. <i>Bulletin of Earthquake Engineering</i> , 2017 , 15, 4635-4659	3.7	9
31	Optimal management of the flooding risk caused by the joint occurrence of extreme rainfall and high tide level in a coastal city. <i>Natural Hazards</i> , 2017 , 89, 183-200	3	18
30	Effect of Cementation on Calcium Carbonate Precipitation of Loose Sand Resulting from Microbial Treatment. <i>Transactions of Tianjin University</i> , 2017 , 23, 547-554	2.9	9
29	Analysis on Flow Induced Motion of Cylinders with Different Cross Sections and the Potential Capacity of Energy Transference from the Flow. <i>Shock and Vibration</i> , 2017 , 2017, 1-19	1.1	8
28	Multi-Source Generation Mechanisms for Low Frequency Noise Induced by Flood Discharge and Energy Dissipation from a High Dam with a Ski-Jump Type Spillway. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	8

27	Analysis of the Thrust Force on the Temperature-Control Curtain in a Large Stratified Reservoir. <i>Journal of Hydraulic Engineering</i> , 2017 , 143, 04017049	1.8	9
26	Modeling the effect of temperature-control curtain on the thermal structure in a deep stratified reservoir. <i>Journal of Environmental Management</i> , 2017 , 202, 106-116	7.9	19
25	Probabilistic analysis for the response of nonlinear base isolation system under the ground excitation induced by high dam flood discharge. <i>Earthquake Engineering and Engineering Vibration</i> , 2017 , 16, 841-857	2	7
24	Experimental Investigation on Soft Galloping and Hard Galloping of Triangular Prisms. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 198	2.6	7
23	Uniaxial Compressive Strength and Fracture Mode of Lake Ice at Moderate Strain Rates Based on a Digital Speckle Correlation Method for Deformation Measurement. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 495	2.6	5
22	Air Entrainment and Air Demand in the Spillway Tunnel at the Jinping-I Dam. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 930	2.6	10
21	An improved complex multiple-support response spectrum method for the non-classically damped linear system with coupled damping. <i>Bulletin of Earthquake Engineering</i> , 2016 , 14, 161-184	3.7	8
20	Generation Mechanism and Prediction Model for Low Frequency Noise Induced by Energy Dissipating Submerged Jets during Flood Discharge from a High Dam. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	5
19	Completeness Verification of Complex Response Spectrum Method for Underdamped and Overdamped Multiple-Support Systems Regarding the Decoupled Damping as Mathematical Parameter without Physical Meaning. <i>Journal of Earthquake Engineering</i> , 2016 , 20, 1104-1125	1.8	5
18	Vertical bearing behaviour of the composite bucket shallow foundation of offshore wind turbines. <i>Journal of Renewable and Sustainable Energy</i> , 2015 , 7, 013123	2.5	26
17	A prediction method of flood discharge atomization for high dams. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2014 , 52, 274-282	1.9	18
16	Laboratory tests on soil-seal interaction and penetration resistance of suction caissons during installation in sand. <i>Ocean Engineering</i> , 2014 , 84, 1-13	3.9	47
15	Optimal multiaxial sensor placement for modal identification of large structures. <i>Structural Control and Health Monitoring</i> , 2014 , 21, 61-79	4.5	45
14	Reservoir Operation Rules for Controlling Algal Blooms in a Tributary to the Impoundment of Three Gorges Dam. <i>Water (Switzerland)</i> , 2014 , 6, 3200-3223	3	31
13	Joint probability analysis of extreme precipitation and storm tide in a coastal city under changing environment. <i>PLoS ONE</i> , 2014 , 9, e109341	3.7	41
12	Study on load-bearing characteristics of a new pile group foundation for an offshore wind turbine. <i>Scientific World Journal, The</i> , 2014 , 2014, 394104	2.2	1
11	One-step-installation of offshore wind turbine on large-scale bucket-top-bearing bucket foundation. <i>Transactions of Tianjin University</i> , 2013 , 19, 188-194	2.9	52
10	Soil reinforcement experiment inside large-scale bucket foundation in muddy soil. <i>Transactions of Tianjin University</i> , 2012 , 18, 168-172	2.9	23

9	Design of large-scale prestressing bucket foundation for offshore wind turbines. <i>Transactions of Tianjin University</i> , 2012 , 18, 79-84	2.9	49
8	Bearing capacity and technical advantages of composite bucket foundation of offshore wind turbines. <i>Transactions of Tianjin University</i> , 2011 , 17, 132-137	2.9	50
7	ERA modal identification method for hydraulic structures based on order determination and noise reduction of singular entropy. <i>Science in China Series D: Earth Sciences</i> , 2009 , 52, 400-412		24
6	Safety evaluation and the static-dynamic coupling analysis of counter-arched slab in plunge pool. <i>Science in China Series D: Earth Sciences</i> , 2009 , 52, 1397-1412		12
5	Similarity law of fluctuating pressure spectrum beneath hydraulic jump. <i>Science Bulletin</i> , 2008 , 53, 2230-2238		4
4	Multi-objective optimization of water-sedimentation-power in reservoir based on pareto-optimal solution. <i>Transactions of Tianjin University</i> , 2008 , 14, 282-288	2.9	4
3	The effect of suspension on mean velocity profile. <i>Science in China Series B: Chemistry</i> , 2001 , 44, 99-106		
2	A nonlinear viscoelastic model for bed mud transport due to waves and currents. <i>Science Bulletin</i> , 1999 , 44, 1597-1600		5
1	Integrated floating method based on four-bucket jacket foundation for offshore substations and converter stations. <i>Ships and Offshore Structures</i> , 1-12	1.4	