

# Mario MÃ¼ller

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9683158/publications.pdf>

Version: 2024-02-01

25  
papers

367  
citations

933447

10  
h-index

839539

18  
g-index

25  
all docs

25  
docs citations

25  
times ranked

658  
citing authors

#	ARTICLE	IF	CITATIONS
1	Childhood adversity patterns differentially cluster with mental disorders and socioeconomic indicators in a large Swiss community sample. <i>Comprehensive Psychiatry</i> , 2022, 112, 152282.	3.1	4
2	Multimodule Web-Based COVID-19 Anxiety and Stress Resilience Training (COAST): Single-Cohort Feasibility Study With First Responders. <i>JMIR Formative Research</i> , 2021, 5, e28055.	1.4	8
3	Retrospectively assessed trajectories of PTSD symptoms and their subsequent comorbidities. <i>Journal of Psychiatric Research</i> , 2021, 136, 71-79.	3.1	4
4	Hay Fever is Associated with Prevalence, Age of Onset and Persistence of Stuttering. <i>Advances in Neurodevelopmental Disorders</i> , 2020, 4, 67-73.	1.1	5
5	Subtypes of alcohol use disorder in the general population: A latent class analysis. <i>Psychiatry Research</i> , 2020, 285, 112712.	3.3	12
6	The new remuneration system TARPSY in Swiss psychiatric hospitals: effects on length of stay and readmissions?. <i>Swiss Medical Weekly</i> , 2020, 150, w20337.	1.6	1
7	Sex differences in neurodevelopmental and common mental disorders examined from three epidemiological perspectives. <i>Psychiatry Research</i> , 2019, 278, 213-217.	3.3	9
8	A step beyond the hygiene hypothesis—immune-mediated classes determined in a population-based study. <i>BMC Medicine</i> , 2019, 17, 75.	5.5	9
9	Assessing the severity of functional impairment of psychiatric disorders: equipercentile linking the mini-ICF-APP and CGI. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 174.	2.4	10
10	Predictors of remission from PTSD symptoms after sexual and non-sexual trauma in the community: A mediated survival-analytic approach. <i>Psychiatry Research</i> , 2018, 260, 262-271.	3.3	22
11	Self-stigma as a barrier to recovery: a longitudinal study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 209-212.	3.2	72
12	Subtypes of stuttering determined by latent class analysis in two Swiss epidemiological surveys. <i>PLoS ONE</i> , 2018, 13, e0198450.	2.5	10
13	Sleep disturbances in young and middle-aged adults - Empirical patterns and related factors from an epidemiological survey. <i>Comprehensive Psychiatry</i> , 2017, 78, 83-90.	3.1	11
14	Social Phobia Is Associated with Delayed Onset of Chickenpox, Measles, and Mumps Infections. <i>Frontiers in Psychiatry</i> , 2016, 7, 203.	2.6	4
15	Pure animal phobia is more specific than other specific phobias: epidemiological evidence from the Zurich Study, the ZInEP and the PsyCoLaus. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 567-577.	3.2	9
16	Tracing the associations between sex, the atypical and the combined atypical-melancholic depression subtypes: A path analysis. <i>Journal of Affective Disorders</i> , 2016, 190, 807-818.	4.1	14
17	Childhood trauma as a risk factor for the onset of subclinical psychotic experiences: Exploring the mediating effect of stress sensitivity in a cross-sectional epidemiological community study. <i>Schizophrenia Research</i> , 2016, 172, 46-53.	2.0	28
18	Infectious, atopic and inflammatory diseases, childhood adversities and familial aggregation are independently associated with the risk for mental disorders: Results from a large Swiss epidemiological study. <i>World Journal of Psychiatry</i> , 2016, 6, 419.	2.7	12

#	ARTICLE	IF	CITATIONS
19	Association between processing speed and subclinical psychotic symptoms in the general population: Focusing on sex differences. <i>Schizophrenia Research</i> , 2015, 166, 316-321.	2.0	10
20	Comparing two basic subtypes in OCD across three large community samples: a pure compulsive versus a mixed obsessive-compulsive subtype. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 719-734.	3.2	9
21	Assessing sub-clinical psychosis phenotypes in the general population – A multidimensional approach. <i>Schizophrenia Research</i> , 2015, 161, 194-201.	2.0	29
22	The joint structure of normal and pathological personality: Further evidence for a dimensional model. <i>Comprehensive Psychiatry</i> , 2014, 55, 667-674.	3.1	25
23	Precursors of cognitive impairments in psychotic disorders: A population-based study. <i>Psychiatry Research</i> , 2013, 210, 329-337.	3.3	7
24	Associations between IQ and alcohol consumption in a population of young males: a large database analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1993-2005.	3.1	13
25	The Self-screen-Prodrome as a short screening tool for pre-psychotic states. <i>Schizophrenia Research</i> , 2010, 123, 217-224.	2.0	30