

Graham C Walker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9685834/publications.pdf>

Version: 2024-02-01

349
papers

32,862
citations

3731

89
h-index

5394

164
g-index

362
all docs

362
docs citations

362
times ranked

17566
citing authors

#	ARTICLE	IF	CITATIONS
1	Increased energy demand from anabolic-catabolic processes drives β -lactam antibiotic lethality. <i>Cell Chemical Biology</i> , 2022, 29, 276-286.e4.	5.2	20
2	Degradation of the Escherichia coli Essential Proteins DapB and Dxr Results in Oxidative Stress, which Contributes to Lethality through Incomplete Base Excision Repair. <i>MBio</i> , 2022, 13, e0375621.	4.1	8
3	A Mutant Era GTPase Suppresses Phenotypes Caused by Loss of Highly Conserved YbeY Protein in Escherichia coli. <i>Frontiers in Microbiology</i> , 2022, 13, .	3.5	1
4	A special issue dedicated to Dr. Bruce N. Ames: Introduction. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2020, 849, 503115.	1.7	0
5	Sinorhizobium meliloti YbeY is a zinc-dependent single-strand specific endoribonuclease that plays an important role in 16S ribosomal RNA processing. <i>Nucleic Acids Research</i> , 2020, 48, 332-348.	14.5	14
6	REV1 inhibitor JH-RE-06 enhances tumor cell response to chemotherapy by triggering senescence hallmarks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 28918-28921.	7.1	27
7	Rev7 loss alters cisplatin response and increases drug efficacy in chemotherapy-resistant lung cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 28922-28924.	7.1	20
8	A stapled POL η peptide targets REV1 to inhibit mutagenic translesion synthesis. <i>Environmental and Molecular Mutagenesis</i> , 2020, 61, 830-836.	2.2	5
9	Virtual Pharmacophore Screening Identifies Small Molecule Inhibitors of the Rev1 ϵ CT/RIR Protein-Protein Interaction. <i>ChemMedChem</i> , 2019, 14, 1610-1617.	3.2	11
10	A Small Molecule Targeting Mutagenic Translesion Synthesis Improves Chemotherapy. <i>Cell</i> , 2019, 178, 152-159.e11.	28.9	126
11	A White-Box Machine Learning Approach for Revealing Antibiotic Mechanisms of Action. <i>Cell</i> , 2019, 177, 1649-1661.e9.	28.9	227
12	Important Late-Stage Symbiotic Role of the Sinorhizobium meliloti Exopolysaccharide Succinoglycan. <i>Journal of Bacteriology</i> , 2018, 200, .	2.2	36
13	Endoribonuclease YbeY Is Linked to Proper Cellular Morphology and Virulence in Brucella abortus. <i>Journal of Bacteriology</i> , 2018, 200, .	2.2	17
14	Robustness encoded across essential and accessory replicons of the ecologically versatile bacterium Sinorhizobium meliloti. <i>PLoS Genetics</i> , 2018, 14, e1007357.	3.5	49
15	Incomplete base excision repair contributes to cell death from antibiotics and other stresses. <i>DNA Repair</i> , 2018, 71, 108-117.	2.8	27
16	Rev7 dimerization is important for assembly and function of the Rev1/Pol η translesion synthesis complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E8191-E8200.	7.1	44
17	Elevated Levels of Era GTPase Improve Growth, 16S rRNA Processing, and 70S Ribosome Assembly of Escherichia coli Lacking Highly Conserved Multifunctional YbeY Endoribonuclease. <i>Journal of Bacteriology</i> , 2018, 200, .	2.2	24
18	C21orf57 is a human homologue of bacterial YbeY proteins. <i>Biochemical and Biophysical Research Communications</i> , 2017, 484, 612-617.	2.1	15

#	ARTICLE	IF	CITATIONS
19	Mechanisms of DNA damage, repair, and mutagenesis. <i>Environmental and Molecular Mutagenesis</i> , 2017, 58, 235-263.	2.2	1,129
20	Identification of Small Molecule Translesion Synthesis Inhibitors That Target the Rev1-CT/RIR Protein-Protein Interaction. <i>ACS Chemical Biology</i> , 2017, 12, 1903-1912.	3.4	44
21	Genome-Wide Sensitivity Analysis of the Microsymbiont <i>Sinorhizobium meliloti</i> to Symbiotically Important, Defensin-Like Host Peptides. <i>MBio</i> , 2017, 8, .	4.1	51
22	Lethality of MalE-LacZ hybrid protein shares mechanistic attributes with oxidative component of antibiotic lethality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 9164-9169.	7.1	34
23	Inhibition of mutagenic translesion synthesis: A possible strategy for improving chemotherapy?. <i>PLoS Genetics</i> , 2017, 13, e1006842.	3.5	65
24	Disulfide cross-linking influences symbiotic activities of nodule peptide NCR247. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 10157-10162.	7.1	35
25	Identification of YbeY-Protein Interactions Involved in 16S rRNA Maturation and Stress Regulation in <i>Escherichia coli</i> . <i>MBio</i> , 2016, 7, .	4.1	51
26	Non mutagenic and mutagenic DNA damage tolerance. <i>Cell Cycle</i> , 2016, 15, 314-315.	2.6	2
27	Interaction between the Rev1 C-Terminal Domain and the PolD3 Subunit of PolIV Suggests a Mechanism of Polymerase Exchange upon Rev1/PolIV-Dependent Translesion Synthesis. <i>Biochemistry</i> , 2016, 55, 2043-2053.	2.5	50
28	Cell Cycle Control by the Master Regulator CtrA in <i>Sinorhizobium meliloti</i> . <i>PLoS Genetics</i> , 2015, 11, e1005232.	3.5	105
29	Rhizobial peptidase HrrP cleaves host-encoded signaling peptides and mediates symbiotic compatibility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 15244-15249.	7.1	82
30	Bactericidal Antibiotics Induce Toxic Metabolic Perturbations that Lead to Cellular Damage. <i>Cell Reports</i> , 2015, 13, 968-980.	6.4	393
31	Unraveling the Physiological Complexities of Antibiotic Lethality. <i>Annual Review of Pharmacology and Toxicology</i> , 2015, 55, 313-332.	9.4	222
32	A Chemical Genetics Analysis of the Roles of Bypass Polymerase DinB and DNA Repair Protein AlkB in Processing N2-Alkylguanine Lesions In Vivo. <i>PLoS ONE</i> , 2014, 9, e94716.	2.5	13
33	Repair of Mitochondrial DNA Damage. , 2014, , 449-459.		0
34	Managing DNA Strand Breaks in Eukaryotic Cells. , 2014, , 663-710.		0
35	Cell Cycle Checkpoints. , 2014, , 753-777.		0
36	Cell Cycle Checkpoints. , 2014, , 779-815.		0

#	ARTICLE	IF	CITATIONS
37	Transcriptional Responses to DNA Damage. , 2014, , 817-844.		0
38	DNA Damage and the Regulation of Cell Fate. , 2014, , 845-862.		0
39	Diseases Associated with Defective Responses to DNA Strand Breaks. , 2014, , 919-946.		0
40	Additional Diseases Associated with Defective Responses to DNA Damage. , 2014, , 979-999.		0
41	Hereditary Diseases That Implicate Defective Responses to DNA Damage. , 2014, , 1001-1047.		0
42	DNA Polymorphisms in Gatekeeper and Guardian Genes. , 2014, , 1049-1080.		0
43	Nucleotide Excision Repair in Eukaryotes. , 2014, , 267-315.		0
44	DNA Damage. , 2014, , 9-69.		0
45	The Highly Conserved Bacterial RNase YbeY Is Essential in <i>Vibrio cholerae</i> , Playing a Critical Role in Virulence, Stress Regulation, and RNA Processing. <i>PLoS Pathogens</i> , 2014, 10, e1004175.	4.7	51
46	Polymerase exchange on single DNA molecules reveals processivity clamp control of translesion synthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 7647-7652.	7.1	76
47	Central role for RNase YbeY in Hfq-dependent and Hfq-independent small-RNA regulation in bacteria. <i>BMC Genomics</i> , 2014, 15, 121.	2.8	48
48	Antibiotics induce redox-related physiological alterations as part of their lethality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2100-9.	7.1	698
49	Biological Cost of Pyocin Production during the SOS Response in <i>Pseudomonas aeruginosa</i> . <i>Journal of Bacteriology</i> , 2014, 196, 3351-3359.	2.2	48
50	Enteric YaiW Is a Surface-Exposed Outer Membrane Lipoprotein That Affects Sensitivity to an Antimicrobial Peptide. <i>Journal of Bacteriology</i> , 2014, 196, 436-444.	2.2	21
51	Global analysis of cell cycle gene expression of the legume symbiont <i>Sinorhizobium meliloti</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 3217-3224.	7.1	85
52	Characterization of a Novel Pyranopyridine Inhibitor of the AcrAB Efflux Pump of <i>Escherichia coli</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 722-733.	3.2	169
53	Host plant peptides elicit a transcriptional response to control the <i>Sinorhizobium meliloti</i> cell cycle during symbiosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 3561-3566.	7.1	134
54	The SOS Responses of Prokaryotes to DNA Damage. , 2014, , 463-508.		1

#	ARTICLE	IF	CITATIONS
55	Enhancing tumor cell response to chemotherapy through nanoparticle-mediated codelivery of siRNA and cisplatin prodrug. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 18638-18643.	7.1	302
56	The <i>DivK</i> , <i>CbrA</i> and <i>PleC</i> system controls <i>DivK</i> phosphorylation and symbiosis in <i>Sinorhizobium meliloti</i> . <i>Molecular Microbiology</i> , 2013, 90, 54-71.	2.5	68
57	Conserved Bacterial RNase YbeY Plays Key Roles in 70S Ribosome Quality Control and 16S rRNA Maturation. <i>Molecular Cell</i> , 2013, 49, 427-438.	9.7	127
58	Multifaceted Recognition of Vertebrate Rev1 by Translesion Polymerases η and θ . <i>Journal of Biological Chemistry</i> , 2012, 287, 26400-26408.	3.4	69
59	Structural Basis of Rev1-mediated Assembly of a Quaternary Vertebrate Translesion Polymerase Complex Consisting of Rev1, Heterodimeric Polymerase (Pol) η , and Pol θ . <i>Journal of Biological Chemistry</i> , 2012, 287, 33836-33846.	3.4	98
60	NMR Structure and Dynamics of the C-Terminal Domain from Human Rev1 and Its Complex with Rev1 Interacting Region of DNA Polymerase δ . <i>Biochemistry</i> , 2012, 51, 5506-5520.	2.5	69
61	Oxidation of the Guanine Nucleotide Pool Underlies Cell Death by Bactericidal Antibiotics. <i>Science</i> , 2012, 336, 315-319.	12.6	400
62	Active site residues critical for flavin binding and 5,6-dimethylbenzimidazole biosynthesis in the flavin destructase enzyme BluB. <i>Protein Science</i> , 2012, 21, 839-849.	7.6	11
63	Proteasomal regulation of the mutagenic translesion DNA polymerase, <i>Saccharomyces cerevisiae</i> Rev1. <i>DNA Repair</i> , 2011, 10, 169-175.	2.8	20
64	New discoveries linking transcription to DNA repair and damage tolerance pathways. <i>Transcription</i> , 2011, 2, 37-40.	3.1	22
65	Functional characterization of bacterial sRNAs using a network biology approach. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 15522-15527.	7.1	99
66	Role of BacA in Lipopolysaccharide Synthesis, Peptide Transport, and Nodulation by <i>Rhizobium</i> sp. Strain NGR234. <i>Journal of Bacteriology</i> , 2011, 193, 2218-2228.	2.2	31
67	The DNA Polymerase Activity of <i>Saccharomyces cerevisiae</i> Rev1 is Biologically Significant. <i>Genetics</i> , 2011, 187, 21-35.	2.9	45
68	Efficient Extension of Slipped DNA Intermediates by DinB Is Required To Escape Primer Template Realignment by DnaQ. <i>Journal of Bacteriology</i> , 2011, 193, 2637-2641.	2.2	5
69	A highly conserved protein of unknown function in <i>Sinorhizobium meliloti</i> affects sRNA regulation similar to Hfq. <i>Nucleic Acids Research</i> , 2011, 39, 4691-4708.	14.5	67
70	Competencies: A Cure for Pre-Med Curriculum. <i>Science</i> , 2011, 334, 760-761.	12.6	2
71	Changing the Culture of Science Education at Research Universities. <i>Science</i> , 2011, 331, 152-153.	12.6	188
72	<i>Sinorhizobium meliloti</i> Requires a Cobalamin-Dependent Ribonucleotide Reductase for Symbiosis With Its Plant Host. <i>Molecular Plant-Microbe Interactions</i> , 2010, 23, 1643-1654.	2.6	54

#	ARTICLE	IF	CITATIONS
73	The Transcription Elongation Factor NusA Is Required for Stress-Induced Mutagenesis in <i>Escherichia coli</i> . <i>Current Biology</i> , 2010, 20, 80-85.	3.9	65
74	The unusual UBZ domain of <i>Saccharomyces cerevisiae</i> polymerase $\hat{\text{I}}$. <i>DNA Repair</i> , 2010, 9, 1130-1141.	2.8	10
75	Role of <i>Escherichia coli</i> YbeY, a highly conserved protein, in rRNA processing. <i>Molecular Microbiology</i> , 2010, 78, 506-518.	2.5	97
76	Error-prone translesion synthesis mediates acquired chemoresistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 20792-20797.	7.1	183
77	The <i>Sinorhizobium meliloti</i> RNA Chaperone Hfq Mediates Symbiosis of <i>S. meliloti</i> and Alfalfa. <i>Journal of Bacteriology</i> , 2010, 192, 1710-1718.	2.2	32
78	Proteomic Alterations Explain Phenotypic Changes in <i>Sinorhizobium meliloti</i> Lacking the RNA Chaperone Hfq. <i>Journal of Bacteriology</i> , 2010, 192, 1719-1729.	2.2	48
79	Roles for the transcription elongation factor NusA in both DNA repair and damage tolerance pathways in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 15517-15522.	7.1	96
80	UmuD2 Inhibits a Non-covalent Step during DinB-mediated Template Slippage on Homopolymeric Nucleotide Runs. <i>Journal of Biological Chemistry</i> , 2010, 285, 23086-23095.	3.4	17
81	Suppression of Rev3, the catalytic subunit of Pol $\hat{\text{I}}$, sensitizes drug-resistant lung tumors to chemotherapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 20786-20791.	7.1	160
82	Unconventional Ubiquitin Recognition by the Ubiquitin-Binding Motif within the Y Family DNA Polymerases $\hat{\text{I}}$ and Rev1. <i>Molecular Cell</i> , 2010, 37, 408-417.	9.7	68
83	Structure of the Endonuclease Domain of MutL: Unlicensed to Cut. <i>Molecular Cell</i> , 2010, 39, 145-151.	9.7	122
84	SnapShot: DNA Polymerases I Prokaryotes. <i>Cell</i> , 2010, 141, 192-192.e1.	28.9	6
85	SnapShot: DNA Polymerases II Mammals. <i>Cell</i> , 2010, 141, 370-370.e1.	28.9	7
86	Signal Transduction in the <i>Escherichia coli</i> SOS Response. , 2010, , 2127-2136.		5
87	Control and Function of Translesion DNA Polymerases. <i>FASEB Journal</i> , 2010, 24, 67.2.	0.5	0
88	BacA, an ABC Transporter Involved in Maintenance of Chronic Murine Infections with <i>Mycobacterium tuberculosis</i> . <i>Journal of Bacteriology</i> , 2009, 191, 477-485.	2.2	76
89	Transcriptional Modulator NusA Interacts with Translesion DNA Polymerases in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2009, 191, 665-672.	2.2	64
90	A DinB variant reveals diverse physiological consequences of incomplete TLS extension by a Y-family DNA polymerase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 21137-21142.	7.1	44

#	ARTICLE	IF	CITATIONS
91	Steric Gate Variants of UmuC Confer UV Hypersensitivity on <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2009, 191, 4815-4823.	2.2	18
92	Essential Role for the BacA Protein in the Uptake of a Truncated Eukaryotic Peptide in <i>Sinorhizobium meliloti</i> . <i>Journal of Bacteriology</i> , 2009, 191, 1519-1527.	2.2	71
93	Characterization of Novel Alleles of the <i>Escherichia coli</i> umuDC Genes Identifies Additional Interaction Sites of UmuC with the Beta Clamp. <i>Journal of Bacteriology</i> , 2009, 191, 5910-5920.	2.2	16
94	<i>Sinorhizobium meliloti</i> CpdR1 is critical for coordinating cell cycle progression and the symbiotic chronic infection. <i>Molecular Microbiology</i> , 2009, 73, 586-600.	2.5	45
95	Hydroxyurea Induces Hydroxyl Radical-Mediated Cell Death in <i>Escherichia coli</i> . <i>Molecular Cell</i> , 2009, 36, 845-860.	9.7	168
96	Comparison of Responses to Double-Strand Breaks between <i>Escherichia coli</i> and <i>Bacillus subtilis</i> Reveals Different Requirements for SOS Induction. <i>Journal of Bacteriology</i> , 2009, 191, 1152-1161.	2.2	65
97	Eukaryotic Translesion Polymerases and Their Roles and Regulation in DNA Damage Tolerance. <i>Microbiology and Molecular Biology Reviews</i> , 2009, 73, 134-154.	6.6	502
98	Multiple Ku orthologues mediate DNA non-homologous end-joining in the free-living form and during chronic infection of <i>Sinorhizobium meliloti</i> . <i>Molecular Microbiology</i> , 2008, 67, 350-363.	2.5	23
99	TtsI regulates symbiotic genes in <i>Rhizobium</i> species NGR234 by binding to <i>tts</i> boxes. <i>Molecular Microbiology</i> , 2008, 68, 736-748.	2.5	77
100	Comparative analysis of in vivo interactions between Rev1 protein and other Y-family DNA polymerases in animals and yeasts. <i>DNA Repair</i> , 2008, 7, 439-451.	2.8	40
101	Novel conserved motifs in Rev1 C-terminus are required for mutagenic DNA damage tolerance. <i>DNA Repair</i> , 2008, 7, 1455-1470.	2.8	42
102	Molecular Determinants of a Symbiotic Chronic Infection. <i>Annual Review of Genetics</i> , 2008, 42, 413-441.	7.6	326
103	β Clamp Directs Localization of Mismatch Repair in <i>Bacillus subtilis</i> . <i>Molecular Cell</i> , 2008, 29, 291-301.	9.7	100
104	Responses of the model legume <i>Medicago truncatula</i> to the rhizobial exopolysaccharide succinoglycan. <i>Plant Signaling and Behavior</i> , 2008, 3, 888-890.	2.4	18
105	A Highly Conserved Protein of Unknown Function Is Required by <i>Sinorhizobium meliloti</i> for Symbiosis and Environmental Stress Protection. <i>Journal of Bacteriology</i> , 2008, 190, 1118-1123.	2.2	34
106	Pseudo-B ₁₂ Joins the Cofactor Family. <i>Journal of Bacteriology</i> , 2008, 190, 1157-1159.	2.2	20
107	Clp and Lon Proteases Occupy Distinct Subcellular Positions in <i>Bacillus subtilis</i> . <i>Journal of Bacteriology</i> , 2008, 190, 6758-6768.	2.2	48
108	The SOS Regulatory Network. <i>EcoSal Plus</i> , 2008, 3, .	5.4	134

#	ARTICLE	IF	CITATIONS
109	Regulation of <i>Escherichia coli</i> SOS mutagenesis by dimeric intrinsically disordered <i>umuD</i> gene products. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 1152-1157.	7.1	71
110	Differential response of the plant <i>Medicago truncatula</i> to its symbiont <i>Sinorhizobium meliloti</i> or an exopolysaccharide-deficient mutant. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 704-709.	7.1	185
111	Identification of Novel <i>Sinorhizobium meliloti</i> Mutants Compromised for Oxidative Stress Protection and Symbiosis. Journal of Bacteriology, 2007, 189, 2110-2113.	2.2	46
112	Replication is required for the RecA localization response to DNA damage in <i>Bacillus subtilis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 1360-1365.	7.1	55
113	DNA Polymerase V Allows Bypass of Toxic Guanine Oxidation Products in Vivo. Journal of Biological Chemistry, 2007, 282, 12741-12748.	3.4	59
114	The Type IV Secretion System of <i>Sinorhizobium meliloti</i> Strain 1021 Is Required for Conjugation but Not for Intracellular Symbiosis. Journal of Bacteriology, 2007, 189, 2133-2138.	2.2	23
115	Proficient and Accurate Bypass of Persistent DNA Lesions by DinB DNA Polymerases. Cell Cycle, 2007, 6, 817-822.	2.6	26
116	The Symbiosis Regulator CbrA Modulates a Complex Regulatory Network Affecting the Flagellar Apparatus and Cell Envelope Proteins. Journal of Bacteriology, 2007, 189, 3591-3602.	2.2	44
117	Disruption of <i>sitA</i> Compromises <i>Sinorhizobium meliloti</i> for Manganese Uptake Required for Protection against Oxidative Stress. Journal of Bacteriology, 2007, 189, 2101-2109.	2.2	61
118	Y-family DNA polymerases in <i>Escherichia coli</i> . Trends in Microbiology, 2007, 15, 70-77.	7.7	137
119	UmuD and RecA Directly Modulate the Mutagenic Potential of the Y Family DNA Polymerase DinB. Molecular Cell, 2007, 28, 1058-1070.	9.7	99
120	How rhizobial symbionts invade plants: the <i>Sinorhizobium</i> – <i>Medicago</i> model. Nature Reviews Microbiology, 2007, 5, 619-633.	28.6	781
121	BluB cannibalizes flavin to form the lower ligand of vitamin B12. Nature, 2007, 446, 449-453.	27.8	160
122	<i>Brucella abortus</i> <i>bacA</i> mutant induces greater pro-inflammatory cytokines than the wild-type parent strain. Microbes and Infection, 2007, 9, 55-62.	1.9	24
123	Characterization of <i>Escherichia coli</i> Translesion Synthesis Polymerases and Their Accessory Factors. Methods in Enzymology, 2006, 408, 318-340.	1.0	46
124	Two processivity clamp interactions differentially alter the dual activities of UmuC. Molecular Microbiology, 2006, 59, 460-474.	2.5	36
125	A single amino acid governs enhanced activity of DinB DNA polymerases on damaged templates. Nature, 2006, 439, 225-228.	27.8	227
126	Y-family DNA polymerases respond to DNA damage-independent inhibition of replication fork progression. EMBO Journal, 2006, 25, 868-879.	7.8	78

#	ARTICLE	IF	CITATIONS
127	Exo-Oligosaccharides of <i>Rhizobium</i> sp. Strain NGR234 Are Required for Symbiosis with Various Legumes. <i>Journal of Bacteriology</i> , 2006, 188, 6168-6178.	2.2	65
128	A Small-Scale Concept-based Laboratory Component: The Best of Both Worlds. <i>CBE Life Sciences Education</i> , 2006, 5, 41-51.	2.3	19
129	BacA-Mediated Bleomycin Sensitivity in <i>Sinorhizobium meliloti</i> Is Independent of the Unusual Lipid A Modification. <i>Journal of Bacteriology</i> , 2006, 188, 3143-3148.	2.2	20
130	A Non-cleavable UmuD Variant That Acts as a UmuD ² Mimic. <i>Journal of Biological Chemistry</i> , 2006, 281, 9633-9640.	3.4	24
131	Interrelations between Glycine Betaine Catabolism and Methionine Biosynthesis in <i>Sinorhizobium meliloti</i> Strain 102F34. <i>Journal of Bacteriology</i> , 2006, 188, 7195-7204.	2.2	45
132	<i>Sinorhizobium meliloti</i> bluB is necessary for production of 5,6-dimethylbenzimidazole, the lower ligand of B12. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 4634-4639.	7.1	91
133	CbrA Is a Stationary-Phase Regulator of Cell Surface Physiology and Legume Symbiosis in <i>Sinorhizobium meliloti</i> . <i>Journal of Bacteriology</i> , 2006, 188, 4508-4521.	2.2	48
134	Novel Role for the C Terminus of <i>Saccharomyces cerevisiae</i> Rev1 in Mediating Protein-Protein Interactions. <i>Molecular and Cellular Biology</i> , 2006, 26, 8173-8182.	2.3	51
135	The critical mutagenic translesion DNA polymerase Rev1 is highly expressed during G2/M phase rather than S phase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 8971-8976.	7.1	158
136	A Non-cleavable UmuD variant that acts as a UmuD TM mimic. <i>FASEB Journal</i> , 2006, 20, LB55.	0.5	0
137	Importance of unusually modified lipid A in <i>Sinorhizobium</i> stress resistance and legume symbiosis. <i>Molecular Microbiology</i> , 2005, 56, 68-80.	2.5	74
138	Lighting torches in the DNA repair field: development of key concepts. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005, 577, 14-23.	1.0	4
139	DNA Repair and Mutagenesis. , 2005, , .		591
140	A Hierarchical Biology Concept Framework: A Tool for Course Design. <i>CBE: Life Sciences Education</i> , 2004, 3, 111-121.	0.7	52
141	Similarity to peroxisomal-membrane protein family reveals that <i>Sinorhizobium</i> and <i>Brucella</i> BacA affect lipid-A fatty acids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 5012-5017.	7.1	99
142	Identification of specific amino acid residues in the <i>E. coli</i> β processivity clamp involved in interactions with DNA polymerase III, UmuD and UmuD ² . <i>DNA Repair</i> , 2004, 3, 301-312.	2.8	47
143	LexA Regulatory System. , 2004, , 546-550.		0
144	Glucose 6-phosphate dehydrogenase is required for sucrose and trehalose to be efficient osmoprotectants in <i>Sinorhizobium meliloti</i> . <i>FEMS Microbiology Letters</i> , 2003, 229, 183-188.	1.8	18

#	ARTICLE	IF	CITATIONS
145	A genetic basis for <i>Pseudomonas aeruginosa</i> biofilm antibiotic resistance. <i>Nature</i> , 2003, 426, 306-310.	27.8	1,036
146	Striking Complexity of Lipopolysaccharide Defects in a Collection of <i>Sinorhizobium meliloti</i> Mutants. <i>Journal of Bacteriology</i> , 2003, 185, 3853-3862.	2.2	72
147	Signal Transduction in the <i>Escherichia coli</i> SOS Response. , 2003, , 185-189.		0
148	A LuxR Homolog Controls Production of Symbiotically Active Extracellular Polysaccharide II by <i>Sinorhizobium meliloti</i> . <i>Journal of Bacteriology</i> , 2002, 184, 5067-5076.	2.2	164
149	Deficiency of a <i>Sinorhizobium meliloti</i> <i>bacA</i> Mutant in Alfalfa Symbiosis Correlates with Alteration of the Cell Envelope. <i>Journal of Bacteriology</i> , 2002, 184, 5625-5632.	2.2	89
150	Posttranslational modification of the <i>umuD</i> -encoded subunit of <i>Escherichia coli</i> DNA polymerase V regulates its interactions with the β processivity clamp. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 5307-5312.	7.1	43
151	Localization of UvrA and Effect of DNA Damage on the Chromosome of <i>Bacillus subtilis</i> . <i>Journal of Bacteriology</i> , 2002, 184, 488-493.	2.2	52
152	Chronic intracellular infection of alfalfa nodules by <i>Sinorhizobium meliloti</i> requires correct lipopolysaccharide core. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 3938-3943.	7.1	129
153	A model for the structure of the <i>Escherichia coli</i> SOS-regulated UmuD2 protein. <i>DNA Repair</i> , 2002, 1, 77-93.	2.8	29
154	Seeking a niche: putative contributions of the <i>hfq</i> and <i>bacA</i> gene products to the successful adaptation of the brucellae to their intracellular home. <i>Veterinary Microbiology</i> , 2002, 90, 349-363.	1.9	29
155	The Y-Family of DNA Polymerases. <i>Molecular Cell</i> , 2001, 8, 7-8.	9.7	798
156	Bryn Bridges and mutagenesis: exploring the intellectual space. <i>Mutation Research DNA Repair</i> , 2001, 485, 69-81.	3.7	5
157	To Cleave or Not to Cleave? Insights from the LexA Crystal Structure. <i>Molecular Cell</i> , 2001, 8, 486-487.	9.7	9
158	Visualization of Mismatch Repair in Bacterial Cells. <i>Molecular Cell</i> , 2001, 8, 1197-1206.	9.7	86
159	Biotin labeling of the symbiotically important succinoglycan oligosaccharides of <i>Rhizobium meliloti</i> for identification of putative plant receptors. <i>Carbohydrate Research</i> , 2001, 333, 73-78.	2.3	5
160	Converting a DNA damage checkpoint effector (UmuD2C) into a lesion bypass polymerase (UmuD'2C). <i>EMBO Journal</i> , 2001, 20, 4287-4298.	7.8	45
161	Managing DNA polymerases: Coordinating DNA replication, DNA repair, and DNA recombination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 8342-8349.	7.1	170
162	<i>umuDC-dnaQ</i> Interaction and Its Implications for Cell Cycle Regulation and SOS Mutagenesis in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2001, 183, 1085-1089.	2.2	27

#	ARTICLE	IF	CITATIONS
163	umuDC -Mediated Cold Sensitivity Is a Manifestation of Functions of the UmuD 2 C Complex Involved in a DNA Damage Checkpoint Control. <i>Journal of Bacteriology</i> , 2001, 183, 1215-1224.	2.2	53
164	ATPase-Defective Derivatives of <i>Escherichia coli</i> DnaK That Behave Differently with Respect to ATP-Induced Conformational Change and Peptide Release. <i>Journal of Bacteriology</i> , 2001, 183, 5482-5490.	2.2	59
165	Genetic Analysis of the <i>Sinorhizobium meliloti</i> BacA Protein: Differential Effects of Mutations on Phenotypes. <i>Journal of Bacteriology</i> , 2001, 183, 6444-6453.	2.2	46
166	Genetic and Biochemical Characterization of a Novel umuD Mutation: Insights into a Mechanism for UmuD Self-Cleavage. <i>Journal of Bacteriology</i> , 2001, 183, 347-357.	2.2	26
167	Genetic Interactions between the <i>Escherichia coli</i> umuDC Gene Products and the $\hat{\iota}^2$ Processivity Clamp of the Replicative DNA Polymerase. <i>Journal of Bacteriology</i> , 2001, 183, 2897-2909.	2.2	39
168	Alfalfa Root Nodule Invasion Efficiency Is Dependent on <i>Sinorhizobium meliloti</i> Polysaccharides. <i>Journal of Bacteriology</i> , 2000, 182, 4310-4318.	2.2	190
169	Similar Requirements of a Plant Symbiont and a Mammalian Pathogen for Prolonged Intracellular Survival. <i>Science</i> , 2000, 287, 2492-2493.	12.6	162
170	A Role for the umuDC Gene Products of <i>Escherichia coli</i> in Increasing Resistance to DNA Damage in Stationary Phase by Inhibiting the Transition to Exponential Growth. <i>Journal of Bacteriology</i> , 2000, 182, 1127-1135.	2.2	39
171	The SOS Response: Recent Insights into umuDC-Dependent Mutagenesis and DNA Damage Tolerance. <i>Annual Review of Genetics</i> , 2000, 34, 479-497.	7.6	288
172	Understanding the Complexity of an Organism's Responses to DNA Damage. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2000, 65, 1-10.	1.1	12
173	Invasion of Alfalfa Root Nodules by the Nitrogen-Fixing Bacterium <i>Rhizobium meliloti</i> . <i>Current Plant Science and Biotechnology in Agriculture</i> , 2000, , 235-236.	0.0	0
174	Mutations Affecting the Ability of the <i>Escherichia coli</i> UmuD ϵ^2 Protein To Participate in SOS Mutagenesis. <i>Journal of Bacteriology</i> , 1999, 181, 177-185.	2.2	31
175	The <i>Escherichia coli</i> SOS mutagenesis proteins UmuD and UmuD' interact physically with the replicative DNA polymerase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 12373-12378.	7.1	100
176	Inferences Concerning the ATPase Properties of DnaK and Other HSP70s Are Affected by the ADP Kinase Activity of Copurifying Nucleoside-diphosphate Kinase. <i>Journal of Biological Chemistry</i> , 1999, 274, 36670-36678.	3.4	25
177	A model for a umuDC-dependent prokaryotic DNA damage checkpoint. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 9218-9223.	7.1	158
178	The Centennial before the Millennium: the <i>Journal of Bacteriology</i> as a World Voice for Microbiological Research. <i>Journal of Bacteriology</i> , 1999, 181, 1-3.	2.2	6
179	A Novel <i>Sinorhizobium meliloti</i> Operon Encodes an $\hat{\iota}^{\pm}$ -Glucosidase and a Periplasmic-Binding-Protein-Dependent Transport System for $\hat{\iota}^{\pm}$ -Glucosides. <i>Journal of Bacteriology</i> , 1999, 181, 4176-4184.	2.2	42
180	Structural Characterization of the Symbiotically Important Low-Molecular-Weight Succinoglycan of <i>Sinorhizobium meliloti</i> . <i>Journal of Bacteriology</i> , 1999, 181, 6788-6796.	2.2	120

#	ARTICLE	IF	CITATIONS
181	Citrate Synthase Mutants of <i>Sinorhizobium meliloti</i> Are Ineffective and Have Altered Cell Surface Polysaccharides. <i>Journal of Bacteriology</i> , 1999, 181, 7608-7613.	2.2	22
182	Genetic Analysis of the Mobilization and Leading Regions of the IncN plasmids pKM101 and pCU1. <i>Journal of Bacteriology</i> , 1999, 181, 2572-2583.	2.2	47
183	Identification of the <i>Rhizobium meliloti</i> alcohol dehydrogenase gene (<i>adhA</i>) and heterologous expression in <i>Alcaligenes eutrophus</i> . <i>BBA - Proteins and Proteomics</i> , 1998, 1384, 197-203.	2.1	9
184	The <i>phbC</i> (poly- β -hydroxybutyrate synthase) gene of <i>Rhizobium</i> (<i>Sinorhizobium</i>) <i>meliloti</i> and characterization of <i>phbC</i> mutants. <i>Canadian Journal of Microbiology</i> , 1998, 44, 554-564.	1.7	45
185	Interactions of Peptides with DnaK and C-Terminal DnaK Fragments Studied Using Fluorescent and Radioactive Peptides. <i>Archives of Biochemistry and Biophysics</i> , 1998, 356, 177-186.	3.0	11
186	Differential cleavage of LexA and UmuD mediated by <i>recA</i> pro67 mutants: implications for common LexA and UmuD binding sites on RecA 1. Edited by M. Gottesman. <i>Journal of Molecular Biology</i> , 1998, 276, 405-415.	4.2	20
187	Biosynthetic control of molecular weight in the polymerization of the octasaccharide subunits of succinoglycan, a symbiotically important exopolysaccharide of <i>Rhizobium meliloti</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 13477-13482.	7.1	99
188	Skiing the black diamond slope: Progress on the biochemistry of translesion DNA synthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 10348-10350.	7.1	29
189	A Novel Screening Method for Isolating Exopolysaccharide-Deficient Mutants. <i>Applied and Environmental Microbiology</i> , 1998, 64, 4600-4602.	3.1	44
190	The <i>Rhizobium meliloti</i> ExoK and ExsH glycanases specifically depolymerize nascent succinoglycan chains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 4912-4917.	7.1	48
191	Mutagenesis and More: <i>umuDC</i> and the <i>Escherichia coli</i> SOS Response. <i>Genetics</i> , 1998, 148, 1599-1610.	2.9	140
192	Degradation of carboxy-terminal-tagged cytoplasmic proteins by the <i>Escherichia coli</i> protease HflB (FtsH). <i>Genes and Development</i> , 1998, 12, 1348-1355.	5.9	255
193	Succinoglycan Production by <i>Rhizobium meliloti</i> Is Regulated through the ExoS-ChvI Two-Component Regulatory System. <i>Journal of Bacteriology</i> , 1998, 180, 20-26.	2.2	146
194	The Succinyl and Acetyl Modifications of Succinoglycan Influence Susceptibility of Succinoglycan to Cleavage by the <i>Rhizobium meliloti</i> Glycanases ExoK and ExsH. <i>Journal of Bacteriology</i> , 1998, 180, 4184-4191.	2.2	43
195	Succinoglycan Is Required for Initiation and Elongation of Infection Threads during Nodulation of Alfalfa by <i>Rhizobium meliloti</i> . <i>Journal of Bacteriology</i> , 1998, 180, 5183-5191.	2.2	448
196	Different Phenotypic Classes of <i>Sinorhizobium meliloti</i> Mutants Defective in Synthesis of K Antigen. <i>Journal of Bacteriology</i> , 1998, 180, 5432-5436.	2.2	18
197	Effect of <i>o</i> -acyl substituents on the functional behaviour of <i>Rhizobium meliloti</i> succinoglycan. <i>International Journal of Biological Macromolecules</i> , 1997, 20, 1-7.	7.5	36
198	The 32-kilobase <i>exp</i> gene cluster of <i>Rhizobium meliloti</i> directing the biosynthesis of galactoglucan: genetic organization and properties of the encoded gene products. <i>Journal of Bacteriology</i> , 1997, 179, 1375-1384.	2.2	139

#	ARTICLE	IF	CITATIONS
199	Mutational analysis of the RecA protein L1 region identifies this area as a probable part of the co ϵ -protease substrate binding site. <i>Molecular Microbiology</i> , 1997, 25, 967-978.	2.5	21
200	Dimerization of the UmuD' protein in solution and its implications for regulation of SOS mutagenesis. <i>Nature Structural Biology</i> , 1997, 4, 979-982.	9.7	73
201	The <i>Rhizobium meliloti</i> <i>exoK</i> gene and <i>prsD</i> / <i>prsE</i> / <i>exsH</i> genes are components of independent degradative pathways which contribute to production of low ϵ -molecular ϵ -weight succinoglycan. <i>Molecular Microbiology</i> , 1997, 25, 117-134.	2.5	92
202	Genetic analysis of the <i>Rhizobium meliloti</i> <i>bacA</i> gene: functional interchangeability with the <i>Escherichia coli</i> <i>sbmA</i> gene and phenotypes of mutants. <i>Journal of Bacteriology</i> , 1997, 179, 209-216.	2.2	64
203	<i>Rhizobium meliloti</i> exopolysaccharides: Synthesis and symbiotic function. <i>Gene</i> , 1996, 179, 141-146.	2.2	139
204	Analysis of the region between amino acids 30 and 42 of intact UmuD by a monocysteine approach. <i>Journal of Bacteriology</i> , 1996, 178, 7295-7303.	2.2	40
205	Inhibition of RecA-mediated cleavage in covalent dimers of UmuD. <i>Journal of Bacteriology</i> , 1996, 178, 7304-7307.	2.2	13
206	The genetic requirements for UmuDC-mediated cold sensitivity are distinct from those for SOS mutagenesis. <i>Journal of Bacteriology</i> , 1996, 178, 4400-4411.	2.2	44
207	Interactions of <i>Escherichia coli</i> UmuD with activated RecA analyzed by cross-linking UmuD monocysteine derivatives. <i>Journal of Bacteriology</i> , 1996, 178, 7285-7294.	2.2	28
208	Low molecular weight EPS II of <i>Rhizobium meliloti</i> allows nodule invasion in <i>Medicago sativa</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 8636-8641.	7.1	179
209	Genetic analysis of <i>Rhizobium meliloti</i> <i>bacA-phoA</i> fusion results in identification of <i>degP</i> : two loci required for symbiosis are closely linked to <i>degP</i> . <i>Journal of Bacteriology</i> , 1996, 178, 745-752.	2.2	20
210	Identification of Elements of the Peptide Binding Site of DnaK by Peptide Cross-linking. <i>Journal of Biological Chemistry</i> , 1996, 271, 19668-19674.	3.4	8
211	SOS-regulated proteins in translesion DNA synthesis and mutagenesis. <i>Trends in Biochemical Sciences</i> , 1995, 20, 416-420.	7.5	97
212	Alteration of lysine 178 in the hinge region of the <i>Escherichia coli</i> <i>ada</i> protein interferes with activation of <i>ada</i> , but not <i>alkA</i> , transcription. <i>Journal of Bacteriology</i> , 1995, 177, 1268-1274.	2.2	9
213	NMR studies of succinoglycan repeating-unit octasaccharides from <i>Rhizobium meliloti</i> and <i>Agrobacterium radiobacter</i> . <i>International Journal of Biological Macromolecules</i> , 1995, 17, 357-363.	7.5	59
214	P-Azidoiodoacetanilide, a New Short Photocrosslinker That Has Greater Cysteine Specificity Than P-Azidophenacyl Bromide and P-Azidobromoacetanilide. <i>Biochemical and Biophysical Research Communications</i> , 1995, 217, 1177-1184.	2.1	4
215	A monocysteine approach for probing the structure and interactions of the UmuD protein. <i>Journal of Bacteriology</i> , 1994, 176, 4825-4837.	2.2	41
216	Exopolysaccharides of <i>Rhizobium</i> : synthesis, regulation and symbiotic function. <i>Trends in Genetics</i> , 1994, 10, 63-67.	6.7	165

#	ARTICLE	IF	CITATIONS
217	The groE gene products of Escherichia coli are dispensable for mucA+B+-dependent UV mutagenesis. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1994, 309, 225-233.	1.0	6
218	Detailed structural characterization of succinoglycan, the major exopolysaccharide of Rhizobium meliloti Rm1021. Journal of Bacteriology, 1994, 176, 1997-2002.	2.2	175
219	DnaK mutants defective in ATPase activity are defective in negative regulation of the heat shock response: expression of mutant DnaK proteins results in filamentation. Journal of Bacteriology, 1994, 176, 764-780.	2.2	68
220	The Ada protein acts as both a positive and a negative modulator of Escherichia coli's response to methylating agents.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 9730-9734.	7.1	52
221	SOS mutagenesis. Current Opinion in Genetics and Development, 1993, 3, 719-725.	3.3	45
222	Biosynthesis of succinoglycan, a symbiotically important exopolysaccharide of Rhizobium meliloti. Cell, 1993, 74, 269-280.	28.9	296
223	A Rhizobium meliloti homolog of the Escherichia coli peptide-antibiotic transport protein SbmA is essential for bacteroid development.. Genes and Development, 1993, 7, 1485-1497.	5.9	167
224	The acetyl substituent of succinoglycan is not necessary for alfalfa nodule invasion by Rhizobium meliloti Rm1021. Journal of Bacteriology, 1993, 175, 3653-3655.	2.2	58
225	Family of glycosyl transferases needed for the synthesis of succinoglycan by Rhizobium meliloti. Journal of Bacteriology, 1993, 175, 7033-7044.	2.2	140
226	Genes needed for the modification, polymerization, export, and processing of succinoglycan by Rhizobium meliloti: a model for succinoglycan biosynthesis. Journal of Bacteriology, 1993, 175, 7045-7055.	2.2	197
227	Exopolysaccharides and Rhizobium Meliloti-Alfalfa Interactions. Current Plant Science and Biotechnology in Agriculture, 1993, , 203-206.	0.0	4
228	Coexpression of UmuD' with UmuC suppresses the UV mutagenesis deficiency of groE mutants. Journal of Bacteriology, 1992, 174, 3133-3139.	2.2	61
229	Rhizobium meliloti mutants unable to synthesize anthranilate display a novel symbiotic phenotype. Journal of Bacteriology, 1992, 174, 4416-4426.	2.2	30
230	A directional, high-frequency chromosomal mobilization system for genetic mapping of Rhizobium meliloti. Journal of Bacteriology, 1992, 174, 324-326.	2.2	19
231	Exogenous suppression of the symbiotic deficiencies of Rhizobium meliloti exo mutants. Journal of Bacteriology, 1992, 174, 3403-3406.	2.2	95
232	Genetic Mapping of Symbiotic Loci on the Rhizobium meliloti Chromosome. Molecular Plant-Microbe Interactions, 1992, 5, 223.	2.6	14
233	Rhizobium meliloti Exopolysaccharides.. Annals of the New York Academy of Sciences, 1991, 646, 61-68.	3.8	7
234	[19] Genetic techniques in Rhizobium meliloti. Methods in Enzymology, 1991, 204, 398-418.	1.0	122

#	ARTICLE	IF	CITATIONS
235	The <i>exoD</i> gene of <i>Rhizobium meliloti</i> encodes a novel function needed for alfalfa nodule invasion. <i>Journal of Bacteriology</i> , 1991, 173, 664-677.	2.2	47
236	<i>Rhizobium meliloti</i> <i>exoG</i> and <i>exoJ</i> mutations affect the <i>exoX</i> - <i>exoY</i> system for modulation of exopolysaccharide production. <i>Journal of Bacteriology</i> , 1991, 173, 3776-3788.	2.2	85
237	The <i>exoR</i> gene of <i>Rhizobium meliloti</i> affects RNA levels of other <i>exo</i> genes but lacks homology to known transcriptional regulators. <i>Journal of Bacteriology</i> , 1991, 173, 3789-3794.	2.2	75
238	Regulation of <i>Rhizobium meliloti</i> <i>exo</i> genes in free-living cells and in planta examined by using <i>TnphoA</i> fusions. <i>Journal of Bacteriology</i> , 1991, 173, 426-434.	2.2	85
239	<i>Rhizobium meliloti</i> exopolysaccharides: genetic analyses and symbiotic importance. <i>Biochemical Society Transactions</i> , 1991, 19, 636-644.	3.4	17
240	New mutations in cloned <i>Escherichia coli</i> <i>umuDC</i> genes: Novel phenotypes of strains carrying a <i>umuC125</i> plasmid. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1991, 250, 183-197.	1.0	26
241	Acidic conditions permit effective nodulation of alfalfa by invasion-deficient <i>Rhizobium meliloti</i> <i>exoD</i> mutants.. <i>Genes and Development</i> , 1991, 5, 2274-2287.	5.9	17
242	<i>DnaK</i> as a thermometer: threonine-199 is site of autophosphorylation and is critical for ATPase activity.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 9513-9517.	7.1	216
243	A region of the <i>Ada</i> DNA-repair protein required for the activation of <i>ada</i> transcription is not necessary for activation of <i>alkA</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 9001-9005.	7.1	20
244	Analyses of the Roles of <i>R. Meliloti</i> Exopolysaccharides in Nodulation. <i>Current Plant Science and Biotechnology in Agriculture</i> , 1991, , 182-188.	0.0	8
245	What is the Molecular Mechanism of UV Mutagenesis in <i>Escherichia coli</i> ? ., 1991, , 177-182.		0
246	Altering the conserved nucleotide binding motif in the <i>Salmonella typhimurium</i> <i>MutS</i> mismatch repair protein affects both its ATPase and mismatch binding activities. <i>EMBO Journal</i> , 1991, 10, 2707-15.	7.8	69
247	Resistance to alkylation damage in <i>Escherichia coli</i> : Role of the <i>Ada</i> protein in induction of the adaptive response. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1990, 233, 53-72.	1.0	48
248	Structural studies of a novel exopolysaccharide produced by a mutant of <i>Rhizobium meliloti</i> strain <i>Rm1021</i> . <i>Carbohydrate Research</i> , 1990, 198, 305-312.	2.3	88
249	Mutations altering heat shock specific subunit of RNA polymerase suppress major cellular defects of <i>E. coli</i> mutants lacking the <i>DnaK</i> chaperone.. <i>EMBO Journal</i> , 1990, 9, 4027-4036.	7.8	140
250	<i>LexA</i> -independent expression of a mutant <i>mucAB</i> operon. <i>Journal of Bacteriology</i> , 1990, 172, 6223-6231.	2.2	21
251	The <i>Escherichia coli</i> <i>polB</i> gene, which encodes DNA polymerase II, is regulated by the SOS system. <i>Journal of Bacteriology</i> , 1990, 172, 6268-6273.	2.2	96
252	Dominant negative <i>umuD</i> mutations decreasing <i>RecA</i> -mediated cleavage suggest roles for intact <i>UmuD</i> in modulation of SOS mutagenesis.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 7190-7194.	7.1	118

#	ARTICLE	IF	CITATIONS
253	A constitutive O6-methylguanine-DNA methyltransferase of <i>Rhizobium meliloti</i> . <i>Mutation Research DNA Repair</i> , 1990, 235, 165-169.	3.7	7
254	Genetic Analyses of Cellular Functions Required for UV Mutagenesis in <i>Escherichia Coli</i> . , 1990, 52, 269-275.		2
255	Genetic analyses of <i>Rhizobium meliloti</i> exopolysaccharides. <i>International Journal of Biological Macromolecules</i> , 1990, 12, 67-70.	7.5	21
256	Genetic Analyses and Manipulations of <i>Rhizobium meliloti</i> Exopolysaccharides. , 1990, , 285-294.		1
257	Antimutagenic Effect of umuD Mutant Plasmids: Isolation and Characterization of umuD Mutants Reduced in their Ability to Promote UV Mutagenesis in <i>Escherichia Coli</i> . , 1990, 52, 417-421.		1
258	Mutations altering heat shock specific subunit of RNA polymerase suppress major cellular defects of <i>E. coli</i> mutants lacking the DnaK chaperone. <i>EMBO Journal</i> , 1990, 9, 4027-36.	7.8	69
259	Cellular defects caused by deletion of the <i>Escherichia coli</i> dnaK gene indicate roles for heat shock protein in normal metabolism. <i>Journal of Bacteriology</i> , 1989, 171, 2337-2346.	2.2	236
260	groE mutants of <i>Escherichia coli</i> are defective in umuDC-dependent UV mutagenesis. <i>Journal of Bacteriology</i> , 1989, 171, 6117-6125.	2.2	80
261	Delta dnaK52 mutants of <i>Escherichia coli</i> have defects in chromosome segregation and plasmid maintenance at normal growth temperatures. <i>Journal of Bacteriology</i> , 1989, 171, 6030-6038.	2.2	124
262	A novel exopolysaccharide can function in place of the Calcofluor-binding exopolysaccharide in nodulation of alfalfa by <i>Rhizobium meliloti</i> . <i>Cell</i> , 1989, 56, 661-672.	28.9	295
263	Amino acid similarities to other proteins offer insights into roles of UmuD and UmuC in mutagenesis. <i>Genome</i> , 1989, 31, 594-596.	2.0	6
264	New recA mutations that dissociate the various RecA protein activities in <i>Escherichia coli</i> provide evidence for an additional role for RecA protein in UV mutagenesis. <i>Journal of Bacteriology</i> , 1989, 171, 2415-2423.	2.2	240
265	Genetic Analyses Suggesting Bacterial-Plant Signalling During Nodulation. <i>NATO ASI Series Series H, Cell Biology</i> , 1989, , 329-336.	0.5	0
266	General principles of DNA repair in microorganisms and implications for future research. <i>Birth Defects: Original Article Series</i> , 1989, 25, 45-59.	0.1	1
267	RecA-mediated cleavage activates UmuD for mutagenesis: mechanistic relationship between transcriptional derepression and posttranslational activation.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 1816-1820.	7.1	383
268	<i>Rhizobium meliloti</i> mutants that overproduce the <i>R. meliloti</i> acidic calcofluor-binding exopolysaccharide. <i>Journal of Bacteriology</i> , 1988, 170, 4249-4256.	2.2	164
269	Genetic analysis of a cluster of genes required for synthesis of the calcofluor-binding exopolysaccharide of <i>Rhizobium meliloti</i> . <i>Journal of Bacteriology</i> , 1988, 170, 4239-4248.	2.2	169
270	Alteration of the carboxyl-terminal domain of Ada protein influences its inducibility, specificity, and strength as a transcriptional activator. <i>Journal of Bacteriology</i> , 1988, 170, 5263-5271.	2.2	22

#	ARTICLE	IF	CITATIONS
271	All nod genes of <i>Rhizobium meliloti</i> are involved in alfalfa nodulation by <i>exo</i> mutants. <i>Journal of Bacteriology</i> , 1988, 170, 1003-1006.	2.2	20
272	Symbiotic loci of <i>Rhizobium meliloti</i> identified by random <i>TnphoA</i> mutagenesis. <i>Journal of Bacteriology</i> , 1988, 170, 4257-4265.	2.2	119
273	Construction of an <i>Escherichia coli</i> K-12 <i>ada</i> deletion by gene replacement in a <i>recD</i> strain reveals a second methyltransferase that repairs alkylated DNA. <i>Journal of Bacteriology</i> , 1988, 170, 3294-3296.	2.2	91
274	<i>Rhizobium meliloti</i> mutants that fail to succinylate their Calcofluor-binding exopolysaccharide are defective in nodule invasion. <i>Cell</i> , 1987, 51, 579-587.	28.9	243
275	<i>Escherichia coli</i> <i>dnaK</i> null mutants are inviable at high temperature. <i>Journal of Bacteriology</i> , 1987, 169, 283-290.	2.2	241
276	New phenotypes associated with <i>mucAB</i> : alteration of a <i>MucA</i> sequence homologous to the <i>LexA</i> cleavage site. <i>Journal of Bacteriology</i> , 1987, 169, 1818-1823.	2.2	32
277	Defect in expression of heat-shock proteins at high temperature in <i>xthA</i> mutants. <i>Journal of Bacteriology</i> , 1986, 165, 763-770.	2.2	24
278	Genetic manipulations in <i>Rhizobium meliloti</i> utilizing two new transposon <i>Tn5</i> derivatives. <i>Molecular Genetics and Genomics</i> , 1986, 204, 485-491.	2.4	104
279	Mutagenic DNA Repair in Bacteria: The Role of <i>UmuDC</i> and <i>MucAB</i> . , 1986, 38, 273-280.		2
280	Genetic Analyses of the Roles of <i>UmuDC</i> and <i>MucAB</i> in Mutagenesis. , 1986, 39, 251-257.		1
281	<i>umuDC</i> and <i>mucAB</i> operons whose products are required for UV light- and chemical-induced mutagenesis: <i>UmuD</i> , <i>MucA</i> , and <i>LexA</i> proteins share homology.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985, 82, 4331-4335.	7.1	222
282	Exopolysaccharide-deficient mutants of <i>Rhizobium meliloti</i> that form ineffective nodules.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985, 82, 6231-6235.	7.1	596
283	Complementation of a <i>pKM101</i> derivative that decreases resistance to UV killing but increases susceptibility to mutagenesis. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1985, 150, 147-158.	1.0	15
284	Cellular responses to DNA damage.. <i>Environmental Health Perspectives</i> , 1985, 62, 115-117.	6.0	10
285	Genetic Analyses of DNA Repair: Inference and Extrapolation. <i>Annual Review of Genetics</i> , 1985, 19, 103-126.	7.6	48
286	Symbiotic mutants of <i>rhizobium meliloti</i> that uncouple plant from bacterial differentiation. <i>Cell</i> , 1985, 40, 869-877.	28.9	348
287	Inducible DNA Repair Systems. <i>Annual Review of Biochemistry</i> , 1985, 54, 425-457.	11.1	588
288	Conjugal transfer system of the <i>IncN</i> plasmid <i>pKM101</i> . <i>Journal of Bacteriology</i> , 1985, 161, 402-410.	2.2	123

#	ARTICLE	IF	CITATIONS
289	Entry exclusion determinant(s) of IncN plasmid pKM101. <i>Journal of Bacteriology</i> , 1985, 161, 411-416.	2.2	29
290	Identification of pKM101-encoded loci specifying potentially lethal gene products. <i>Journal of Bacteriology</i> , 1985, 161, 417-424.	2.2	38
291	Induction and autoregulation of <i>ada</i> , a positively acting element regulating the response of <i>Escherichia coli</i> K-12 to methylating agents. <i>Journal of Bacteriology</i> , 1985, 161, 888-895.	2.2	89
292	Cold sensitivity induced by overproduction of UmuDC in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1985, 162, 155-161.	2.2	117
293	Plasmid vectors for identification of genes by complementation of <i>Escherichia coli</i> mutants. <i>Journal of Bacteriology</i> , 1985, 162, 777-783.	2.2	52
294	Identification and characterization of the <i>mutL</i> and <i>mutS</i> gene products of <i>Salmonella typhimurium</i> LT2. <i>Journal of Bacteriology</i> , 1985, 163, 1007-1015.	2.2	73
295	Mutagenesis-Enhancement by Plasmids in Mutagenesis Tester Strains. , 1985, 34, 111-120.		1
296	Analysis of mRNA synthesis following induction of the <i>Escherichia coli</i> SOS system. <i>Journal of Molecular Biology</i> , 1984, 178, 237-248.	4.2	41
297	Anaerobiosis induces expression of <i>ant</i> , a new <i>Escherichia coli</i> locus with a role in anaerobic electron transport. <i>Journal of Bacteriology</i> , 1984, 158, 180-186.	2.2	28
298	General transduction in <i>Rhizobium meliloti</i> . <i>Journal of Bacteriology</i> , 1984, 159, 120-124.	2.2	274
299	Host-dependent transposon Tn5-mediated streptomycin resistance. <i>Journal of Bacteriology</i> , 1984, 159, 395-399.	2.2	26
300	Mutagenesis and inducible responses to deoxyribonucleic acid damage in <i>Escherichia coli</i> . <i>Microbiological Reviews</i> , 1984, 48, 60-93.	10.1	895
301	Mutagenesis and inducible responses to deoxyribonucleic acid damage in <i>Escherichia coli</i> . <i>Microbiological Reviews</i> , 1984, 48, 60-93.	10.1	1,645
302	Proteins required for ultraviolet light and chemical mutagenesis. <i>Journal of Molecular Biology</i> , 1983, 164, 175-192.	4.2	306
303	Regulation and Function of Cellular Gene Products Involved in UV and Chemical Mutagenesis in <i>E. Coli</i> . , 1983, 23, 181-202.		6
304	Genetic Strategies in Strain Design for Fermentations. , 1983, 25, 349-376.		4
305	Mutagenesis, by methylating and ethylating agents, in <i>mutH</i> , <i>mutL</i> , <i>mutS</i> , and <i>uvrD</i> mutants of <i>Salmonella typhimurium</i> LT2. <i>Journal of Bacteriology</i> , 1983, 153, 33-44.	2.2	46
306	Identification of the <i>uvrD</i> gene product of <i>Salmonella typhimurium</i> LT2. <i>Journal of Bacteriology</i> , 1983, 153, 1172-1179.	2.2	24

#	ARTICLE	IF	CITATIONS
307	Isolation and characterization of Tn5 insertion mutations in the <i>lexA</i> gene of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1983, 153, 1368-1378.	2.2	96
308	Genetic localization and characterization of a pKM101-coded endonuclease. <i>Journal of Bacteriology</i> , 1983, 154, 1117-1125.	2.2	23
309	The <i>Salmonella typhimurium</i> LT2 <i>uvrD</i> gene is regulated by the <i>lexA</i> gene product. <i>Journal of Bacteriology</i> , 1983, 154, 1502-1504.	2.2	29
310	The <i>muc</i> genes of pKM101 are induced by DNA damage. <i>Journal of Bacteriology</i> , 1983, 155, 1306-1315.	2.2	83
311	Mutagenesis and other responses induced by DNA damage in <i>Escherichia coli</i> . <i>Biochimie</i> , 1982, 64, 607-610.	2.6	19
312	Regulation of damage-inducible genes in <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 1982, 160, 445-457.	4.2	67
313	Identification of plasmid (pKM101)-coded proteins involved in mutagenesis and UV resistance. <i>Nature</i> , 1982, 300, 278-281.	27.8	186
314	Regulation and Functions of <i>Escherichia coli</i> Genes Induced by DNA Damage. , 1982, 20, 43-63.		13
315	Inducibility of a gene product required for UV and chemical mutagenesis in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981, 78, 5749-5753.	7.1	278
316	Restriction endonuclease cleavage map of pKM101: Relationship to parental plasmid R46. <i>Molecular Genetics and Genomics</i> , 1981, 182, 268-272.	2.4	63
317	Expression of the <i>E. coli uvrA</i> gene is inducible. <i>Nature</i> , 1981, 289, 808-810.	27.8	210
318	Functional organization of plasmid pKM101. <i>Journal of Bacteriology</i> , 1981, 145, 1310-1316.	2.2	108
319	Spontaneous mutators of <i>salmonella typhimurium</i> LT2 generated by insertion of transposable elements. <i>Journal of Bacteriology</i> , 1981, 147, 827-835.	2.2	41
320	DNA-damaging agents stimulate gene expression at specific loci in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980, 77, 2819-2823.	7.1	527
321	Localization of the plasmid (pKM101) gene(s) involved in <i>recA</i> + <i>lexA</i> +-dependent mutagenesis. <i>Molecular Genetics and Genomics</i> , 1980, 179, 289-297.	2.4	118
322	Plasmid (pKM101)-mediated Weigle reactivation in <i>Escherichia coli</i> K12 and <i>Salmonella typhimurium</i> LT2 Genetic dependence, kinetics of induction, and effect of chloramphenicol. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1980, 71, 25-41.	1.0	25
323	Mutagenesis and repair deficiencies of <i>Escherichia coli umuC</i> mutants are suppressed by the plasmid pKM101. <i>Molecular Genetics and Genomics</i> , 1979, 172, 17-24.	2.4	147
324	The effects of the ultraviolet-protecting plasmids pKM101 and R205 on DNA polymerase I activity in <i>Escherichia coli</i> K-12. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1979, 60, 135-142.	1.0	12

#	ARTICLE	IF	CITATIONS
325	Mutagenesis- and Repair-enhancing Activities Associated with the Plasmid pKM101. Cold Spring Harbor Symposia on Quantitative Biology, 1979, 43, 893-896.	1.1	14
326	Lack of Effect on Recombination of Mutagenesis-enhancing Plasmids in Escherichia coli K12 and Salmonella typhimurium LT2. Journal of General Microbiology, 1978, 108, 321-323.	2.3	8
327	Isolation and characterization of mutants of the plasmid pKM101 deficient in their ability to enhance mutagenesis and repair. Journal of Bacteriology, 1978, 133, 1203-1211.	2.2	82
328	Inducible reactivation and mutagenesis of UV-irradiated bacteriophage P22 in Salmonella typhimurium LT2 containing the plasmid pKM101. Journal of Bacteriology, 1978, 135, 415-421.	2.2	58
329	Plasmid (pKM101)-mediated enhancement of repair and mutagenesis: Dependence on chromosomal genes in Escherichia coli K-12. Molecular Genetics and Genomics, 1977, 152, 93-103.	2.4	190
330	Characterization of an endonuclease associated with the drug resistance plasmid pKM101. Journal of Bacteriology, 1977, 131, 583-588.	2.2	39
331	Comparison of cytokinin activities of the base, ribonucleoside and 5'- and cyclic-3',5'-monophosphate ribonucleotides of N6-isopentenyl-, N6-benzyl or 8-bromo-adenine. Phytochemistry, 1975, 14, 1479-1484.	2.9	18
332	Stepwise enzymic oligoribonucleotide synthesis including modified nucleotides. Biochemistry, 1975, 14, 817-824.	2.5	18
333	PMR of the self-complementary oligoribonucleotide CpCpGpG. Biochemical and Biophysical Research Communications, 1974, 61, 1089-1094.	2.1	35
334	Heterogeneity of Nucleotide Excision Repair in Eukaryotic Genomes. , 0, , 351-377.		0
335	Recombinational Repair, Replication Fork Repair, and DNA Damage Tolerance. , 0, , 569-612.		0
336	DNA Damage Tolerance and Mutagenesis in Eukaryotic Cells. , 0, , 613-661.		0
337	Other Diseases Associated with Defects in Nucleotide Excision Repair of DNA. , 0, , 895-918.		0
338	Diseases Associated with Disordered DNA Helicase Function. , 0, , 947-978.		0
339	Mutagenesis and Translesion Synthesis in Prokaryotes. , 0, , 509-568.		0
340	Mismatch Repair. , 0, , 389-447.		0
341	Base Excision Repair. , 0, , 169-226.		1
342	Reversal of Alkylation Damage in DNA. , 0, , 139-168.		0

#	ARTICLE	IF	CITATIONS
343	Correcting Altered Bases in DNA: DNA Repair. , 0, , 107-107.		0
344	Reversal of Base Damage Caused by UV Radiation. , 0, , 109-138.		0
345	Mechanism of Nucleotide Excision Repair in Eukaryotes. , 0, , 317-350.		0
346	Introduction to Mutagenesis. , 0, , 71-106.		0
347	Nucleotide Excision Repair. , 0, , 227-266.		0
348	Sources and Consequences of DNA Damage. , 0, , 1-1.		0
349	Disease States Associated with Defective Biological Responses to DNA Damage. , 0, , 863-863.		0