

Jaime Branco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/968776/publications.pdf>

Version: 2024-02-01

103
papers

5,021
citations

147801

31
h-index

95266

68
g-index

113
all docs

113
docs citations

113
times ranked

6544
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of Fibromyalgia: A Survey in Five European Countries. <i>Seminars in Arthritis and Rheumatism</i> , 2010, 39, 448-453.	3.4	535
2	An algorithm recommendation for the management of knee osteoarthritis in Europe and internationally: A report from a task force of the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO). <i>Seminars in Arthritis and Rheumatism</i> , 2014, 44, 253-263.	3.4	414
3	An updated algorithm recommendation for the management of knee osteoarthritis from the European Society for Clinical and Economic Aspects of Osteoporosis, Osteoarthritis and Musculoskeletal Diseases (ESCEO). <i>Seminars in Arthritis and Rheumatism</i> , 2019, 49, 337-350.	3.4	392
4	Glucosamine sulfate in the treatment of knee osteoarthritis symptoms: A randomized, double-blind, placebo-controlled study using acetaminophen as a side comparator. <i>Arthritis and Rheumatism</i> , 2007, 56, 555-567.	6.7	248
5	Health economics in the field of osteoarthritis: An Expert's consensus paper from the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO). <i>Seminars in Arthritis and Rheumatism</i> , 2013, 43, 303-313.	3.4	239
6	Osteoarthritis. <i>Acta Medica Portuguesa</i> , 2015, 28, 99-106.	0.4	226
7	Multinational evidence-based recommendations for the diagnosis and management of gout: integrating systematic literature review and expert opinion of a broad panel of rheumatologists in the 3e initiative. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 328-335.	0.9	222
8	A consensus statement on the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO) algorithm for the management of knee osteoarthritis: From evidence-based medicine to the real-life setting. <i>Seminars in Arthritis and Rheumatism</i> , 2016, 45, S3-S11.	3.4	203
9	Recommendations for the Registration of Agents to be Used in the Prevention and Treatment of Glucocorticoid-Induced Osteoporosis: Updated Recommendations from the Group for the Respect of Ethics and Excellence in Science. <i>Seminars in Arthritis and Rheumatism</i> , 2005, 35, 1-4.	3.4	192
10	Prevalence of rheumatic and musculoskeletal diseases and their impact on health-related quality of life, physical function and mental health in Portugal: results from EpiReumaPt – a national health survey. <i>RMD Open</i> , 2016, 2, e000166.	3.8	133
11	Classification of Systemic Lupus Erythematosus: Systemic Lupus International Collaborating Clinics Versus American College of Rheumatology Criteria. A Comparative Study of 2,055 Patients From a Real-Life, International Systemic Lupus Erythematosus Cohort. <i>Arthritis Care and Research</i> , 2015, 67, 1180-1185.	3.4	125
12	Recommendations for the use of new methods to assess the efficacy of disease-modifying drugs in the treatment of osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2004, 12, 263-268.	1.3	117
13	Type 2 diabetes mellitus and osteoarthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 49, 9-19.	3.4	110
14	Can We Identify Patients with High Risk of Osteoarthritis Progression Who Will Respond to Treatment? A Focus on Epidemiology and Phenotype of Osteoarthritis. <i>Drugs and Aging</i> , 2015, 32, 179-187.	2.7	82
15	A European Multicenter Randomized Double-blind Placebo-controlled Monotherapy Clinical Trial of Milnacipran in Treatment of Fibromyalgia. <i>Journal of Rheumatology</i> , 2010, 37, 851-859.	2.0	78
16	Multinational evidence-based recommendations for pain management by pharmacotherapy in inflammatory arthritis: integrating systematic literature research and expert opinion of a broad panel of rheumatologists in the 3e Initiative. <i>Rheumatology</i> , 2012, 51, 1416-1425.	1.9	71
17	Whole blood transcriptional profiling in ankylosing spondylitis identifies novel candidate genes that might contribute to the inflammatory and tissue-destructive disease aspects. <i>Arthritis Research and Therapy</i> , 2011, 13, R57.	3.5	70
18	Inequity in access to bDMARD care and how it influences disease outcomes across countries worldwide: results from the METEOR-registry. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1413-1420.	0.9	69

#	ARTICLE	IF	CITATIONS
19	Algorithm for the Use of Biochemical Markers of Bone Turnover in the Diagnosis, Assessment and Follow-Up of Treatment for Osteoporosis. <i>Advances in Therapy</i> , 2019, 36, 2811-2824.	2.9	60
20	Food Insecurity Is Associated with Low Adherence to the Mediterranean Diet and Adverse Health Conditions in Portuguese Adults. <i>Frontiers in Public Health</i> , 2018, 6, 38.	2.7	58
21	Prevalence and social burden of active chronic low back pain in the adult Portuguese population: results from a national survey. <i>Rheumatology International</i> , 2016, 36, 183-197.	3.0	55
22	Radiofrequency echographic multi-spectrometry for the in-vivo assessment of bone strength: state of the art – outcomes of an expert consensus meeting organized by the European Society for Clinical and Economic Aspects of Osteoporosis, Osteoarthritis and Musculoskeletal Diseases (ESCEO). <i>Aging Clinical and Experimental Research</i> , 2019, 31, 1375-1389.	2.9	53
23	Sleep duration, lifestyles and chronic diseases: a cross-sectional population-based study. <i>Sleep Science</i> , 2018, 11, 217-230.	1.0	51
24	Generalised musculoskeletal pain syndromes. <i>Best Practice and Research in Clinical Rheumatology</i> , 2010, 24, 829-840.	3.3	45
25	Anxiety and Depression in the Portuguese Older Adults: Prevalence and Associated Factors. <i>Frontiers in Medicine</i> , 2017, 4, 196.	2.6	43
26	The impact of osteoarthritis on early exit from work: results from a population-based study. <i>BMC Public Health</i> , 2018, 18, 472.	2.9	40
27	Dietary Patterns Characterized by High Meat Consumption Are Associated with Other Unhealthy Life Styles and Depression Symptoms. <i>Frontiers in Nutrition</i> , 2017, 4, 25.	3.7	37
28	Protective effect of an ERAP1 haplotype in ankylosing spondylitis: investigating non-MHC genes in HLA-B27-positive individuals. <i>Rheumatology</i> , 2013, 52, 2168-2176.	1.9	34
29	Knee and hip radiographic osteoarthritis features: differences on pain, function and quality of life. <i>Clinical Rheumatology</i> , 2016, 35, 1555-1564.	2.2	34
30	EULAR recommendations for management of fibromyalgia. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, e54-e54.	0.9	33
31	Challenges of Ageing in Portugal: Data from the EpiDoC Cohort. <i>Acta Medica Portuguesa</i> , 2018, 31, 80-93.	0.4	33
32	Contribution for new genetic markers of rheumatoid arthritis activity and severity: sequencing of the tumor necrosis factor-alpha gene promoter. <i>Arthritis Research and Therapy</i> , 2007, 9, R37.	3.5	32
33	Can We Identify Patients with High Risk of Osteoarthritis Progression Who Will Respond to Treatment? A Focus on Biomarkers and Frailty. <i>Drugs and Aging</i> , 2015, 32, 525-535.	2.7	31
34	A new decision tree for diagnosis of osteoarthritis in primary care: international consensus of experts. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 19-30.	2.9	31
35	A reference case for economic evaluations in osteoarthritis: An expert consensus article from the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO). <i>Seminars in Arthritis and Rheumatism</i> , 2014, 44, 271-282.	3.4	29
36	Longterm Therapeutic Response to Milnacipran Treatment for Fibromyalgia. A European 1-Year Extension Study Following a 3-Month Study. <i>Journal of Rheumatology</i> , 2011, 38, 1403-1412.	2.0	27

#	ARTICLE	IF	CITATIONS
37	The Use of Analgesic and Other Pain-Relief Drugs to Manage Chronic Low Back Pain: Results from a National Survey. <i>Pain Practice</i> , 2017, 17, 353-365.	1.9	26
38	Common Evaluations of Disease Activity in Rheumatoid Arthritis Reach Discordant Classifications across Different Populations. <i>Frontiers in Medicine</i> , 2018, 5, 40.	2.6	26
39	EpiReumaPt- the study of rheumatic and musculoskeletal diseases in Portugal: a detailed view of the methodology. <i>Acta Reumatológica Portuguesa</i> , 2015, 40, 110-24.	0.2	26
40	Guidelines for the conduct of pharmacological clinical trials in hand osteoarthritis: Consensus of a Working Group of the European Society on Clinical and Economic Aspects of Osteoporosis, Osteoarthritis and Musculoskeletal Diseases (ESCEO). <i>Seminars in Arthritis and Rheumatism</i> , 2018, 48, 1-8.	3.4	25
41	Tumor Necrosis Factor- α 308 Genotypes Influence Inflammatory Activity and TNF- α Serum Concentrations in Children with Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2009, 36, 837-842.	2.0	23
42	Patients' preferences for osteoarthritis treatment: the value of stated-preference studies. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 1-3.	2.9	23
43	Comments on the discordant recommendations for the use of symptomatic slow-acting drugs in knee osteoarthritis. <i>Current Medical Research and Opinion</i> , 2015, 31, 1041-1045.	1.9	22
44	Outcomes assessed in trials of gout and accordance with OMERACT-proposed domains: a systematic literature review. <i>Rheumatology</i> , 2015, 54, 981-993.	1.9	22
45	The challenge of the definition of early symptomatic knee osteoarthritis: a proposal of criteria and red flags from an international initiative promoted by the Italian Society for Rheumatology. <i>Rheumatology International</i> , 2017, 37, 1227-1236.	3.0	22
46	Ankylosing Spondylitis Susceptibility and Severity: Contribution of TNF Gene Promoter Polymorphisms at Positions -238 and -308. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 581-588.	3.8	21
47	Utilization of Subcutaneous Methotrexate in Rheumatoid Arthritis Patients After Failure or Intolerance to Oral Methotrexate: A Multicenter Cohort Study. <i>Advances in Therapy</i> , 2016, 33, 46-57.	2.9	21
48	Effectiveness and long-term retention of anti-tumour necrosis factor treatment in juvenile and adult patients with juvenile idiopathic arthritis: data from Reuma.pt. <i>Rheumatology</i> , 2016, 55, 697-703.	1.9	21
49	Potential role of age, sex, body mass index and pain to identify patients with knee osteoarthritis. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 190-198.	1.9	20
50	The effect of depressive symptoms on the association between radiographic osteoarthritis and knee pain: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 214.	1.9	19
51	Can we use entheses ultrasound as an outcome measure of disease activity in spondyloarthritis? A study at the Achilles level. <i>Rheumatology</i> , 2015, 54, 1557-1562.	1.9	19
52	The burden and undertreatment of fragility fractures among senior women. <i>Archives of Osteoporosis</i> , 2018, 13, 22.	2.4	19
53	Effectiveness of switching between TNF inhibitors in patients with axial spondyloarthritis: is the reason to switch relevant?. <i>Arthritis Research and Therapy</i> , 2020, 22, 195.	3.5	19
54	Prognostic indicators for poor outcomes in low back pain patients consulted in primary care. <i>PLoS ONE</i> , 2020, 15, e0229265.	2.5	19

#	ARTICLE	IF	CITATIONS
55	Enthesis erosion in spondyloarthritis is not a persistent structural lesion. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 2008-2010.	0.9	18
56	Association between memory B-cells and clinical and immunological features of primary Sjögren's syndrome and Sicca patients. <i>Rheumatology International</i> , 2018, 38, 1063-1073.	3.0	17
57	Fibromyalgia characterization in a psychosocial approach. <i>Psychology, Health and Medicine</i> , 2015, 20, 363-368.	2.4	16
58	Breathing Exercises Must Be a Real and Effective Intervention to Consider in Women with Fibromyalgia: A Pilot Randomized Controlled Trial. <i>Journal of Alternative and Complementary Medicine</i> , 2018, 24, 825-832.	2.1	16
59	Cross-Talk between Diet-Associated Dysbiosis and Hand Osteoarthritis. <i>Nutrients</i> , 2020, 12, 3469.	4.1	16
60	TRAF1/C5 but Not PTPRC Variants Are Potential Predictors of Rheumatoid Arthritis Response to Anti-Tumor Necrosis Factor Therapy. <i>BioMed Research International</i> , 2015, 2015, 1-9.	1.9	15
61	Home-Based Intervention Program to Reduce Food Insecurity in Elderly Populations Using a TV App: Study Protocol of the Randomized Controlled Trial Saúde.Come Senior. <i>JMIR Research Protocols</i> , 2017, 6, e40.	1.0	13
62	EpiReumaPt Protocol - Portuguese epidemiologic study of the rheumatic diseases. <i>Acta Reumatológica Portuguesa</i> , 2010, 35, 384-90.	0.2	13
63	Portuguese guidelines for the use of biological agents in rheumatoid arthritis - October 2011 update. <i>Acta Reumatológica Portuguesa</i> , 2011, 36, 385-8.	0.2	13
64	Fibromyalgia: antecedent life events, disability, and causal attribution. <i>Psychology, Health and Medicine</i> , 2013, 18, 461-470.	2.4	12
65	DXA in the assessment of subchondral bone mineral density in knee osteoarthritis: A semi-standardized protocol after systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2015, 45, 275-283.	3.4	11
66	Unparalleled sample treatment throughput for proteomics workflows relying on ultrasonic energy. <i>Talanta</i> , 2018, 178, 1067-1076.	5.5	11
67	Reuma.pt/vasculitis – the Portuguese vasculitis registry. <i>Orphanet Journal of Rare Diseases</i> , 2020, 15, 110.	2.7	11
68	Diaphragmatic function in patients with chronic left ventricular failure. <i>Pathophysiology</i> , 2001, 8, 55-60.	2.2	10
69	Persistent low grade synovitis without erosive progression in magnetic resonance imaging of rheumatoid arthritis patients treated with infliximab over 1 year. <i>Clinical Rheumatology</i> , 2009, 28, 1213-1216.	2.2	10
70	Reference Data for Bone Speed of Sound in Portuguese Girls and Boys Aged 9–13 Years. <i>Journal of Clinical Densitometry</i> , 2011, 14, 484-491.	1.2	10
71	Spectrum of ankylosing spondylitis in Portugal. Development of BASDAI, BASFI, BASMI and mSASSS reference centile charts. <i>Clinical Rheumatology</i> , 2012, 31, 447-454.	2.2	10
72	Association between EBV serological patterns and lymphocytic profile of SjS patients support a virally triggered autoimmune epithelitis. <i>Scientific Reports</i> , 2021, 11, 4082.	3.3	10

#	ARTICLE	IF	CITATIONS
73	<i>ANKH</i>and Susceptibility to and Severity of Ankylosing Spondylitis. Journal of Rheumatology, 2012, 39, 131-134.	2.0	8
74	Assessing quality of life of self-reported rheumatic patients. Rheumatology International, 2016, 36, 1265-1274.	3.0	8
75	Multimorbidity is associated with fragility fractures in women 50Âyears and older: A nationwide cross-sectional study. Bone Reports, 2021, 15, 101139.	0.4	8
76	Predictors of Damage Progression in Portuguese Patients with Systemic Lupus Erythematosus. Annals of the New York Academy of Sciences, 2009, 1173, 822-828.	3.8	7
77	Health and Lifestyles Factors Associated With Osteoarthritis among Older Adults in Portugal. Frontiers in Medicine, 2017, 4, 192.	2.6	7
78	Prognostic factors for recovery and non-recovery in patients with non-specific neck pain: a protocol for a systematic literature review. BMJ Open, 2018, 8, e023356.	1.9	7
79	A discrete-choice experiment to assess patientsâ€™ preferences for osteoarthritis treatment: An ESCO working group. Seminars in Arthritis and Rheumatism, 2020, 50, 859-866.	3.4	7
80	A Home-Based eHealth Intervention for an Older Adult Population With Food Insecurity: Feasibility and Acceptability Study. Journal of Medical Internet Research, 2021, 23, e26871.	4.3	7
81	Lymphocyte subpopulations in SjÃ¶grenâ€™s syndrome are distinct in anti-SSA-positive patients and related to disease activity. Clinical Rheumatology, 2021, 40, 2791-2804.	2.2	6
82	Interdisciplinary stratified care for low back pain: A qualitative study on the acceptability, potential facilitators and barriers to implementation. PLoS ONE, 2019, 14, e0225336.	2.5	5
83	Performance of referral strategies for spondyloarthritis: a population-based nationwide study. Rheumatology, 2019, 58, 1086-1094.	1.9	5
84	Self-reported low-energy fractures and associated risk factors in people with diabetes: A national population-based study. Diabetes Research and Clinical Practice, 2019, 147, 93-101.	2.8	5
85	Portuguese translation, cross-cultural adaptation and reliability of the questionnaire Â«Start Back Screening ToolÂ» (SBST). Acta ReumatolÃ³gica Portuguesa, 2017, 42, 38-46.	0.2	5
86	Corneal subâ€basal nerve plexus assessment and its association with phenotypic features and lymphocyte subsets in SjÃ¶gren's Syndrome. Acta Ophthalmologica, 2021, 99, e1315-e1325.	1.1	4
87	Muscle dysfunction in axial spondylarthritis: the MyoSpA study. Clinical and Experimental Rheumatology, 2022, 40, 267-273.	0.8	4
88	Pirlindole in the Treatment of Depression and Fibromyalgia Syndrome. Clinical Drug Investigation, 2011, 31, 675-689.	2.2	3
89	Genetic Predictors of Poor Prognosis in Portuguese Patients with Juvenile Idiopathic Arthritis: Data from Reuma.pt. Journal of Immunology Research, 2015, 2015, 1-6.	2.2	3
90	Non-supervised breathing exercise regimen in women with fibromyalgia: A quasi-experimental exploratory study. Complementary Therapies in Clinical Practice, 2019, 35, 170-176.	1.7	3

#	ARTICLE	IF	CITATIONS
91	Translation, cross-cultural adaptation and validation of the Osteoarthritis Quality of Life (OAQoL) questionnaire for use in Portugal. <i>Rheumatology International</i> , 2019, 39, 715-722.	3.0	3
92	Low persistence with oral biphosphonate treatment in postmenopausal osteoporosis. <i>Acta Reumatológica Portuguesa</i> , 2019, 44, 114-125.	0.2	3
93	Translation and cross-cultural adaptation of the ASAS Health Index and ASAS Environmental Factors Item Set into European Portuguese Language. <i>Acta Reumatológica Portuguesa</i> , 2017, 42, 256-262.	0.2	2
94	Drs. Pimentel-Santos and Branco reply. <i>Journal of Rheumatology</i> , 2012, 39, 1757-1757.	2.0	1
95	Normocalcemic Primary Hyperparathyroidism Presenting as Calcinosis Cutis. <i>Journal of Clinical Rheumatology</i> , 2014, 20, 330-331.	0.9	1
96	Editorial: Active Aging and Disease Management. <i>Frontiers in Medicine</i> , 2018, 5, 278.	2.6	1
97	Increased short-term risk of cardiovascular events in inflammatory rheumatic diseases: results from a population-based cohort. <i>Rheumatology International</i> , 2021, 41, 311-318.	3.0	1
98	Staff SARS-CoV-2 Seroprevalence and Mental Health as Key Factors in University Response to COVID-19 Pandemic. <i>Frontiers in Public Health</i> , 2021, 9, 689919.	2.7	1
99	The Effect of ACTN3 and VDR Polymorphisms on Skeletal Muscle Performance in Axial Spondyloarthropathies. <i>Frontiers in Genetics</i> , 2021, 12, 688984.	2.3	1
100	Can health care providers recognise a fibromyalgia personality?. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 105, 43-49.	0.8	1
101	Fall determinants in the adult Portuguese: do chronic conditions change the risk of falling?. <i>Acta Reumatológica Portuguesa</i> , 2019, 44, 288-295.	0.2	1
102	THU0403â€¦AXIAL SPONDYLOARTHRITIS INDUCES MUSCLE DYSFUNCTION, THE ROLE OF BODY COMPOSITION PARAMETERS: MYOSPA STUDY. , 2019, , .		0
103	Muscle dysfunction in axial spondylarthritis: the MyoSpA study. <i>Clinical and Experimental Rheumatology</i> , 2021, , .	0.8	0